



# TOURNAIVIENT QUICKTURN OVER



### **EVERY FACILITY IS UNIQUE**

Decide which is the best fit for yours.

# WE DO IMPOSSIBLE.

Planning a standout sports facility that's made to last and flexible enough to do it all is a challenge we meet every day. Whether that's a high volume athletic center, a community recreation facility, or a school gymnasium, facility equipment is no longer just about the mechanical, but also how new technologies and responsivness can improve the customer experience.

Partner with Porter and build on 150 years of elevating every sport we serve.





# WHEN FAST MATTERS



**Curtain Winch** 



**Backstop Winch** 

Whether you need curtains, backstops, or both, if your facility is hosting multiple back-to-back events. the NEW Porter RAPIDLIFT® can help turnover the next activity up to 3x faster. See page 62.



**FACILITIES OF ANY SIZE** 




30+ FT/MIN SPEED

POSSIBLE.

### 2 0 2 1 E Q U I P M E N















At Porter Athletic, our mission is to continually improve our processes, products, expertise, and service to create superior opportunities for athletic success.







### WHAT'S INSIDE

### **06** BASKETBALL

- 06 Portables & Accessories
- 14 Center-Strut Series
- 16 Wall Mount Backstops
- 17 Height Adjusters
- 18 Winches & Accessories
- 20 Backboards
- 22 Goals
- 24 Accessories
- **26** Gooseneck Systems
- 28 Vertical Post Systems
- 30 Adjustable & Outdoor Systems

### **32 VOLLEYBALL**

- 32 POWR-Net Overhead System
- 34 POWR-Series Standards
- 40 Recreational Standards
- 42 Net & Accessories
- 44 Upright Padding & Graphics
- 46 Judge's Stands & Accessories
- 48 Sleeves, Plates & Anchors
- 49 Game Standards

### **52 INDOOR FACILITIES**

- 52 Divider Curtains
- 60 Indoor Cages
- 62 Winches & Controls
- 68 Mat Mover & Floor Covering
- 70 Gym Equipment & Ropes
- 72 Indoor Specialty Pads

### **76 OUTDOOR FACILITIES**

- 76 Hammer & Discus Cages
- 80 Circles & Toeboards
- 81 Take-Off Boards & Vault Boxes
- 82 Sandpits
- 84 Ball Stops
- 85 Shelters & Versacom Boxes
- 86 Benches & Bleachers

### 88 FOOTBALL

- 88 Football Goals
- 90 Football Padding & Specialty Goals

### 92 SOCCER

- 92 Soccer Goals
- 96 Security Anchors & Sleeves

### 97 LACROSSE & FIELD HOCKEY

97 Lacrosse, Field Hockey & Futsal Goals

### 98 TENNIS


98 Tennis Posts & Nets

### 99 BASEBALL

- 99 Windscreens
- 100 Bases, Dugouts, & Foul Poles

### **102 PADDING & TUNNELS**

- 102 Outdoor Padding
- 104 Outdoor Batting Tunnels & Cages





## 1835 PORTABLE BACKSTOPS

### **MOTORIZED BACKSTOP OPTIONS**

10'8" (3.25m) Extension 1835108MCXXYY 1835080MCXXYY 8' (2.44m) Extension

### MANUAL BACKSTOP OPTIONS

1835108CXXYY 10'8" (3.25m) Extension 1835080CXXYY 8' (2.44m) Extension

#### **CUSTOMIZE**

1834CXX **Boom Pad** 183830 Mast Mount Shot Clock Support **Platform Mount Shot Clock Support** 183850 183860 Rear Shot Clock Support Perimeter Backboard Lights Page 24 Replacement Pads Page 13 **Graphic Pad Set** Page 13 Page 12 Floor Anchor Extension Bracket



### Each Portable Unit Includes:



Center-Strut Glass Backboard



Pro-Pad Bolt-On Backboard Padding



TFX Goal with Anti-Whip Net



Exclusive Self-Docking Anchor Trays (Patent No. 10,238,944)




Floor Anchors

### 1835 Dimensions

	1835108	1835080
Α	10'8"	8'
В	6'8"	4'
	IN STO	RAGE
(H)	7'3"	7'1"
(L)	15'1"	13'10"
(-)		





Vinyl Colors: (xx)















Powder Coat Colors: (YY)























Satisfy the highest levels of competition and performance with the new arena-level portable from Porter, and eliminate the universal pains previously experienced with portable backstops.

The 1835 portable offers breakthroughs in the installation and setup process. Porter's exclusive self-docking tray anchor system (Patent No. 10,238,944) allows perfect alignment into a secured game position, eliminating hassles. Special locator pins provide additional control and user support during the setup process. Once positioned, the 1835 portable offers effortless spring-assisted setup for play.

Meticulously crafted protective pads integrate perfectly around the base and stanchion of the portable to enhance facility appearance. Choose from a full-range of vinyl pad colors and vibrant powder coat frame colors to complete your

portable design. Optional full-color protective pad graphics offer

- **EXCLUSIVE SELF-DOCKING ANCHOR TRAY** (Patent No. 10,238,944)
- **AUTO-RETRACTABLE FOOT PAD**
- **DROP PIN LOCATING SYSTEM**
- INTEGRATED PLUMBING AND LEVELING
- 4" THICK FRONT PADDING
- **AVAILABLE IN 8' AND 10'8" EXTENSIONS**
- ADJUSTABLE TO 8',9', AND 10' GOAL HEIGHTS



porter

**AVAILABLE** 







### 1135 PORTABLE BACKSTOPS

### **BACKSTOP OPTIONS**

1135080CXXYY Manual 8' (2.44m) Extension

1135080BCXXYY Extra Ballast Manual 8' (2.44m) Extension

\*Floor Anchors Not Required for Extra Ballast Backstops

#### **CUSTOMIZE**

1134CXXBoom Pad113130Mast Mount Shot Clock Support113150Platform Mount Show Clock SupportSee page 24Perimeter Backboard LightsSee page 13Replacement Pads

See page 13 Graphic Pad Set FITG00300 Locator Cup Kit





+) Locator Cup Kit (Optional)

Each Portable Unit Includes:

Center-Strut

Glass Backboard







Integrated Plumbing

and Levelling Features


Torq-Flex Competition Goal with Anti-Whip Net



\*Torq-Flex Competition Goal Shown

Floor Anchors












8

porter









meets requirements for NCAA NFHS



This versatile portable backstop combines high-level play capability with simplified storage and maneuvering capabilities.

We are proud to introduce the 1135 to the Porter Athletic Portable lineup. The 1135 unit is a spring assisted, folding portable that provides extra stability and meets all competition needs.

The 1135 is anchored and secured with two heavy duty threaded rods that screw into specially designed floor anchors. Two leveling feet in the front of the unit allow for precision adjustment of the height setting and provide stability for the unit. The 1135 features Porter's Center-Strut direct goal attachment, allowing for easy goal and backboard installation. The direct goal-mount system also withstands slam-dunk action and prevents glass backboards from shattering. This portable is more easily stored and maneuvered than traditional arena competition portables. The 1135 is guided by two rigid, dual-wheel casters and two swivel casters.

- CENTER-STRUT ATTACHMENT
- THREADED KNOB TIE-DOWN SYSTEM
- SCREW-TYPE LEVELING JACKS
- 6 NON-MARKING RUBBER CASTER WHEELS
- 2" THICK FRONT PADDING (7' TALL)
- ADJUSTABLE TO 8',9', AND 10' GOAL HEIGHTS

### 735 PORTABLE BACKSTOPS

### **BACKSTOP OPTIONS**

735050CXXYY

Manual 5' (1.52m) Extension

735050BCXXYY

Extra Ballast Manual 5' (1.52m) Extension \*Floor Anchors Not Required for Extra Ballast Backstops

#### **CUSTOMIZE**

10


**Shot Clock Support** 007375 Perimeter Backboard Lights See page 24 Replacement Pads See page 13 See page 13 **Graphic Pad Set** FITG00300 **Locator Cup Kit** FITG0047X Floor Anchor Kit



Fach Portable Unit Includes:









Pro-Pad Bolt-On Backboard Padding




Ultra-Breakaway Competition Goal with Anti-Whip Net



Floor Anchor Kit (Optional)

### 735 Dimensions







VIIIYI GUI	UI5: (XX	(1)		
01	02	03	04	05
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE
06	08	09	10	11
YELLOW GOLD	TAN	GRAY	MAROON	PURPLE
12	13	14	15	
BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN	

Powder	Coat Col	ors: (YY)	)	
01	02	03	04	05
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE
06	07	08	09	10
YELLOW GOLD	SILVER	OLD GOLD	GRAY	MAROON
11	12	13	14	15
PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN





Portable Shown With Optional Shot Clock Support



CUSTOM GRAPHICS AVAILABLE

735 SERIES

New-and-improved design features make this portable a top choice for both competitive team practices and recreational play.

A unique tension spring assist folding mechanism concealed in the base provides instant and effortless height adjustments from storage position to 8' 9' or 10' goal heights. An improved anchoring method includes one tie-down threaded anchor at the rear position and two screw-type level jacks in the front for simplified setup. Updated frame and boom construction provides maximum durability.

Porter's Center-Strut direct goal-mount system withstands slam dunking and prevents glass backboards from shattering.

- SPRING OPERATED
- SCREW-TYPE LEVELING JACKS
- THREADED KNOB TIE-DOWN SYSTEM
- UPDATED FRAME AND BOOM
- 2" THICK FRONT PADDING
- 4 NON-MARKING SWIVEL CASTER WHEELS
- ADJUSTABLE TO 8',9', AND 10' GOAL HEIGHTS





**10** YEAR LIMITED WARRANTY



### **PORTABLE ACCESSORIES**



### 1835 Floor Extension Bracket

Optional tie down bracket recommended for portable floor with less than 4' from the edge of the floor to the rear of the portable. Includes bracket, chain, and anchor.

#### FITG00430



### Floating Floor Type Anchor

Two part system to allow movement and expansion of wood floor where flooring does not exceed 3  $^{7}/_{8}$ " total thickness. Anchor installs after finished floor is in place by means of a double acting masonry anchor. 5" chrome or brass plated cover assembly consists of molded plastic recessed mounting flange, cork gasket and swivel type retainer pin. Specify extended shaft handwheel for use on floor mounted equipment.

00249000 00249200 HAND00001000 HAND00027000 HAND00067000 Anchor w/ Chrome Cover Anchor w/ Brass Cover Handwheel w/Stud ½"-3½" Handwheel w/Stud ½"-2¼" Handwheel w/Stud ½"-4"







### **Sleeper Anchor**

Designed for use in sleeper floors where anchorage into both concrete slab and wood floor is desirable. Top plate is  $3^{1/2}$ " diameter and is threaded to provide adjustment to floor surface.

00244000

### Portable Floor Type Anchor

Designed specifically for installation on a professional type portable wood flooring system. Anchor is identical to the  $3\frac{1}{2}$ " diameter chrome plated top plate assembly as used on the No. 00242100 floor anchor with the addition of flat head machine screws and a heavy steel reinforcing plate which is mounted under the portable floor panels to properly distribute loading on the wood sections.

00242900

### **Expansion Anchor**

The industry's favorite. Ideal where there is at least 6" of concrete. Expansion shield provides super holding power. Anchor is  $1^1\!\!/2"$  diameter minimizing metal surface on gym floor. Top portion of anchor may be removed for cleaning and washers may be added or removed to keep surface of anchor flush with floor.

00247100

### Thin Concrete Anchor

Designed for maximum holding power through thin channel lock wood or synthetic floors into concrete sub-floors of minimal thickness. Four double acting expansion anchors provide an ultimate pull-out load of 8,200 pounds when properly installed. Top plate is 3½" diameter and is polished and chrome plated.

00242100





Visit PorterAthletic.com to find your replacement parts and pads.

# 900 CENTER-STRUT BACKSTOPS

### **BACKSTOP OPTIONS**

### FORWARD FOLDING

917 **Rear Braced** Front Braced 949

950 Front Braced / Bent Mast

### **BACKWARD FOLDING**

Rear Braced

951 Rear Braced / Trak Fold 952 Rear Braced / Bent Mast

### **SIDE FOLDING**

955 Side Braced

956 Side Braced / Bent Mast

#### **STATIONARY**

918 Wall Braced 926 **Ceiling Braced** 

# Forward Folding







Side Folding





Stationary





### Center Strut Features:



Center-Strut mounts directly to the 6 5/8" diameter vertical drop frame support.



The glass backboard mounts to Center-Strut goal support with two independent bolts to provide Porter's exclusive backboard/goal mounting system.



Goal mounts independently with four bolts extending through the backboard and into the Center-Strut mounting plate to eliminate any stress on the backboard.

### Powder Coat Colors:



































Porter 900 Series backstops provide the athletic facility designer with the widest variety of product applications while conforming to the latest regulations for championship competition.

This versatile product line comes standard with a fully welded frame up to a 32' attachment height, featuring a  $6\,\%$ 8" single drop frame with heavy diagonal sway bracing designed and constructed for years of reliable service. A bolt-together frame with internal bracing provides unequaled stability for units up to a 45' height while still allowing installation access through gymnasium doorways.

Backstops are not one size fits all, which is why Porter backstops are custom engineered with the proper supports, bracing, and dimensions to fit your building. You can count on the high performance and safety that defines Porter products.

- POWR-LOK® BRACE HINGES
- ADJUSTABLE MAST HINGES
- OFFSET HINGE WEIGHT LOCK SYSTEM
- HEAVY DIAGONAL SWAY BRACING
- 6 5/8" DIAMETER VERTICAL SUPPORT TUBE
- UP TO 45' ATTACHMENT HEIGHT





25 YEAR LIMITED WARRANTY







### **WALL MOUNT BACKSTOPS**

\*Available for almost any backboard, goal or height adjuster.




### 219 Up-Fold Series

Backstop folds up with hoisting winch for compact storage of both framework and backboard. Special offset hinge fitting arrangement allows backstop to fold nearly flat against a wall. Backstop extension is available in any dimension from 4' to 18' from the wall.

#### RECOMMENDED FOR ALL UP-FOLD WALL MOUNT BACKSTOPS:

10797120 Safety Strap Kit (For Unit Without Height Adjuster) 10797121 Safety Strap Kit (For Unit With Height Adjuster)



### 312 Stationary Series

Simple, rigid diagonally braced design supports backboard at any extension from .5' to 18' from the wall. Porter's Center-Strut backstops are designed with a direct-mount system which provides a structural mounting support plate directly behind the goal eliminating any strain on the backboard during aggressive play.



### 220 Side-Fold Series

Backstop folds to side for economical, compact storage. This style is recommended where low ceiling height or obstructions prohibit other folding methods. Backstop is operational from the floor with a telescoping diagonal brace system with a special locking mechanism. Offset hinge fitting allows backstop to fold nearly flat against a wall. Extension is available in any dimension from 4' to 12' from the wall.





### Column Mount System

Designed for mounting a fan-shaped backboard and goal to an exposed straight or sloped column (maximum flange width of 15"). Center-Strut direct goal mount design eliminates any strain on the backboard during aggressive play. Unit includes extension frame with special attachment assemblies and mounting hardware only. Specify fan backboard and goal separately. Available with Center-Strut manual height adjustment feature which allows goal height settings from 8'-10'. We recommend column padding for player safety.

00310100 00311100 Fixed Height System Height Adjuster System





No. 00904506 Single Drop Electric Height Adjuster

### **Center-Strut Height Adjusters**

Available on the ceiling suspended or wall mounted backstop selection of your choice, along with the option to choose either manual or electric operation. The goal height is easily adjustable to any height from 8' to 10' to accommodate all age levels. Height settings are clearly visible from the floor for accurate adjustments. Electric height adjuster unit incorporates a compact motor to raise and lower the goal height electrically from 8' and 10'.

Optional cordless drill unit allows for power operation of Manual Center-Strut Height Adjuster.



**1** YEAR LIMITED WARRANTY

### Height Adjuster Options:

- Powr-Touch Systems
- Key Switch
- SportSonic II
- Powr-Stick
- Manual



See page 64 for more information







### **Advanced Installation Required**

Items on these pages may require advanced installation by a trained professional. Incorrect installation may result in product failure and/or warranty void. Installation and fees are customer responsibility. Contact your Porter dealer for additional information.



### **WINCHES & ACCESSORIES**



For facilities hosting multiple back-to-back events, the NEW Porter RAPIDLIFT® winch can help turn over the next activity up to 3x as fast. See page 62.





### **Electric Winch**

These equipment winch motors are manufactured to Porter's superior quality and safety requirements, and Porter reputation for durable, high-quality backstop winches in facilities all over the globe. The 712/713 winches come with many improvements and features including a 4" OD extended machined aluminum cable drum allowing 41 ft. of cable capacity on a single layer, an external belt tensioner for easier adjustments and maintenance, and a cable tensioner to keep the cable in place during slack conditions.

The 712/713 basketball backstop winches will operate with Porter's 3-position key switch, Powr-Touch® systems, or SportSonic® II wireless control system.



712 3/4 HP Winch 713 1 HP Winch



### **Electric Winch Operator**

Compact, heavy-duty unit to operate Porter's manual winch or any winch with a 34" square drive shaft. Sufficient power and torque to handle folding backstops up to a 25' attachment height. Double insulated with 50' power cord and two-prong plug. No grounding required. Complete with a durable storage case.

00269000 WINH00048000 Electric Winch Operator Chuck



### **Manual Winch**

Compact winch with precision-machined, hardened steel worm, forged bronze worm wheel and thrust ball bearing provides smooth, quiet operation and holds backstop in any position. Hand crank sold separately.

00700000 XCRK70000002 REPL10700000 XPAD2100260B Manual Winch Hand Crank

Gear Replacement Kit

OB Wood Pad



### Saf-Strap Safety Lock

Any increase in cycle speed or tension, whether sudden or gradual, immediately activates the locking device. The device will lock in any state or cycle, in the event of an over-speed occurrence due to a malfunction of the hoisting apparatus.

797



# porter powr-touch 5





# THE ULTIMATE **GYM CONTROL SYSTEM**

Athletic facility equipment is no longer only about the mechanical, but how new technologies and responsiveness improve customer experience. See page 64.



**WIRELESS** CAPABLE



**SIMULTANEOUS UP / DOWN** 



**MULTI-FUNCTION OPERATION** 





### **BACKBOARDS**







### Center-Strut Glass Backboard

This official size 72" x 42" backboard with three point attachment support frame is designed for use only on direct goal mount (Center-Strut) support structures. Brushed aluminum extrusions secure  $\frac{1}{2}$ " thick fully tempered glass to the fully welded steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty when installed on Porter Center-Strut support systems. Backboard padding is not included but is recommended for player safety. Goal mount centers 5" x 4-½".

208 72" x 42" Backboard

208L1 72" x 42" Backboard with LED Lights

20810CXX Center-Strut Package

• INCLUDED: Backboard, 236154 Powr-Flex® Competition Goal, Pro-Pad Bolt-On Backboard Pad



### **Pro-Strut Glass Backboard**

 $72" \times 42"$  or  $72" \times 48"$  backboard includes a vertical Center-Strut goal support and four corner attachment support frame. This design allows installation on wall-mount units, double drop overhead supported units or old style support system. Brushed aluminum extrusions secure  $\frac{1}{2}$ " thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty. Backboard padding is not included but is recommended for player safety. Goal mount centers  $5" \times 4\frac{1}{2}$ ".

204 72" x 42" Backboard

204L1 72" x 42" Backboard with LED Lights

206 72" x 48" Backboard (5" x 5" Mounting Centers)

20410CXX Pro-Strut Package

INCLUDED: Backboard, 236154 Powr-Flex Competition Goal, Pro-Pad Backboard Pad



### **Pro-Strut Conversion Glass Backboard**

No additional support structure or hardware is needed to replace a standard fan shaped backboard with this official size 72" x 42" rectangular glass backboard. The two vertical struts with fan shaped backboard mounting centers include all the necessary hardware. Brushed aluminum extrusions secure  $\frac{1}{2}$ " thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty. Goal mount centers 5" x  $4\frac{1}{2}$ ". Backboard padding is not included but is recommended for player safety.

205A 72" x 42" Backboard 2045439 54"x 39" Backboard

2043510CXX Pro-Strut Conversion Package

🛟 INCLUDED: Conversion Backboard, Powr-Flex Competition, Pro-Pad Backboard









### Fiberglass Backboards

The 54" x 39" fan or official size 72" x 42" rectangular backboards are molded from fiberglass. Perimeter flange and structural rib pattern are  $1\frac{1}{2}$ " deep for rigidity and superior rebound qualities. Official perimeter and target area are screened. Threaded inserts on fan backboard mounting centers allow mounting on any standard support structure. Additional holes are provided for attachment to Center-Strut support system. Goal mount centers 5" x  $4\frac{1}{2}$ " to 5" x 5". Backboard padding is not included but is recommended for player safety.

216 Rectangle Board 267 Fan Board





### **Aluminum Backboards**

This 54" x 39" backboard is made from cast aluminum with continuous reinforcing ribs on the backside. Perimeter flange and ribs are 1  $\frac{1}{4}$ " thick for maximum strength. White powder coat finish with optional official perimeter and target area screened in orange. Goal mount centers 5" x 5".

234A White/Orange Board 234 White Board





### **Steel Backboards**

 $72^{\prime\prime}$  x  $42^{\prime\prime}$  or  $54^{\prime\prime}$  x  $39^{\prime\prime}$  backboards are designed to withstand rugged play and severe weather conditions. Heavy, 11 gauge steel face has  $^{1}\!\!/^{4}$  diameter perforations to minimize wind resistance. Official perimeter and target area are screened on solid steel. Unitized steel support frame has attachment holes on fan backboard mounting centers allowing installation on existing support structures with optional mounting kit. Goal mount centers 5" x 5". Backboard padding is not included but is recommended for player safety.

207 72" x 42" Board 203 54" x 39" Board



## **BASKETBALL GOALS**

Net & Mounting Hardware Included





### Torq-Flex® Competition

Robust design with 180 degree flex that is perfect for competition play in high school, college, and recreational facilities.

### 240180

180 Degree Flex Rim

5" x 4" to 5" x 4½" Mount Pattern

Tube Tie Net Attachment









### **Powr-Flex Competition**

An economical competition flex rim.

236154 5" x 4" to 5" x 4½ Pattern 236H00 5" x 5" Pattern (Outdoor)

Flex Rim

Tube Tie Net Attachment





















Designed for premier facilities that experience a volume of top-level talent. Porter's Torg-Flex Elite Goal reduces the impact into a player's hand from all directions. Unlike standard flex goals, Torq-Flex Elite flexes on all sides of the rim providing equal flexibility regardless of the approach.

180 Degree Flex Rim

5" x 4" to 5" x 41/2" Mount Pattern

Tube Tie Net Attachment







### **Ultra Breakaway Competition**

A true breakaway rim designed with a positive lock mechanism that releases with a 180 lb. static load.

#### 236054

Breakaway Rim

5" x 4" to 5" x 41/2" Mount Pattern

Tube Tie Net Attachment



260180



### **Super Goal**

Heavy-duty regulation front-mount goal has extra high-tensile strength steel and rugged 5/8" diagonal support bracing.

00225000

00235000

5" x 4" to 5" x 41/2 Pattern

5" x 5" Pattern (Outdoor)



### **Heavy-Duty Playground**

This indestructible goal is the most rugged outdoor goal available with solid double 5/8" diameter rim design.

00251H00 00161000

5" x 5" Pattern (Outdoor) Zinc-plated Chain Net



**UNCONDITIONAL** LIFETIME WARRANTY



### **Double Rim Playground**

Heavy-duty, double rim construction makes this front-mount goal withstand rugged playground use.

00202H00

5" x 5" Pattern (Outdoor)



**1** YEAR LIMITED WARRANTY

### Championship® Goal

Intended for residential use only, not for use on school or public playgrounds. Fits Championship/U-Can-Slam residential systems.

3" x 4" Pattern



1 YEAR LIMITED WARRANTY



### **ACCESSORIES**



### **LED Perimeter Lights**

LED lights comply with the latest NBA, NCAA, and FIBA recommendations and meet NFHS end of period light requirements. Lights are neatly contained within a custom aluminum extrusion and mount directly inside the perimeter backboard markings providing a clean, uncluttered appearance. Order one set per backboard.

### Center-Strut Rectangular Glass Backboard

820801 LED light set with synchronizer 820802 LED light set with Daktronics cord 820803 LED light set with Nevco cord

### Pro-Strut Rectangular Glass Backboard

820401 LED light set with synchronizer 820402 LED light set with Daktronics cord 820403 LED light set with Nevco cord



### **Pro-Pad Bolt-On Backboard Padding**

Featuring self-tapping screws, the Pro-Pad is the easiest backboard pad in the industry to install. The improved 2-hole design is extremely durable and is manufactured with a tough molded urethane skin that is painted in the mold with a color matched urethane paint to provide the exterior with uniform colored appearance. Meets all competition requirements of the NBA, NCAA, NFHS and International requirements of FIBA. **Pads one backboard.** 

00326000	Gray	00326400	Maroon
00326100	Red	00326500	Orange
00326200	Royal Blue	00326600	Black
00326210	Navy Blue	00326700	Purple
00326300	Kelly Green	00326800	Yellow Gold
00326310	Dark Green	00326220	Light Blue



### porter



### **Adhesive Backboard Pads**

Pads molded from self-skinning polyurethane foam. Fast-setting adhesive installation. Available in gray only. Pads one backboard.

227 For 2" Thick Backboards 229 For 1 9/16" Thick Backboards



### **Net Tube-Tie Cord**

Replacement nylon cord for our tube-tie basketball goal system. Includes hardware.

ROND00123100



### **Tamper Proof Hardware for** Goals

Wards off the most determined theft or vandalism attempts! Set of four round head bolts with special high security nuts using a torque limiting breakaway head section combined with a free turning protective sleeve. For use on any Porter standard front-mount goal. No special tools are required for installation.

01218000



### **Nylon Net**

09608012 Anti-Whip Net 12 Pack

09608000 Anti-Whip Net



### **Chain Net**

Zinc-plated. Attaches to any style rim with heavy duty S-hooks. Fits 00251H00 heavy duty playground goal.

00161000



## **GOOSENECK SYSTEMS**

USE THE MATRIX TO CHOOSE YOUR EXTENSION DISTANCE, POLE DIAMETER, BACKBOARD, AND GOAL



**10** YEAR LIMITED WARRANTY

4' Extension 4½" Diameter Pole		00235000 Super Goal	00202H00 Double Rim				
267 Fan Fiberglass		17412	17413	17414	17415		
234 Fan Aluminum White	W W	17422	17423	17424	17425		
234A Fan Aluminum		17432	17433	17434	17435		



5' Extension 4½" Diameter Pole		Fivy		
267 Fan Fiberglass	17512	17513	17514	17515
234 Fan Aluminum White	17522	17523	17524	17525
234A Fan Aluminum	17532	17533	17534	17535
216 72" x 42" Fiberglass	17582	17583	17584	17585

### **Super Duty System**

Provides the utmost in safety and strength during even the toughest play. California and Florida specifications require extended pole length for a 2' deeper footing.

00251H00 **Heavy-Duty** 

236H00 Powr-Flex

							Competition
<b>6' Extension</b> 59/16" Diameter Pole							
267 Fan Fiberglass		17612	17613	17614	17615		
234 Fan Aluminum White	•	17622	17623	17624	17625		
234A Fan Aluminum		17632	17633	17634	17635	176FLSD340	176FLSD350
207 72" x 42" Steel		17652	17653	17654	17655	176FLSD540	176FLSD550
205A 72" x 42" Glass		17662	17663	17664	17665	176FLSD640	176FLSD650
216 72" x 42" Fiberglass		17682	17683	17684	17685		



### **Custom Powder Coat**

When Ordering: Add "C" followed by the 2-digit color number to the end of the item number. Ex: 17634C12 (shown above)



















<sup>\*</sup>Not available for Super Duty Systems

28

### **VERTICAL POST SYSTEMS**

USE THE MATRIX TO CHOOSE YOUR EXTENSION DISTANCE, POLE DIAMETER, BACKBOARD, AND GOAL



### **Super Duty System**

Provides the utmost in safety and strength during even the toughest play. California and Florida specifications require extended pole length for a 2' deeper footing.

4' Extension 4½" Diameter Pole		00235000 Super Goal	00202H00 Double Rim	00251H00 Heavy-Duty	236H00 Powr-Flex Competition	00251H00 Heavy-Duty	236H00 Power-Flex Competition
267 Fan Fiberglass		16412	16413	16414	16415		
234 Fan Aluminum White	-	16422	16423	16424	16425		
234A Fan Aluminum		16432	16433	16434	16435	164FLSD340	164FLSD350
216 72" x 42" Fiberglass		16482	16483	16484	16485		

<b>6' Extension</b> 59/ <sub>16</sub> " Diameter Pole					W		
267 Fan Fiberglass		16612	16613	16614	16615		
234 Fan Aluminum White	-	16622	16623	16624	16625		
234A Fan Aluminum		16632	16633	16634	16635		
207 72" x 42" Steel		16652	16653	16654	16655	166FLSD540	166FLSD550
205A 72" x 42" Glass		16662	16663	16664	16665	166FLSD640	166FLSD650
216 72" x 42" Fiberglass		16682	16683	16684	16685		



Vertical Post Systems Are Also Available in Back-To-Back Configurations. Call For Pricing & Details.

**BASKETBALI** 



### **Custom Powder Coat**

When Ordering: Add "C" followed by the 2-digit color number to the end of the item number. Ex: 16654C01

















<sup>\*</sup>Not available for Super Duty Systems

# **ADJUSTABLE SYSTEMS**



### Big Shot® Pro System

The Big Shot Pro System features a rugged support system with anchor bolt mounting. Glass backboard has a weather resistant, powder coated, unitized steel rear support structure and is fitted in an aluminum frame to provide superior ball rebound. Official white perimeter and target area markings are silk screened on the backside to prevent wear.

Includes the Powr-Flex goal, a flex rim that protects players and equipment during slam-dunk with a concealed shock absorber.

Includes backboard system, goal, nylon net, pole pad, backboard pad, & mounting hardware. 6" pole with 4' offset and 72" x 42" backboard.

9572 Pro Package
Includes System, Pole and Backboard Pad.





### Big Shot® Collegiate System

Includes the Powr-Flex goal

Includes backboard system, goal, nylon net, & mounting hardware. 5" pole with 2'6" offset and 60" x 36" backboard.

9571 Collegiate Package Includes System, Pole and Backboard Pad.



### **Championship System**

Rigid feel and authentic rebound characteristics make this unit the best value in home basketball systems. 4" square pole has extension arm and sway braces to enhance unit stability. The direct goal mount provides superior strength and rigidity to the 48" x 36" acrylic backboard.

Includes backboard system, goal, nylon net, & mounting hardware.

092320FG System 09432912 Pole Pad (4") 00324648 Backboard Pad



### **OUTDOOR SYSTEMS**



### **Heavy-Duty System**

Heavy-duty support structure provides tremendous strength and is designed to withstand the most rugged playing conditions. Backstop provides a 5' extension into the playing court for maximum safety. Available as a single post or a back-to-back system when a multiple court layout is desired. Unconditional Lifetime Warranty is provided on the most rugged outdoor goal available. Great system for regulation outdoor competitions.

Official size 72" x 42" perforated backboard is 11 gauge steel with a massive rear support framework. Backboard is screened with official perimeter and target area markings. Backboard, goal and pole have an extremely durable powder coated finish.

 00195580
 Standard System

 00195582
 Back-to-Back System

 09532912
 Pole Pad

 00324672
 Backboard Pad





### **Ultimate Outdoor System**

Turn any outdoor court into an official arena! Includes 6' vertical pole, 72" x 42" Center-Strut glass backboard, 00256500 Torq-Flex Goal, and anti-whip net.

16675CXX



Ultimate Outdoor Powder Coat Colors:



When Ordering: Use the 2-digit color number to replace XX in the item number.



Shown in Navy Blue Powder Coat



### **Rock Solid System**

Built to withstand the elements and the occasional natural disaster! This custom model meets Florida's hurricane wind load standards and is as heavy duty as they come featuring an extra large schedule 80 ( $4\frac{1}{2}$ ") gooseneck pole.

Includes schedule 80 gooseneck pole, 234A aluminum fan backboard, 00251H00 heavy-duty playground goal, and chain net.

175340FL



### **MOTORIZED SYSTEM**

### COMPETITION

91920100 Single Court w/ Judge's Stand

#### **SYSTEMS ONLY**

91910100 Single Court Dual Court 91910200 91910300 Triple Court

#### Optional

Replacement Net Frame Pad Graphic

### Powder Coat Colors:







\*\*White and Black colors are available in Gloss or Flat finishes

























### Powr-Net Features:



Unitized bridged vertical support frame provides excellent system rigidity during play.




No part of the Porter system touches the ground when in use.




Electric or manual net height adjustment options are available.



Optional judge's stand provides an unobstructed view of the entire court.





### Vinyl Colors:

04





meet requirements for:

### FIV3 NCAA NFHS





### **Competition Package PLUS**

20930XX 3" Diameter

#### PACKAGE INCLUDES:

2093 Powr-Carbon II Standards (pr), 8390XX Official Upright Protective Pads (pr), 2295 Competition Net, 2297 Powr-Select Net Antenna (pr), NETCHAIN Fair Height Net Chain, 669100 Free Standing Judge's Stand, 6693XX Judge's Stand Padding

### **Competition Package**

20931XX 3" Diameter

#### PACKAGE INCLUDES:

2093 Powr-Carbon II Standards (pr), 8390XX Official Upright Protective Pads (pr), 2295 Competition Net, 2297 Powr-Select Net Antenna (pr), NETCHAIN Fair Height Net Chain



**CUSTOMIZE IT! SEE PAGE 45** 

### Vinyl Colors: (xx)















Crafted in the USA, the Powr-Carbon standard provides the lightest weight of any Porter standard at 19 lb! Not only is this standard exceptionally lightweight, but is also features incredibly strong carbon fiber material.



- Designed for Premier Facilities
- 3" OD Carbon Sleeve
- High Gloss Protective Coating
- Adjustable Bottom Foot
- Lightweight Composite Pulley Wheel
- Worm Drive Net Winch

### **End Standards**

3" Diameter

3" Diameter with Official Pads



meet requirements for: FIV3 NCAA NFHS

### POWR-STEEL™ STANDARD





#### **Competition Package PLUS**

17910XX 3" Diameter

#### PACKAGE INCLUDES:

1791 Powr-Steel Standards (pr), 8390XX Official Upright Protective Pads (pr), 2295 Competition Net, 2297 Powr-Select Net Antenna (pr), NETCHAIN Fair Height Net Chain, 669100 Free Standing Judge's Stand, 6693XX Judge's Stand Padding





**CUSTOMIZE IT!** SEE PAGE 45

#### **Competition Package**

17911XX 3" Diameter

#### PACKAGE INCLUDES:

1791 Powr-Steel Standards (pr), 8390XX Official Upright Protective Pads (pr), 2295 Competition Net, 2297 Powr-Select Net Antenna (pr), **NETCHAIN** Fair Height Net Chain

#### Vinyl Colors: (xx)

















The 1791 Porter Powr-Steel standards are a combination of endless function, style, and stability. The 3" OD steel uprights are sleek, strong, and weigh less than 50 lb each. The Powr-Steel System is designed for long lasting play at all levels.

- Designed For College Athletes
- Steel Inner Upright
- Cast Iron Pulley Wheel
- Worm Drive Nut Winch
- 7 Laser Cut Height Stops



#### **End Standards**

1791 3" Diameter

17919XX 3" Diameter with Official Pads

#### **Telescoping Center Standards**

1792 3" Diameter

17929XX 3" Diameter with Official Pad

#### REPLACEMENT PARTS

WINH00113 Powr-Select Winch FEET1791 Rubber Foot HAND1791 Pull Pin

#### SOLD SEPARATELY

Page 18 Volleyball Net Page 19 Boundary Markers Page 16 Upright Pads Page 22 Sleeve Adapters Page 20 Judge's Stand Page 22 Floor Sleeves Page 19 Net Antennas Page 17 Graphic Pads

### POWR-LINE™STANDARD

meet requirements for:

#### FIV3 NCAA NFHS



#### **Competition Package PLUS**

**19830**XX 3" Diameter **19810**XX 3½" Diameter

#### PACKAGE INCLUDES:

1993 or 1991 Powr-Line Standards (pr), 8390XX Official Upright Protective Pads (pr), 2295 Competition Net, 2297 Powr-Select Net Antenna (pr), NETCHAIN Fair Height Net Chain, 669100 Free Standing Judge's Stand, 6693XX Judge's Stand Padding





CUSTOMIZE IT! SEE PAGE 45

#### **Competition Package**

**19831**XX 3" Diameter **19811**XX 3½" Diameter

#### PACKAGE INCLUDES:

1993 or 1991 Powr-Line Standards (pr), 8390XX Official Upright Protective Pads (pr), 2295 Competition Net, 2297 Powr-Select Net Antenna (pr), NETCHAIN Fair Height Net Chain

#### Vinyl Colors: (xx)



























Researched, engineered and manufactured to meet the demands of championship play with maximum safety, quick set-up and easy storage. The Powr-Line high strength, lightweight aluminum volleyball system is ready to meet your most exacting demands. Net heights are Olympic competition through elementary height settings as specified by the FIVB, NFHS and the USAV. Volleyball net and floor sleeves not included with standards.

Telescoping Upright Glides Smoothly And Safely Up And Down.

Simple Net Attachment.

Reinforcing Rib Pattern Offering Superior Strength.

Easy to Transport

Most Popular High School Standard

Unlimited Custom & All Competitive Height Settings



**10** YEAR LIMITED WARRANTY

#### **End Standards**

1993 3" Diameter 19939XX 3" with Official Pads

1991 3½" Diameter 19919XX 3½" with Official Pads

#### **Telescoping Center Standards**

1994 3" Diameter 19949XX 3" with Official Pad 1992 3½" Diameter 19929XX 3½" with Official Pad



meet requirements for: **NFHS** 

### **POWR-RIB™II STANDARD**





#### **Competition Package PLUS**

19630XX 3" Diameter 19610XX 3½" Diameter

#### PACKAGE INCLUDES:

1973 or 1991 Powr-Rib II Standards (pr), 8390XX Official Upright Protective Pads (pr), 2295 Competition Net, 2297 Powr-Select Net Antenna (pr), NETCHAIN Fair Height Net Chain, 669100 Free Standing Judge's Stand, 6693XX Judge's Stand Padding

#### **Competition Package**

**19631**XX 3" Diameter **19611**XX 3½" Diameter

#### PACKAGE INCLUDES:

1973 or 1971 Powr-Rib II Standards (pr), 8390XX Official
Upright Protective Pads (pr), 2295 Competition Net, 00546000
Boundary Marker with Antennas (pr), NETCHAIN Fair Height Net Chain





CUSTOMIZE IT! SEE PAGE 45

#### Vinyl Colors: (xx)

O1 O

O2 ROYAL BLUE

JE

O3 O4

05 ORANGE O6
YELLOW GOLD

O8 TAN

14 15

The Powr-Rib II standard is constructed of high strength, lightweight aluminum. Two reinforcing ribs are centered throughout the entire length of the post for added system strength. Top and bottom of posts are fitted with custom molded caps to protect finished floors. Built-in channel runs the length of the post and allows for the collar to slide up and down the post easily, with custom height settings for multi-sport applications. Collar locks in place in seconds with pressure lock t-handle. Available optional center post for unlimited multi-court layouts. Functional multi-use system provides height adjustment settings and visual labels for men's, women's and junior USAV competition height settings.



Junior High, High School, Intramurals





#### **End Standards**

1973 3" Diameter 19739XX 3" with Official Pads

1971 3½" Diameter 19719XX 3½" with Official Pads

#### **Split Collar Center Standards**

1974 3" Diameter 19749XX 3" with Official Pad

1972 3½" Diameter 19729XX 3½" with Official Pad

## **POWR-SAND™ STANDARD**

#### STANDARD PACKAGE

30911XX

Package Includes:

3091 Powr-Sand Standards (pr)
83900XX Official Upright Protective Pads (pr)
2256 Outdoor Competition Net
2297 Powr-Select Net Antennas (pr)
NETCHAIN Fair Height Net Chain

#### INTERNATIONAL PACKAGE 30910XX

Package Includes:

3091 Powr-Sand Standards (pr) 83900XX Official Upright Protective Pads (pr) 2256 **Outdoor Competition Net** 2297 Powr-Select Net Antennas (pr) **NETCHAIN** Fair Height Net Chain 3070 Powr-Sand Judge's Stand 6693XX Powr-Sand Judge's Stand Padding Sand Rake 451

#### **POWR-SAND STANDARDS/PADS**

3091 Powr-Sand Standards (pr)
3060XX Powr-Sand Pads (pr)

#### **GROUND SLEEVES**

3080 Sand Ground Sleeves (each)

#### JUDGE'S STAND/STAND PADS

3070 Judge's Stand 6693XX Judge's Stand Pads

Page 59 Graphic Pads

#### Professional Outdoor Court Line Kit



Durable 2" nylon volleyball line system for quickly and efficiently marking outdoor volleyball courts. Adjustable to USAV regulation or short court. Includes ground stakes and plastic reel. Available in blue or black.

TA379 Black TA380 Blue Powr-Sand, Porter's aluminum telescoping standard, was created for top level competition with thoughtful features that allow users to have equipment remain outdoors year round or remove when not in use. A pin stop telescoping standard with powdered coated handle is easily adjustable across all competitive volleyball heights. Pair the Powr-Sand standards with our high visibility Powr-Sand outdoor volleyball net, protective padding, boundary marker antennas, court marking kit and optional sand judge's stand for all the equipment needed for training and competition.

- Constructed Of High Strength, Lightweight Aluminum
- Two Reinforcing Ribs Are Centered Throughout The Entire Length Of The Post For Added System Strength
- Sealed Lower Upright Prevents Water/Sand Build-Up
- Features Heavy Duty Winch With Cover
- Pin-Lock Net Height Adjustment
- Functional Multi-Use System Provides Height Adjustment Settings For Men's, Women's And Junior USAV Competitions





### POWR-COURT™PRO SYSTEM

#### POWR-COURT PRO SYSTEM

1945CXXYY 1945CXXYYSP Standard System

System With Custom Graphics

#### REPLACEMENT PARTS

WINH00113

Powr-Select Winch



Introducing Powr-Court™ Pro, a truly portable volleyball system. Powr-Court Pro quickly and easily transforms almost any location into a volleyball court. The steel, telescoping standards have infinite height adjustment settings and are welded to ballasted bases. With a ballast of 500lb per base this system is secure, does not require floor anchors, and will not "creep". One base unit is equipped with a built-in judge's stand including anti-fatigue mat. The second base unit houses the universal winch. Bases are padded with thick shock absorbing foam and covered in a heavy 19oz vinyl.

The system comes complete with 2 padded bases, a competition net, net antennas, and net height chain. Customize with your choice of color for the vinyl pads and base frame. Custom graphics available on base pads for additional cost. The Powr-Court Pro weldments are backed by a lifetime limited warranty; 1 year warranty on all other parts.

- Standards are marked with four net heights: 10's, 12's, Women's and Men's
- Entire system complies with USAV, NCAA, and NFHS requirements for competition volleyball.



Vinyl Colors: (xx)

















POWR-COURT™ SYSTEM

A completely portable system utilizing Powr-Line uprights that is designed for competition and recreational play. The 750lb ballast base and no-creep foot pad keep the base in position during use. The system's crank lifts the base and allows it to maneuver. Upgrade your system by adding an optional fitted judge's stand and customized upright padding. Includes net, antenna, and padding.

1935XX Standard System

1935XXSP System With Custom Graphics

SOLD SEPARATELY See


See Page 20 For Details

00999000 Judge's Stand

9931XX Judge's Stand Padding



### RECREATIONAL STANDARDS



#### **Powr-Trak Standards**

The Powr-Trak's unique design makes this system the perfect choice for physical education facilities that need a lightweight, easy-to-use system. Versatile standards for multi-sport use including tennis and badminton.

- Height Adjustable Pulley And Tensioning Winch Equipped With A Nylon Tension Strap.
- Lightweight, High Strength Aluminum
- Internal Reinforced Rib Minimizes Deflection
- Attractive Anodized Silver Finish With Fitted End Caps To Protect Finished Floors

#### **END STANDARDS**

1951 3½" Diameter

19519XX 3½" Diameter with Pads

1955 Portable

19559XX Portable with Pads

#### **CENTER STANDARDS**

1952 3½" Diameter

19529XX 3½" Diameter with Pads

1956 Portable

19569XX Portable with Pads



#### **Ultimate Outdoor Volleyball Standards**

Height adjustable posts are constructed of high-tensile strength, lightweight aluminum for durability and easy set-up. Uprights are 4" square with a built-in channel running the length of the post which allows the collar to easily slide up and down the post, providing infinite height settings. Finished in a weather resistant clear anodized finish. Net not included.

591

#### SOLD SEPARATELY

 2256
 27'10" x 3'3" Net

 00444000
 Ground Sleeve for Dirt

 5930XX
 Protective Pads

SAND UNIT

592 Sand Conversion Kit 00444040 Ground Sleeve for Sand





#### **Economy Standards**

Sturdy, utility construction makes the Economy Standards great for practice courts, cross court setups, and elementary school use. Nets sold separately.

- Powder Coated Steel Standards
- Winch Includes A Nylon Tension Strap For Installing And Fine Tuning Your Volleyball Net
- Net Heights Are Quickly And Easily Adjustable For Competition Settings Using A Sliding Collar And Spring Loaded Pin

#### **End Standards**

**851** 3½" Diameter

8519XX 3½" Diameter with Official Pads

# GREAT FOR P.E. CLASSES & RECREATION FACILITIES



### **NETS & ACCESSORIES**



#### **Universal Competition Volleyball Nets**

Superior quality construction throughout makes this heavy-duty net an ideal companion to any of Porter's competition volleyball systems. Heavy 4" square netting is provided in black, #24 nylon cord which exceeds specification requirements for all levels of competition. Kevlar Fibercord top cable is available in two lengths. Six, one-inch wide polypropylene tension straps working in conjunction with composite fiberglass dowels hidden in the end pockets provide unmatched appearance and the ultimate in net tension and performance. All nets measure 32' x 39".

2295 2295XL



#### Powr-Sand Outdoor Volleyball Net

The Powr-Sand Outdoor Volleyball net features a tough, durable Kevlar top cable, highly-visible yellow vinyl, and three nylon tensioning straps for a taught fit. Measures 27'10" x 3'3".

2256



#### Powr-Select™ Winch

For volleyball facilities who are looking for a dependable net tensioning winch. The Porter Powr-Select Winch is engineered to provide a consistent and smooth operation for the long-term. Compatible with all systems from 3" to 3.5".

#### WINH00113

Replacement Winch Handle Available Online















00546000

#### **Net Antennas & Boundary Markers**

International quality net antenna with molded, positive locking type clamps for securing to the top and bottom net hems. Single unit prevents lost parts. Meets all FIVB, USAV, NCAA, and NFHS competition requirements.

Boundary markers are  $2\mbox{\sc "}$  wide white polyester reinforced vinyl straps with hook & loop attachment strips to secure to the net.

2297 00546000 Powr-Select Net Antenna Boundary Marker w/ Antenna



#### Fair Height Net Chain

Measures the distance from the top of the net tape to the playing surface for a consistent and fair net height. The top hook fastens to the net, and orange markers along the chain represent four competition net height standards: 6'6", 7-0",  $7'4^1/8$ ",  $7'11^5/8$ "

NETCHAIN



#### Sidewinder Net Storage System

Easily wind your volleyball nets on a free standing, transportable rack to keep your nets clean and tangle-free. The storage racks spin easily to neatly grasp and store the headband of the nets as unit glides across the floor on frictionless swivel type casters. Heavy-duty all steel construction has a durable powder-coated finish.

00821100 00823100 Single (stores 1 net) Triple (stores 3 nets)









#### **Official Upright Pads**

Tailored pads are miter cut and hinged to fold neatly around uprights and tensioning reels to provide a slim profile. Durable polyester reinforced 15oz vinyl covers, 11/2" thick polyethylene filler with hook and loop attachments.

8390XX **End Pads** 8391XX Center Pad

When Ordering: Use the two-digit vinyl color number to replace XX in the item number.









### **CUSTOM GRAPHICS**

Give your court a true home team advantage with custom printed graphic upright pads! Simply provide your logo vector artwork and our design team works with you to create a stunning display.



**Custom Graphics** Add **SP** to end of item #





01 LIGHT BLUE

02 ROYAL BLUE

03 RED

04 WHITE

05 ORANGE

09 GRAY

10 MAROON

11 PURPLE

12 BLACK

13 NAVY BLUE





#### **Volleyball Net Sleeve**

Show your team spirit with this fully customizable volleyball top tape net sleeve. Hook and loop closure attaches to any manufacturers' net quickly without affecting net playability. Constructed of heavy 15oz vinyl-coated polyester fabric material. 100 P.S.I. tear strength.

NETSLVE0032

14 KELLY GREEN

### JUDGE'S STANDS



#### Free Standing Judge's Stand

Free standing, portable judge's stand is ideal for use as a training aid on any sleeved volleyball system. Unit folds down enabling entire stand to be placed in a flat, compact unit for storage. Non-marking casters provided to easily transport to and from storage. Available with optional protective padding to meet all requirements for competition.

669100 Free Standing Judge's Stand 6693XX Free Standing Stand Pads

Vinyl Colors: (xx)





#### Fitted Judge's Stand

Designed specifically for use with Porter's competition volleyball systems. Wide stance, vertical ladder type support frame provides excellent stability for all levels of competition. Nominal two foot square platform with formed side rails provides a secure platform with an excellent viewing position. Non-marking rubber feet and 3" diameter wheels allow for easy tipping and rolling to and from storage areas. Powder-coated finish provides the utmost in durability. This stand is designed for maximum spectator visibility when used with optional protective padding kit to meet all requirements for competition.

00889100 For Powr-Rib II, Powr-Trak, and Economy 00999000 For Powr-Line

779100 For Powr-Steel, Powr-Carbon II

9931XX Fitted Stand Pads

7731XX Fitted Stand Pads; Powr-Steel, Powr-Carbon II

#### Vinyl Colors: (xx)



# 0 9 porter 825

#### **Wall Storage Rack**

Storage rack provides a convenient method for storing two volleyball standards in a compact space. Each upright is held in place with a hook-and-loop closure. Wall installation hardware included.

825



#### Powr-Steel Judge's Stand Wall Bracket

Judge's stand wall storage rack compatible with the 779100 fitted judge's stand. This storage solution safely secures the judge's stand to the wall while taking up the smallest floor footprint possible.

99910





#### **Locking Wall Storage Rack**

Add this locking front gate mechanism to your existing 825 wall storage rack or purchase both to create a secure storage place for two standards. Includes lock, easy to install.

82501



#### Fitted Judge's Stand Wall Bracket

Judge's stand wall storage rack compatible with 00889100 & 00999000 fitted judge's stands. This storage solution safely secures the judge's stand to the wall while taking up the smallest floor footprint possible.

89910







#### **Standard Transporter**

Steel boot with non-marking wheels slides easily onto the end of any standard which is then easily rolled to the storage location.

9564

#### **Powr Volleyball Transport System**

Convenient, specially designed heavy-duty transport system is equipped to store three full competition volleyball courts complete with standards, protective pads, nets, judge's stand and balls. Rolls easily from gym to storage room on 3½" diameter swivel casters.

### **SLEEVES & PLATES**



#### 5" Sleeves and Cover Plates

Choose both finish style and sleeve diameter. Includes both a sleeve and cover plate. Sold individually, not in pairs.

Sleeve with Cover Plate: Chrome Finish

00770100 2<sup>3</sup>/8" 00790100 3" 00870100 3<sup>1</sup>/<sub>2</sub>"

Sleeve with Cover Plate: Brass Finish

 $\begin{array}{ccc} 00770200 & 2^3/8" \\ 00790200 & 3" \\ 00870200 & 3^1/2" \end{array}$ 

Replacement 5" Cover Plates

COVR00002000 Chrome COVR00034000 Brass

Replacement 5" Molded Collar COVRO003200T



#### 8" Sleeves and Cover Plates

Choose both finish style and sleeve diameter. Includes both a sleeve and cover plate. Sold individually, not in pairs.

Sleeve with Cover Plate: Chrome Finish

00772100 2<sup>3</sup>/s" 00792100 3" 00872100 3<sup>1</sup>/<sub>2</sub>"

Sleeve with Cover Plate: Brass Finish

00772200 2<sup>3</sup>/s" 00792200 3" 00872200 3<sup>1</sup>/<sub>2</sub>"

Replacement 8" Cover Plates

COVR00027000 Chrome COVR00035000 Brass

Replacement 8" Molded Collar COVRO003300T



#### **Sleeve Adapters**

To convert existing sleeves for use with smaller diameter standards. Sold individually, not in pairs.

 00827000
 Converts 3½"to 2³/s"

 00827300
 Converts 3½" to 3"

 00826000
 Converts 4" to 3½"

#### T-Handle Sleeve Tool

Replacement T-Handle Floor Sleeve Tool **00873900** 



#### **Specialty Sleeves**

00879000

Second Floor Installation Sleeve
Use in addition to any sleeve on this page for

Outdoor Sleeves 00402000 00403000

2<sup>3</sup>/8" 3<sup>1</sup>/<sub>2</sub>"



#### **T-Base Standards**

The perfect choice for second floor situations when the installation of sleeves is impossible. The compact T-shaped steel base holds  $3\frac{1}{2}$ " O.D. standards and provides a three-point, tripod type support with an upright sleeve and tubular gusset to eliminate the need for additional cables or bracing. Available option for Powr-Rib II, Powr-Line, Powr-Trak, and Economy standards. Each T-base require two floor anchors.

BASE00102001 T-Base w/ Hand Wheel Kit HAND00087000 Hand Wheel Kit Only

PORTABLE STANDARDS REQUIRE ANCHORS







### *GAME STANDARDS*

#### **Badminton Standards**

Durable  $2^3/8^{\circ}$  OD powder-coated steel tube uprights are designed for use both inside and outside. Uprights are provided with competition quality top cap guide and net tie-off hardware. Pickelball compatible.

Available as a portable unit. Portable units include heavy T-shaped steel bases with non-marking, anti slip rubber feet for stability without use of floor anchors. Each base has two 3" diameter casters. Net and floor sleeves are not included

764100 764150 779000 Sleeved End Standards Sleeved Center Standard Portable End Standards

#### **Badminton Net**

Black mesh net with 1" openings. Net is furnished with attachment cords of sufficient length for use on volleyball standards with 36' centers when desired.

2236110



#### **Combination Game Standards**

These cableless sleeve type game standards are perfect for indoor or outdoor fun and recreation. Standards are 23/8" OD galvanized for years of durability. Settings for competition badminton, men's and women's volleyball and/or tennis are provided. End and center standards are furnished with ratchet type tensioning reel.

761100 **End Standards** 762100 Center Standard 00402000 **Outdoor Ground Sleeve** 02254000 Intramural Volleyball Net 2236110 **Badminton Net** 02991340 P.F. Tennis Net

#### **Net Tensioning Cords**

Tough virgin natural rubber cords provide needed tension for nets. "S" hooks attach to ends for easy use. Recommended for use with weighted type game standards. (Not Shown).

00435000

#### **Weighted Base Game Standards**

Tip it and roll it away! It's that easy to transport. No installation necessary. The steel standard is complete with eye bolts and eye nuts. Non-marking rubber protection ring completely encircles 145 lb domed steel base, preventing standard from sliding and floors from being damaged. Base is powder coated gloss black. Frictionless 3" diameter silent-bearing wheels of gray non-marking synthetic provide effortless mobility.

00431000 Volleyball/Badminton Standards w/ Base Accommodates No. 02254000 volleyball and No. 2236110 badminton nets 00431100 Volleyball/Badminton Center Standard w/ Base 02201100 Reel for Volleyball/Badminton Standard BASE00006 Portable Base Only (No Upright)



#### **Wood Floor Anchor**

31/2" diameter chrome-plated cover with #14 x 11/2" installation screws.

Cast-In-Slab Anchor

concrete sub floor.

00247000

11/4" in total floor thickness above

00242000



#### **Grout Type Anchor**

Max. 11/4" in total finished floor thickness above concrete sub floor. 1½" diameter by 3¾" length. Chrome anchor top.

00243000



#### **Sleeper Anchor**

Threaded top plate is 3½" diameter to provide adjustment to floor surface.

00244000



#### Thin Concrete Anchor

Four double acting expansion anchors provide a pull-out load of 8,200 lbs. Top plate is  $3\frac{1}{2}$ " diameter, chrome plated.

00242100



#### **Expansion Anchor**

Ideal with at least 6" of concrete. Anchor is 11/2" diameter. Washers may be added or removed to keep surface of anchor flush with floor.







### FORMFOLD SERIES

#### FORMFOLD SERIES (2) (12) (13)









5065





#### **Divider Curtains**

These curtains can be composed of any combination of vinyl, mesh, and/or netting materials and can be fabricated to any size. The powerful, single motor system eliminates intricate synchronizer devices found in other large curtain designs. Designs can conform to peak slopes, arches, or single slopes when retracted for maximum clearance



#### **Perimeter Shell Systems**

Operable system can be composed of any combination of vinyl, mesh, and/or netting materials. The flexible pulley and cable design eliminates mechanical line shaft components, which can reduce costs and installation time in complex building structures. This is a great option to contain lacrosse balls or baseballs in a large field of space.



#### **Batting Cages**

These cages are designed to conform to peak slopes, arches, or single slopes when retracted for maximum clearance. Custom cage sizes and multiple net options are available. Can include separate intermediate dividers to convert the cage from a larger practice space to a more traditional batting tunnel setup.

porter



The FORMFOLD series is unlike any other line of athletic facility equipment on the market today. Patented form fold technology can be adapted to a number of operable facility products such as divider curtain, batting cages, perimeter net systems, and more!

Form fold products can fold to a variety of unique roof contours to provide maximum clearance for play when stored. These systems will extend and retract up to 5 times faster than traditional curtains and cages, saving operators substantial time during setup. Form fold products can be constructed to fit facilities of any size, inlcuding regulation size soccer and football field house facilities.

- COMPOSED OF VINYL OR MESH AND/OR NETTING
- CUSTOM CAGE SIZES AND MULTIPLE NET OPTIONS
- CONFORMS TO ANY SLOPE OR CONTOUR



**1** YEAR LIMITED WARRANTY



FORMS TO ANY SLOPE OR CONTOUR



FACILITIES OF ANY SIZE



30+ FT/MIN SPEED



**CUSTOM GRAPHICS AVAILABLE** 

## porter

# **2080 CENTER ROLL®**

#### **CENTER ROLL CONFIGURATIONS**

**WALL GUIDED** 

2081 Single Motor 2084 Dual Motor

#### **TORQUE ARM**

2082 Single Motor 2085 Dual Motor





State of the art design that offers unprecedented operating speeds while eliminating fabric stresses.







One or both ends of lower fabric (below 3" dia. batten) may be cutback to allow for walkway, bleachers, etc.










**FACILITIES** 



### **NETTING SYSTEMS**



### **CALL TODAY!**

Let our experts help you get the netting system that best fits your facility.





#### • TRACK TYPE WALK-DRAW

A system that is easy to operate and simple to maintain, with a design that fits countless applications.

#### Track-Type Walk Draw Curtain

This divider curtain can be easily operated and stacked in the smallest of building recesses or stored flat against a wall. The curtain track is enclosed and is designed with a formed channel to protect the rollers from collecting dust and dirt particles that could hinder smooth operation. Each foot of curtain length requires 1" of stack area. The curtain can be provided as a single section or in bi-parting sections. Standard 2' radius curved track pieces are available for additional track customization. Available in solid and mesh, all solid, all mesh, or netting finish.

640 640N Standard Net



#### Vinyl Colors:



Vinyl-Coated Mesh Colors:

Vinyl coated Mesh provides an approximate 45%–50% open air breathing area allowing both light  $\theta$  air transfer.














### ROLL-UP CURTAIN







**ROLL-UP** 

A strong and durable curtain style, with rolling belts and a striking appearance.

#### **Roll Up Curtain**

Featuring the strongest, most durable curtain-hoisting system available, the Roll Up Curtain maintains its smooth, wrinkle-free surface even when rolled up into a compact two feet for maximum clearance. Its clean design withstands the demands of today's high-use facilities. Aluminum trim neatly finishes the curtain's bottom hem, helping to preserve and enhance overall appearance. The curtain is conveniently raised and lowered by means of a maintenance-free hoist system. The curtain can be controlled by Porter's standard key switch, optional Powr-Touch systems or Sportsonic remote system. Available in solid and mesh, all solid, or all mesh.



**Standard Curtain** 





**SOLD SEPARATELY** 

10795000

Line Shaft Safety Lock

Custom Graphics Also Available On All Porter Divider Curtains.





### **FOLD-UP CURTAIN**



#### Standard Fold-Up Curtain

The standard Fold-Up curtain offers facilities a convenient means of dividing gymnasium space and yet provides an uncluttered appearance overhead. The economical design is hoisted by aircraft cables which pass through grommet cable guides. Available in solid and mesh, all solid, all mesh, or netting finish.

670 670N Standard Net





**SOLD SEPARATELY** 

10795000


Line Shaft Safety Lock





Convenience, economy, and a functional design make this style an extremely popular choice.










#### **Standard Slope Fold Curtain**

Designed to make the best use of ceiling space in sloped frame structures, the Slope-Fold curtain can be designed and installed to fit flush against the roof frame, providing maximum clearance for competition volleyball or basketball. Each slope fold curtain is custom-designed to fit the form of the facility. Both single sloping and peak sloped options are available. The electric winch system includes a custom engineered variable diameter ratio system which hoists the divider to the storage position and conforms to the existing slope of the facility.

665







#### Perimeter Fold-Up Curtain

The unique design of the perimeter curtain provides a great way to accommodate curved radius applications, particularly around indoor running tracks. Porter customengineers and factory bends the curtain support tubes to match the contours of your facility design. Available in solid and mesh, all solid, all mesh, or netting finish.

### INDOOR CAGES

#### **Ceiling Suspended Throwing Cage**

A must for indoor track and field facilities! Now with the turn of a key or push of a button, the cage and doors can be raised or lowered to the correct position. Facilities will no longer waste time moving around portable bases, uprights, heavy ballast containers and hoist netting. No need for large storage areas that take up valuable floor space.

The entire cage stores within 3' of the ceiling and descends by electric operation. The Ceiling Suspended Throwing Cage can be used as a shot put cage or an indoor throwing cage for the weight throw. This system safely protects athletes and officials from errant throws.

Meets and exceeds NCAA and USATF.















#### **Indoor Bottom Lift Batting Cage**

Unlike standard batting cage systems, Porter's indoor bottom lift batting cage eliminates the tedious task of manually lifting the cage netting on top of the perimeter frame before raising it to the storage position, saving time and facility resources. Conversely, the cage is automatically stopped at its preset height setting ready for play without any other setup requirements. 3/4" square black mesh netting.

90920201 12' x 12' x 70'

90920400 13' x 12' x 70'

\* Includes optional Bottom Tube + Zipper Entry.



Optional Zippered Entrance

Optional Bottom Frame


#### Ceiling Suspended Batting/Golf Cage

Porter's overhead-supported, electrically retractable batting/golf cages provide a superior product with ease of installation and reduced maintenance. The batting/golf cage is furnished standard with black 7/8" square mesh netting which provides players a higher level of contrast between the ball and the netting. Net can be stored on top of the support framework for compact storage.

90920000 12' x 12' x 70' 90920100 14' x 14' x 70' 90920002 12' x 24' x 70'







#### **Walk Draw Suspended Batting Cage**

Porter's Walk-Draw Suspended Batting Cage is an ideal solution for maximizing space in mezzanines or other gymnasium locations with low ceiling heights. This economical netting cage is suspended by a track-supported system that may be suspended from the ceiling structure. Roller carriers allow the batting cage to be easily extended or retracted along the track system. Cage netting stores neatly against a wall when not in use.

920640



**1** YEAR LIMITED WARRANTY

### **RAPIDLIFT®**

#### RAPID-LIFT®

#### **BACKSTOP WINCH**

708060 Low Torque 708100 High Torque

#### **CURTAIN WINCH**


XCUR708060 Low Torque XCUR708100 High Torque



FACILITIES OF ANY SIZE



30+ FT/MIN SPEED



# WHEN FAST MATTERS

	PORTER STANDARD SERIES WINCH	PORTER RAPIDLIFT		
Facility Type	School Gymnasium	High-Volume Play		
Power	<sup>3</sup> /4 HP 120V, Single-Phase	3 HP, 208V, 3-Phase		
Gear Ratio	150:1	60:1		
Drive Type	Belt Drive	Direct Drive w/ VFD		
Line Speed	<b>12.9</b> ft/min	40 ft/min BACKSTOP 30 ft/min CURTAIN		

"The NEW Rapid-Lift winch hoist offered by Porter will substantially cut down on event turnover time for facilities who host multiple practices, games, and events each day."

- Coach Typer











SERIES

Whether it's hosting multiple practices or transitioning between tournament events, drastically reduce the setup turnover with Porter's new RAPID series winches.

The Porter RAPID-LIFT® Backstop and Curtain Winch is engineered to quickly turnover a high-capacity facility to the next activity. Traditional Winches are a functional solution for most standard gymnasiums, however for facilities who host back-to-back events where quickness matters, RAPID-LIFT is the solution. RAPID-LIFT winches can safely lift a backstop or curtain up to three times faster than traditional winches. VFD Technology allows the winch to ramp-up and ramp down in speed during the beginning and end of the operation cycle, creating safer performance and drastically reducing any mechanical stresses on the equipment during operation.

- **BACKSTOP LIFT SPEED UP TO 40' PER MINUTE**
- **CURTAIN LIFT SPEED 30' PER MINUTE**
- VFD (VARIABLE FREQUENCY DRIVE)
- 208VAC, 3-PHASE 60HZ ELECTRIC MOTOR
- 3 HP MOTOR WITH 17 FT/LB BRAKE
- **HEAVY GAUGE POWDER COATED STEEL FRAME**



### POWR-TOUCH® 5

#### Powr-Touch® 5 (1)) (1)







12800000

Wireless Control System

64

#### PT5 System Features:

- Wireless Capability
- 4 Digit Security Code
- Programmable "Quick Courts"
- "Zoned" Screen Control
- Simultaneous Up/Down Operation
- **Customized Graphical Interface**
- Optional Fixed Panel-Mounted Touchscreen




WIRELESS CAPABLE



SIMULTANEOUS UP / DOWN



MULTI-FUNCTION OPERATION



To View a Court Demo or See Powr-Touch in Action, Contact Your Porter Dealer.









# THE ULTIMATE GYM CONTROL SYSTEM







The most innovative, yet intuitively simple system control in the industry today. Fully optimized for wireless control with proprietary S.C.O.R.E. Technology that offers total functionality at your fingertips.

Powr-Touch® 5 is a wireless enabled custom graphic control interface designed to work on a computer, a tablet, or other network enabled device capable of supporting an html browser. Its wireless capability provides unprecedented function, flexibility, and safety in the management of your athletic facility. Powr-Touch 5 presents the ultimate gymnasium control system.

- WIRELESS CAPABILITY
- PROGRAMMABLE "QUICK COURTS"
- "ZONED" SCREEN CONTROL
- S.C.O.R.E. TECHNOLOGY
- SIMULTANEOUS UP/DOWN OPERATION
- CUSTOMIZED GRAPHIC INTERFACE





### POWR-TOUCH® 4

#### Powr-Touch® 4 Control System (\*)



The Powr-Touch® 4.0 is an LCD touchscreen control system designed with the user in mind. With a 7" full-color graphic interface and intuitive layout the Powr-Touch 4.0 allows you to easily jump in and drive. The option to personalize equipment names and settings will give you full control of your equipment while reducing initial set up time.


The ability for simultaneous operation of several types of equipment, each in opposite directions allows for rapid facility change-over. Effortless navigation and extensive capabilities lead to unprecedented performance. System is compatible with Powr-Touch® 2.5 Equipment Control Panels.

12700000 12555200 Powr-Touch® 4 Touch Screen Powr-Touch® 4 Equipment Control Panel

- 7" Full Color Touch Screen
- Controls up to 128 Devices and 32 Auxiliaries
  - **Operate 64 Devices Simultaneously**
- **Programmable "Quick Courts"**
- Simultaneous Up and Down Operation
- Link up to 7 Total Screens
- 4 Digit Security Code for Both User and Administrator








To View a Court Demo or See Powr-Touch in Action, Contact Your Porter Dealer.





#### Powr-Touch® 2.5

Substantially reduce gymnasium design costs, while also cutting setup time required for raising and lowering equipment. There's no need to keep track of keys or take the time to control equipment individually.

The Powr-Touch® 2.5 enables you to raise or lower up to eight backstops, four divider curtains, or other gymnasium equipment simultaneously from any installed TouchPad. Specify multiple TouchPads when equipment operations from various locations within the gym are required. Powr Touch 2.5 system is available with Porter's Custom Graphical Equipment Legend., which allows the user to identify each piece of equipment. System offers password protection to prevent unauthorized access and can substantially reduce electrical wiring and circuitry costs.



12555100 Powr-Touch® 2.5 Touch Pad 12555200 Powr-Touch® 2.5 Equipment Control Panel

	SERVICEABILITY	SYSTEM PROGRAMMING	CONTROL INTERFACE
Powr-Touch 5	Remote Support	Factory	Portable Tablet 12.1" Fixed LCD Screen
Powr-Touch" 4	System Backup to USB	User	7" LCD wall-mounted Touchscreen
Powr-Touch® 2.5	N/A	User	4" wall-mounted Touchpad



#### **Key Switch Control**

This control system provides separate up and down keys for safe equipment operation. Standard 4½" square flush mounting features a stainless steel cover plate.

1 key switch per device is required.

XELE00791112



#### SportSonic® II

SportSonic® II Transmitter operates up to 99 pieces of equipment effortlessly via remote control. An excellent choice where maneuverability and convenience are desired while operating the gymnasium equipment. Reduces the need for costly wiring and key switches.

1 receiver per backstop is required.

12002100 SportSonic II Transmitter 12002200 Receiver Kit

# MAT MOVER® SERIES



#### Mat Mover®

Return valuable floor space to your facility and protect your wrestling mats or lightweight cheerleading mats with an 1100 Series Mat Mover from Porter. The Mat Mover provides a wide array of design configurations and sling hoist options to fit the needs of your specific facility. Available sling sizes and configurations are capable of storing multiple 6ft or 14ft long mat sections.

Three distinct lifting modules, consisting of a single 3 HP motor drive unit and two lifting drum units, integrate into a streamlined design platform that will deliver long-lasting customer satisfaction. System includes a separate mounted control panel unit with main electrical disconnect switch, control circuit transformer, and audible motion safety alarm device. Audible motion alarm will alert athletes when the unit is in motion.

#### **CEILING SUSPENDED**

91107000 Single Stationary 91107002 Double Stationary

#### WALL MOUNTED

91107050 Single Stationary 91107052 Double Stationary

#### Power Requirements Options:

208 volt, 460 volt in 3 phase, 60hz.

#### Sling Configurations



SINGLE MAT IN ONE SLING





TWO MATS IN TWO SLINGS
[VERTICAL]



#### Stationary Mini Mat Mover®

The mini stationary unit can store one to three 14' × 42' mats. An audible motion alarm is furnished as standard and will alert athletes when unit is in motion. This single 1.5 H.P. motor system is ideal for storing 14ft long sectional wrestling mats.

91105100N

**Triple Stationary Mini** 





#### Floor Cover System

- Tough 19 oz Polyester-Reinforced Vinyl
- Meets NFPA 701, UL-214, and CA Fire Marshall Fire Requirements
- 7 Year Warranty Against Defects in Materials/Workmanship On Cover
- Passes ASTM E84: Class A

An economical way to use your gymnasium as a multi-use facility. Protects your floors and helps reduce maintenance and refinishing expenses. The Porter floor cover transport and storage cart provides a quick and easy method to install and remove floor covers over large areas, with only two people.

Simply roll the transport cart into position at one end of the floor and lock the non-marking 6" diameter swivel casters in place. Pull the 10' wide seamed sections across the floor and repeat for additional sections of cover as required. When removing, attach each cover section to individual storage rollers with quick and easy hook and loop attachment strips. Roll up the vinyl covers with the standard hand crank or optional power winder. No manual lifting required.

10' Standard Width Vinyl-Coated Floor Cover Fabric Specify length and color when ordering. 120' max per roll.

**19** oz Vinyl

Transport/Storage Carts Other sizes available online.

 2404
 4 Roller
 (max. 40' x 120' / 4,800 ft²)

 2406
 6 Roller
 (max. 60' x 120' / 7,200 ft²)

 2408
 8 Roller
 (max. 80' x 120' / 9,600 ft²)

 2410
 10 Roller
 (max. 100' x 120' / 12,000 ft²)

 2412
 12 Roller
 (max. 120' x 120' / 14,400 ft²)

#### **SOLD SEPARATELY**

 02405000
 Power Winder

 924040XX
 Storage Rack Cover

 02406200
 Hand Held Tape Applicator

 02406300
 Walk Type Tape Applicator

 02406112
 Tape (12 rolls)



Non-Marking Locking Casters



Hook and Loop Attachment System



Optional Tape Applicators



Optional Storage Cover



Standard Hand Crank



Optional Power Winder

#### Vinyl Colors:

01	02	03	04	05
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE
06	08	09	10	11
YELLOW GOLD	TAN	GRAY	MAROON	PURPLE
11	12	13	14	15
PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN

**When Ordering:** Use the two-digit color number to replace XX in the item number.

## **GYM EQUIPMENT & ROPES**

# Wall/Ceiling Mounted Chinning Bar

- 1" OD Grip
- Mounts 22" From Wall/Ceiling
- Black Powder Coat Finish
- Hardware Not Included

**WE179** 

50" W x 21" T





#### **Adjustable Chinning Bar**

- 1" OD Grip
- Mounts 22" Away
- Hardware Not Included

00197100 50" W x 21" T



Great for mounting PowerMax TA1598 Fitness Rings or other popular suspension training systems!

00196013

10' 3 Piece Steel Chinning Bar

- 10' Long With Three Stations
- Mounts 16" Away
- 1" OD Solid Steel Grip & Durable Zinc Plated Finish



### porter

	Knotted End Hemp	Vinyl Boot End Collegiate	Ball/Knotted Hemp	Vinyl Boot End Dacron	Boot/Knotted Dacron
12' Long					00119120
16' Long	00113160		00115160		00119160
20' Long	00113200				
24' Long	00113240	00199024	00115240	00118240	00119240

### **Hemp Climbing Ropes**

This  $1\frac{1}{2}$ " rope contains 12-18% mineral oil lubricant by weight for long life and is securely attached within a heavy-duty steel fitting for years of durability. Rubber knots (optional) anchored every 12". Collegiate ropes are finished with a vinyl boot.

### Rope Attachment Methods



3½" OD Pipe Clamp

XCLP97001002



### **Staple Plate**

10340000 10341000 For Wood Beams
For Concrete Beams



### Steel I-Beam Clamp

10100100 10100200 Fits ≤8" Beams Fits ≤17" Beams

### **Soft Dacron Ropes**

Soft Dacron ropes are ideal for elementary physical education programs. The no-twist spun Dacron material is easier on hands than hemp ropes and will wear better than cotton. Hypoallergenic.

### Rope Accessories



### **Tambourine**

3/8" lacquered plywood tambourine restricts climbing height. Clamp permits fast removal & easy adjustment.

00198000



### **Rope Hoist**

Hoist is complete with wall brackets, ceiling attachment, heavy-duty cord and weight. Installs easily, ready to use.

00104000



### Safety Guard

Safety guard prevents the rope from falling if a part fails or wears out.

00110000



### Rope & Ring Storage Track

Designed to suspend and transport climbing ropes or ring apparatuses to a storage position against the wall for an uncluttered facility appearance. A heavy duty steel track with carriers and operable nylon rope pull system allows for easy operation. A maximum of four ropes may be suspended from one track system. Rope lock system is designed to securely lock a maximum of four climbing ropes to prevent use by unauthorized individuals Porter climbing ropes sold separately.

9011700N 00117040 Storage Track
Optional Rope Lock System



# SPECIALTY PADS













# CONFIGURED COLUMN AND CORNER PADS

Pads configured to your specified dimensions for a custom fit on exposed wall corners or columns. Rigid backed pads are 2" polyethylene foam bonded to 7/16" wood board and covered in 19 oz vinyl. Sewn pads are 2" polyethylene foam covered in 15 oz vinyl. Available in 14 colors. 1" nailing margins on top and bottom for ease of installation. DuraSafe and SuperSafe pads meet ASTM F2440 impact protection. FireSafe and SuperSafe pads entire assembly is ASTM E-84 Class "A" fire rated and tested in accordance to meet IBC and NFPA 101 code requirement.

### 2 Sided Pads

2'x6' or less; worksheet required

 90216026XX
 2' x 6' DuraSafe™ Sewn

 90206026XX
 2' x 6' DuraSafe™ Rigid Backed

 90208026XX
 2' x 6' Firesafe™ Rigid Backed

 90207026XX
 2' x 6' SuperSafe™ Rigid Backed

4'x8' or less; worksheet required

 90216048XX
 4' x 8' DuraSafe™ Sewn

 90206048XX
 4' x 8' DuraSafe™ Rigid Backed

 90208048XX
 4' x 8' Firesafe™ Rigid Backed

 90207048XX
 4' x 8' SuperSafe™ Rigid Backed

### 3 Sided Pads

4'x8' or less; worksheet required

 90316048XX
 DuraSafe™ Sewn

 90306048XX
 DuraSafe™ Rigid Backed

 90308048XX
 FireSafe™ Rigid Backed

 90307048XX
 SuperSafe™ Rigid Backed



Wall and Panel Attachments



Wall and Channel Attachments

### **Wall Pad Mounting Clips**

An attractive, convenient alternative to permanently attaching wall pads that will provide your facility with a clean, neat appearance. The Z-Clip securely locks wall panels in place and allows worn pads to be easily removed for repair or replacement.

347100 347200 347300 Z-Clip Wall Attachment, 6' Z-Clip Panel Attachment, 1'10" Z-Clip Channel Attachment, 6'





### "I" Beam Pad

6' tall pad with 2" polyethylene foam covered in 15 oz vinyl. Available in 14 colors. Attaches with hook and loop strips.

3560XX 6"-8" Wide Beams 3562XX 8"-10" Wide Beams 3563XX 10"-12" Wide Beams

4560XX 6"-8" SuperSafe™ Wide Beams 4562XX 8"-10" SuperSafe™ Wide Beams 4563XX 10"-12" SuperSafe™ Wide Beam



### **Molded Inserts**

The perfect solution when cutouts are required for electrical outlets and switches. Inserts fit through field cutouts and are stapled in place on the backside of the pad. Inserts are molded in a flame-retardant rubber and accommodate pad thickness of 2-3". Available in two sizes to fit single-gang and double-gang electrical boxes .

Patent No. 6,769,562

Gray

343001 Single-Gang Gray 344001 Double-Gang Gray

Graphite

343101 Single-Gang Graphite 344101 Double-Gang Graphite





### **Wall Pad Sleeve**

Custom wall pad sleeve kits provide a finished appearance in wall pad installations when cutouts around large fixtures are necessary. Sleeve kits are easily installed through field cutouts in panels and are secured with staples on the backside of the pad. Sleeves are molded in a flameretardant rubber. One kit includes four corner pieces and two 4' long side rails. Side rails may be cut to size in field to fit custom cutout applications. Insert kit fits all 2" thick Porter wall pads. Patent No. US10392815B1

Gray

90343001



### Stage Pads

Pads configured to your specified dimensions for a custom fit. Panels are supplied in easily removable sections allowing easy set up and removal for stage activities or to access storage. Rigid-Backed pads are 2" polyurethane foam bonded to 7/16" wood board and covered with 19 oz vinyl. Sewn pads are polyethylene foam and are covered with 15 oz vinyl. Available in 14 stock colors.



960550XX Sewn Pad 960550XXSP Sewn Pad With Graphics

960560XX DuraSafe™ Rigid Backed Pad 960560XXSP DuraSafe™ Rigid Backed Pad With Graphics

960570XX SuperSafe™ Rigid Backed Pad 960570XXSP SuperSafe™ Rigid Backed Pad With Graphics

960575XX FireSafe™ Rigid Backed Pad 960575XXSP FireSafe™ Rigid Backed Pad With Graphics

#### Storage Strip

 $1\frac{1}{2}$ " wide rigid hook and loop strip is encased in a 4' long anodized aluminum strip for ease of mounting.

14444

### Vinyl Colors:

O1 O2 O3 O4 O5 O6 O8 O9 10 11 12 13 14 15

LIGHT BLUE ROYAL BLUE RED WHITE ORANGE YELLOW GOLD TAN GRAY MAROON PURPLE BLACK NAVY BLUE KELLY GREEN DARK GREEN


# **WALL PADS**



### All Porter Wall Pads feature:



**5** YEAR LIMITED WARRANTY



- Foam Bonded To <sup>7</sup>/<sub>16</sub>" Oriented Strand Board (OSB)
- Entire Pad Upholstered In Heavy 19oz Vinyl
- Vinyl has a 100PSI Tensile Strength With Leather-like Finish
- Custom Graphic Printing And 14 Vinyl Colors Available
- Mildew And Rot Resistant
- Custom Sizes Available, Call For More Details

**Custom Graphics** Add **SP** to end of item #





### Vinyl Colors:

































When Ordering: Use the 2-digit color number to replace XX in the item number.



SAFE



SAFE



SUPER SAFE



**GRAPHICS** 

# PAD FEATURES

**Custom Graphics** Add SP to end of item #









### DuraSafe<sup>™</sup> Pads

Meets ASTM F2440 Impact Protection Standard

2" Foam (Each) 5601XX 2' x 6' (No Margins) 5600XX 2' x 6' (Nailing Margins) 560281XX 2' x 8' (No Margins) 560280XX 2' x 8' (Nailing Margins)

3" Foam (Each)

5611XX 2' x 6' (No Margins) 5610XX 2' x 6' (Nailing Margins)

### Custom Pad Dimensions (2" Foam)

9056026XX 2' x 6' or less 9056028XX 2' x 6' to 2' x 8' Custom 9056038XX 2' x 8' to 3' x 8' Custom 9056048XX 3' x 8' to 4' x 8' Custom

### Custom Pad Dimensions (3" Foam)

9056126XX 2' x 6' or less 9056128XX 2' x 6' to 2' x 8' Custom 9056138XX 2' x 8' to 3' x 8' Custom 9056148XX 3' x 8' to 4' x 8' Custom



Basic Protection







- Entire Pad Assembly is ASTM E-84 Class "A" Fire Rated
- Tested in accordance with NFPA 286 to meet IBC and NFPA 101 code requirements

2" Foam (Each) 5751XX 2' x 6' (No Margins) 5750XX 2' x 6' (Nailing Margins) 575281XX 2' x 8' (No Margins) 575280XX 2' x 8' (Nailing Margins) 3" Foam (Each)

5761XX 2' x 6' (No Margins) 5760XX 2' x 6' (Nailing Margins) Custom Pad Dimensions (2" Foam)

9057526XX 2' x 6' or less 2' x 6' to 2' x 8' Custom 9057528XX 9057538XX 2' x 8' to 3' x 8' Custom 9057548XX 3' x 8' to 4' x 8' Custom

Custom Pad Dimensions (3" Foam)

9057626XX 2' x 6' or less 9057628XX 2' x 6' to 2' x 8' Custom 9057638XX 2' x 8' to 3' x 8' Custom 9057648XX 3' x 8' to 4' x 8' Custom



### SuperSafe<sup>™</sup> Pads

Advanced Protection







Entire Pad Assembly is ASTM E-84 Class "A" Fire Rated

Tested in accordance with NFPA 286 to meet IBC and NFPA 101 code requirements

2" Foam (Each) 5701XX

2' x 6' (No Margins) 5700XX 2' x 6' (Nailing Margins) 570281XX 2' x 8' (No Margins) 570280XX 2' x 8' (Nailing Margins)

3" Foam (Each)

5721XX 2' x 6' (No Margins) 5720XX 2' x 6' (Nailing Margins) Custom Pad Dimensions (2" Foam)

9057026XX 2' x 6' or less 2' x 6' to 2' x 8' Custom 9057028XX 9057038XX 2' x 8' to 3' x 8' Custom 9057048XX 3' x 8' to 4' x 8' Custom

Custom Pad Dimensions (3" Foam)

9057226XX 2' x 6' or less 9057228XX 2' x 6' to 2' x 8' Custom 2' x 8' to 3' x 8' Custom 9057238XX 9057248XX 3' x 8' to 4' x 8' Custom





# porter FEATURING



ATHLETICS

# MAKING GREAT EQUIPMENT ISN'T EASY. INSTALLING IT SHOULD BE.

Since 1918, Gill Athletics® has been equipping coaches with innovative equipment that elevates the sport and performance of athletes across the globe.



**Gill hammer cages** have exclusive features that protect athletes, officials, and spectators from errant throws in the hammer event. Combined with an industry best five-year warranty, Gill Athletics keeps your facility at the top of its class in safety and efficiency. Your facility deserves the best.

#### FRONT DOOR CABLE DESIGN

With Gill's exclusive tensioning cable front door design your cage will increase athlete safety and efficiency in the event. No more bent front pole from errant throws, and decrease the likelihood of bounce backs from implements.

#### DOOR HINGE LOCK BOLT

Suggested from the top track designer in America, this unique feature keeps your front doors from tweaking and misaligning from the door hatch location.

#### **BLOCK & TACKLE PULLEYS**

Block and tackle pulley system to safely remove 'stuck' implements from the nets without climbing.

### **REAR DOOR ACCESS**

Netting System that keeps your athletes away from the throwing sector of the front cage while increasing the speed of repetitions.





### **CUSTOMIZABLE CAGES**

Pole Color (XX)



Accent Color (YY)



<sup>\*</sup>To specify your color selection, use the two-digit number to replace XX & YY in the item number.







# **HAMMER CAGES**




### **NCAA HAMMER/DISCUS CAGES**


- Available in single ring or double ring design
- Poles: 6063-T6 aluminum net poles
- Doors: Cages have 7m tall aluminum doors with galvanized steel door hinge poles. Tall Cages have 8m tall doors.
- Net: Weather treated nylon 6 net with 749 lb break strength
- Cage Main net: 20' 6"/6.25m, Door net: 23'/7m
- Tall Cage Main net: 23'/7m, Door net: 26' 3"/8m
- All cages include required cage door bracing.
- Ground sleeve kit sold separately
- Meets NCAA specifications
- 5 Year Warranty





SINGLE RING CAGES





**DOUBLE RING CAGES** 

#### SINGLE RING CAGE

742110	Cage
742110CXXYY	Cage with Custom Color
74211001	Ground Sleeve Kit
732103	Optional Barrier Net (8')

### TALL SINGLE RING CAGE

742120	Tall Cage
742120CXXYY	Tall Cage with Custom Color
74212001	Ground Sleeve Kit
732103	Optional Barrier Net (8')

#### DOUBLE RING CAGE

742115	Cage
742115CXXYY	Cage with Custom Color
74211501	Ground Sleeve Kit
732108	Optional Barrier Net (8')

### TALL DOUBLE RING CAGE

742125	Tall Cage
742125CXXYY	Tall Cage with Custom Color
74212501	Ground Sleeve Kit
732108	Optional Barrier Net (8')



# **DISCUS CAGES**




### **APOLLO DISCUS CAGE**

- Poles: (3) Combination of steel and aluminum to withstand up to 62mph winds
- Net: 1 ¾4" square mesh woven poly cord with 352 lb break strength
- Net height: 18'
- Net is secured by 14 hanging points and 8 rope anchors
- 36" deep ground sleeves
- Meets NCAA and IAAF Specifications
- 5 Year Warranty

732301CXX Apollo Discus Cage

732301009 Ground Sleeve and Net Anchor Kit










\*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.






### **CUSTOMIZABLE**



 ${\it *To specify color with order, use the two-digit number of your color selection to replace {\it XX} in the item number.}$ 

### **HIGH SCHOOL DISCUS CAGES**

- Aluminum poles: 2 1/8" outside diameter 6063-T6 (Ultimate-30ksi, Yield-25ksi) with rolled offset for safety
- Steel poles: 2 ½" square A513 (Ultimate-42ksi, Yield-30ksi) with rolled offset for safety
- Nets: 180 lb break strength
- Net height: 13′ 6″
- Meets NFHS specifications
- 5 Year Warranty



### ALUMINUM CAGE

80302

Barrier Net

8010	6-Pole Cage
8010CXX	6-Pole Cage, Custom Color
80102	Barrier Net
8020	7-Pole Cage
8020CXX	7-Pole Cage, Custom Color
80202A	Barrier Net
8021	7-Pole Cage w/ Rear Door Access
8021CXX	7-Pole Cage w/ Rear Door Access, Custom Color
80212	Barrier Net w/ Rear Door Access
STEEL CAGE	
8030	6-Pole Cage

### BRUTUS CAGE

- ${\color{red} \bullet}$  For high wind areas that need extra strength discus cages
- $\bullet$  Made of Hammer Cage strength 4" outside diameter aluminum poles
- Meets NFHS specifications
- 5 Year Warranty

9010	6 Pole High School Cage
9010CXX	6 Pole High School Cage with Custom Color
9020 7 Pole High School Cage	
9020CXX 7 Pole High School Cage with Custom Color	
9021	7 Pole High School Cage, Rear Door Access
9021CXX	7 Pole High School Cage, Rear Door Access, Custom Color

# CIRCLES & TOEBOARDS





### **ALUMINUM CIRCLES**

- Four sections of 1" x ¾" extruded aluminum angle
- Designed to be cast into concrete
- Discus circle can also be mounted to surface
- Compatible with toeboards 358, 363
- Meets NFHS, NCAA and IAAF specifications

369	Shot/Hammer Circle	
370	Discus Circle	



### **ALUMINUM CIRCLES WITH CROSS BRACING**

- Two sections of 1/4" x 3" extruded aluminum with welded bracing
- Bolt together to maintain form during in-ground installation
- Hardware included
- Compatible with toeboards 358, 363
- Meets NFHS, NCAA and IAAF specifications, IAAF certified

366	Shot/Hammer Circle	IAAF
366C04	Shot/Hammer Circle; white	IAAF
367	Discus Circle	IAAF
367C04	Discus Circle; white	IAAF





### SYNTHETIC SHOT TOEBOARD FOR DEPRESSED PAD

- Molded low density polyethylene designed for ¾" depressed surface
- Compatible with circles 366, 369, 374, 3741
- Meets NFHS, NCAA and IAAF specifications

### SYNTHETIC SHOT TOEBOARD FOR LEVEL PAD

- Molded low density polyethylene designed for surface mount shot circles
- Compatible with circles 372, 373
- Meets NFHS specifications

359

### ALUMINUM SHOT TOEBOARD FOR DEPRESSED PAD

- Cast aluminum designed for a ¾" depressed surface
- Compatible with circles 366, 369, 374, 3741
- Meets NFHS, NCAA and IAAF specifications, IAAF certified

363

### ALUMINUM SHOT TOEBOARD FOR LEVEL PAD

- Cast aluminum designed for surface mount shot circles
- ullet Compatible with circles 372, 373
- Meets NFHS specifications

364

358



# TAKE-OFF BOARDS & VAULT BOXES



LAUNCH HARD WITH GILL BOARDS

#### ADJUSTABLE TAKE-OFF BOARD SYSTEMS

With the Gill Adjustable Take-Off Board Systems you get ease of installation, ease of use and dependable peak performance.

Gill Take-Off Board systems are the easiest and fastest boards to install in the market. *Complete system* comes with installation tray, adjustable folded aluminum base, reversible long lasting take-off board and foul board, and functional blanking lid ready to accept track surfacing.

- 8" take-off board and 4" foul board creates 12" system
- Exclusive easy-adjust leveling system for both horizontal and vertical axis
- Composite for longer lifespan
- Composite boards made of Polyboard®, an environmentally friendly, waterproof material that will not split or crack while offering jumpers great grip
- Meets NFHS, NCAA and IAAF specifications

43505	Complete NCAA System
P435007	Replacement 4" NCAA Foul Board
P435005	Replacement 8" Take-Off Board
P435205	Replacement 12" Take-Off Board
43525	12" Take-Off Board and Tray

### **ALUMINUM VAULT BOX**

- Welded aluminum construction
- Reinforced backstop for prolonged life
- Meets NFHS, NCAA and IAAF specifications, IAAF certified

502



### **ALUMINUM VAULT BOX LID**

- Compatible with all Gill vault boxes
- $\bullet$  Reinforced with two ½" angled vertical supports to prevent sagging
- 50201: Recessed design to accomodate ½" (12mm) track surface
- 50202: Flush design with no added track surface

50201	Lid-Recessed Mount	
50202	Lid-Flush Mount	



# **SANDPIT FORMS & COVERS**

### Sand pit forms hold more than just sand, they hold value.

With four different options of Sand Catcher locations and two practical Sand Catcher Cover options, you can design the horizontal jump facility that will perfectly meet your needs.

No matter which combination you choose; with the Gill Functional-Form, you can rest assured it's the finest product (with the easiest installation) available.

F46225

F46228

F46231

F46124

F46127

F46130

F46023

F46026

F46029

Choose from one of two Sand Catcher Cover systems: traditional grate and mat or Gill (exclusive) Recessed Lid. When you consider the main function of a Sand Catcher system is not to catch sand but to store it, the Recessed Lid system is rapidly becoming the choice of facilities worldwide, as it is designed to receive track surfacing to match your track facility. When coupled with the 730148 Aluminum Sand Pit Cover, a complete logical design emerges for your world class jumps facility.

**Choose from one of four sand catcher locations:** no sides, two sides, two sides and back, or all four sides. Choosing Sand Catchers on the sides will cut unnecessary costs and eliminate potential trip hazards, providing more than ample storage space for overflow sand.

#### FORM WITH RECESSED CATCHERS



25′ L

28' L

31′L

27′ L

23′ L

26′ L

29′ L

SIDES

SIDES

SIDES

### **FORM WITH GRATE & MAT CATCHERS**



4 SIDES	28′ L	F44228
,	31′L	F44231
3 SIDES	24′L	F44124
	27′L	F44127
	30′L	F44130
SIDES	23′L	F44023
	26′L	F44026

F44225

F44029

#### **FORM WITH NO CATCHERS**



Padding sold separately

	23′L	F42023
LEDGE	26′L	F42026
	29′L	F42029

### **ALL FORMS ARE 9'8" WIDE**

FAST INSTALLATION

\*\*Track surface not included

### **READY-FIT ALUMINUM SAND PIT COVERS**

F44023C	23' Cover
F44124C	24' Cover
F44225C	25' Cover

F44026C	26' Cover
F44127C	27' Cover
F44228C	28' Cover

29′ L

F44029C	29' Cover
F44130C	30' Cover
F44231C	31' Cover





# MORE THAN TRACK & FIELD

Your preferred source for track & field equipment is also your source for football, soccer, baseball and more. **Quality. Commitment. Innovation.** 

FOOTBALL • SOCCER • BASEBALL
TENNIS • WINDSCREENS • PADDING

# *BALLSTOPS*

### 12' - 40' TALL BALLSTOP SYSTEMS


- 12', 15' and 20' use 4" diameter,  $\frac{1}{8}$ " wall aluminum tube #36 Netting
- 25' and 30' use 6" Sch 40 aluminum tube #36 Netting
- 35' and 40' use 6" Sch 40 steel tube #36 Netting
- All Poles 12'-40' have a vertical support cable for additional net support
- Ground sleeves included
- All poles are powder coated in architectural black Other colors available
- 5 Year Warranty

### **HERE FOR YOU!**

CALL TODAY AND WE'LL HELP GET THE **BALLSTOP** SYSTEM THAT BEST FITS YOUR FACILITY.











### **BALLSTOP NET RELEASE CLIPS**

Designed to drop the protective netting in high winds before any pole or hardware failure occurs.

- Marine Grade HDPE material
- Designed to break and drop nets in high winds, 20' and shorter or 25' and taller
- Sold in pack of 10 clips

739000 20' Ballstops and shorter739001 25' Ballstops and taller

### 10' TALL BALLSTOP SYSTEMS

The 10' Tall Ballstop Systems were designed to be set up and removed as needed and are available as above ground or in ground installation.

- $\bullet$  Net: #504 Weather treated 1  $^3/_{16}{''}$  square mesh with  $^1/_4{''}$  roped edge and 180 lb break strength
- $\bullet$  Net is supported at the top and held in place at ther bottom by  $^{1}\!/_{_{\rm B}}"$  vinyl covered steel cable
- The 8062 is a portable system which uses a platform base with wheels that is weighted down by four 5 gallon jugs (included)
- The 807 is installed in aluminum ground sleeves (caps are included for use when poles are removed)
- Purchase one starter unit and as many additional units as needed to reach your desired overall length (Sold in 20' lengths)
- All poles are now powder coated in architectural black Other colors available for an additional cost
- 5 Year Warranty

8062	Portable Starter Unit (10' x 20')
8062A	Portable Additional Unit (10' x 20')
807	Sleeved Starter Unit (10' x 20')
807A	Sleeved Additional Unit (10' x 20')

**FACILITIES** 





## SHELTERS

### **PORTABLE TRACK SHELTER**

Steel frame is mounted on swivel casters. 360 degree seating surrounds a center storage shelf. Roof frame is constructed of aluminum bracing with architectural gray powder coat. Canopy is tensioned with a one-piece vinyl wrap. Custom color and graphic application available on canopy top.

54240CXXSP

Portable Track Shelter w/ Graphics







Vinyl



<sup>\*</sup>To specify color with order, use the two-digit number of your color selection to replace XX in the item number.

### **VERSACOM BOXES**

### **CONNECTING IT ALL TOGETHER**

The VersaCom Box provides a junction for electricity and cable hookups. This box can be put in virtually any location around performance areas of varying surfaces. The open bottom of the VersaCom Box provides adequate drainage and conduit entry, while the hand holes in the cover allow easy access.

- Divider plates in full size version, provided to help keep electrical equipment segregated
- $\bullet$  Main box structure is made of  $^{1}\!/_{\!_{4}}\!''$  thick folded aluminum
- $\bullet$  Lid is constructed of  $\mathcal{V}_{_{4}}{''}$  aluminum plates for maximum support and durability

The VersaCom Box - Synthetic Version allows material to be bonded or poured onto the top of the lid to match the surrounding surface.

F910 Full Size (30" L X 18" W X 14" D)
F930 Half Size (15" L X 18" W X 14" D)

The VersaCom Box - Turf Version features a supplied aluminum top to allow artificial turf to be glued on the jobsite, and is tethered to the box. This top is reinforced with multiple aluminum plates for maximum strength and durability. Factory installed turf infill retainment brushes keep infill out of the box.

F960 Full Size (30" L X 18" W X 14" D)
F970 Half Size (15" L X 18" W X 14" D)



# **BENCHES & BLEACHERS**

Benches are aluminum planking attached to heavy steel support frames. Benchseat is 10" wide and available with a powder-coat finish. Seats are 1'6" high and include back support.

- Non-Slip, Grooved Type Top Surface With Reinforcing Ribs
- 10" Wide Aluminum Alloy Planks
- Galvanized Structural Steel Support Frames
- Plank Ends Are Fitted With Die-Cut Formed Caps

### **ALUMINUM BENCHES WITH SHELF**

74081	8' Bench, Aluminum Finish
74081CXX	8' Bench, Powder Coat
74161	16' Bench, Aluminum Finish
74161CXX	16' Bench, Powder Coat





### **ALUMINUM BENCHES**

#### Portable Benches

72081	8' Bench, Aluminum Finish
72081CXX	8' Bench, Powder Coat
72161	16' Bench, Aluminum Finish
72161CXX	16' Bench, Powder Coat

### Stationary (Ground Sleeve) Benches

72082	8' Bench, Aluminum Finish
72082CXX	8' Bench, Powder Coat
72162	16' Bench, Aluminum Finish
72162CXX	16' Bench, Powder Coat



#### ALUMINUM BENCHES WITH BACK

#### Portable Benches

74041C15	4' Tennis Bench, Powder Coat
73081	8' Bench, Aluminum Finish
73081CXX	8' Bench, Powder Coat
73161	16' Bench, Powder Coat
73161CXX	16' Bench, Powder Coat

#### Stationary (Ground Sleeve) Benches

73082	8' Bench, Aluminum Finish
73082CXX	8' Bench, Powder Coat
73162	16' Bench, Aluminum Finish
73162CXX	16' Bench, Powder Coat

### Powder Coat

CUSTOMIZABLE



 $<sup>{\</sup>it *To specify color with order, use the two-digit number of your color selection to replace {\it XX} in the item number.}$ 







381083	8' Long, 3 Row
381084	8' Long, 4 Row
381085	8' Long, 5 Row
381163	16' Long, 3 Row
381164	16' Long, 4 Row
381165	16' Long, 5 Row



### **ALUMINUM TIP & ROLL INDOOR BLEACHERS**

Set up seating wherever you need it. When spectator viewing space is at a minimum, the Tip & Roll seating system is a must. The hardy bleachers use the same sturdy construction as the outdoor models.

- Non-Marking 4" Swivel Casters
- Bi-Directional Model Ideal Between Two Fields
- Easy To Transport

379283	8' Long, 3 Row	
379163	16' Long. 3 Row	



# **FOOTBALL GOALS**

### **ALUMINUM GOALS**

A cleaner look and easier installation that eliminates field drilling.

65%" Gooseneck and crossbar with 4" diameter uprights

8' Gooseneck allows a soccer goal to fit beneath the crossbar

### HIGH SCHOOL (23' 4" BETWEEN UPRIGHTS)

### COLLEGE (18' 6" BETWEEN UPRIGHTS)

### **EXPANDABLE** (18' 6" TO 23' 4")

6' OFFSET	Ground Sleeve	Plate Mount	Ground Sleeve	Plate Mount	Ground Sleeve	Plate Mount
20' Uprights	FB16120CXX	FB26120CXX	FB16220CXX	FB26220CXX	FB16320CXX	FB26320CXX
30' Uprights	FB16130CXX	FB26130CXX	FB16230CXX	FB26230CXX	FB16330CXX	FB26330CXX
Spliced 30' Uprights	FB16131CXX	FB26131CXX	FB16231CXX	FB26231CXX	FB16331CXX	FB26331CXX
Spliced 35' Uprights	FB16135CXX	FB26135CXX	FB16235CXX	FB26235CXX	FB16335CXX	FB26335CXX
8' OFFSET	Ground Sleeve	Plate Mount	Ground Sleeve	Plate Mount	Ground Sleeve	Plate Mount
20' Uprights	FB18120CXX	FB28120CXX	FB18220CXX	FB28220CXX	FB18320CXX	FB28320CXX
30' Uprights	FB18130CXX	FB28130CXX	FB18230CXX	FB28230CXX	FB18330CXX	FB28330CXX
Spliced 30' Uprights	FB18131CXX	FB28131CXX	FB18231CXX	FB28231CXX	FB18331CXX	FB28331CXX
Spliced 35' Uprights	FB18135CXX	FB28135CXX	FB18235CXX	FB28235CXX	FB18335CXX	FB28335CXX





\*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.

### **STEEL GOALS**

 $4 \ensuremath{\mathcal{V}}_2$  " OD gooseneck,  $3 \ensuremath{\mathcal{V}}_2$  " OD crossbar and  $2 \ensuremath{^3\!\! k}$  " OD uprights.

8' Gooseneck allows a soccer goal to fit beneath the high school crossbar.

20' Uprights	Ground Sleeve	Plate Mount
6' OFFSET	FB36120CXX	FB46120CXX
8' OFFSET	FB38120CXX	FB48120CXX

### **SOLD SEPARATELY**

F39901	Ground Sleeve
F39902	Ground Sleeve - Steel Goals
F35550	Mounting Plate




### **FOOTBALL STOPPER SET**

This football stopper set is designed to keep fans and bystanders safe from field goals and extra points. Installed behind each football goal, the 35' x 50' net can be raised and lowered with ease during a game or stationary during practice. Set includes two stoppers (1 for each goal).

F350






### **ACCESS FRAME KIT**

This kit provides effortless access to the base of a football goal for easy installation, adjustment, or removal. The access frame creates a uniform, seamless surface around the goal post for improved safety. Kit includes access frame and pole plugs that fit around a goal post with a diameter up to 6%. For safety, a solid plug is strongly recommended for use when the goal post is removed. Each goal post requires one kit. Blank metal allows track surface application for continuity in D-Zones.

F304	Access Kit - Turf Covered
F304S	Access Kit - Blank Metal
F30410	Access Frame Only
F3042	Pole Plugs - Turf Covered
F3043	Pole Plugs - PVC
F3044	Pole Plugs - Blank Metal
F3045	Solid Plugs - Turf Covered
F3046	Solid Plugs - PVC
F3047	Solid Plugs - Blank Metal



# FOOTBALL PADDING







### FITS 3½" - 4½" POLE DIAMETERS

Lace-Up Pads:  $1\frac{1}{2}$ " thick polyurethane foam pad is 6' tall and fits  $3\frac{1}{2}$ " $-4\frac{1}{2}$ " pole diameters. 15 oz. vinyl 5'10" x 12" cover available in 14 colors; specify color with order. Lace closure.

-	068CXX	Vinyl Lace Cover
	000690XXSP	6' Pad, Lace-Up Pad Closure with Graphics
	000690XX	6' Pad, Lace-Up Pad Closure

### FITS 41/2" - 5 1/16 " POLE DIAMETERS

Deluxe Pad: 4" thick polyurethane foam pad is 6' tall and fits 41/2"-  $5\%_{16}$ " pole diameters. 15 oz vinyl cover available in 14 colors. Hook and loop closure. Graphics available with new pad.

001870XX	6' Pad, Hook-And-Loop Closure
001870XXSP	6' Pad, Hook-And-Loop Closure, With Graphics

### **CUSTOMIZABLE**



\*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.

### FITS 6" - 8" POLE DIAMETERS

Gooseneck Pad: 6" thick polyurethane padding covered in tough 15oz vinyl available in 14 colors (specify color when ordering). Already have the pad? Choose the F299XX custom graphic wrap which is printed on a separate vinyl full-size sheet that covers the F302 pad for a whole new look.

F302XX	6' Gooseneck Pads, Hook-And-Loop Closure
F302XXSP	6' Gooseneck Pads with Graphics
F299XX	Graphic Vinyl Wrap (Covers 1 Existing Pad)



### **FOOTBALL PYLONS**

- Bottom Weighted markers (require no additional hardware to install)
- Meets NCAA & NFHS Requirements

296801 Pylons (set of 4)











### STEEL H-STYLE FOOTBALL/RUGBY GOALS

- Uprights And Crossbar Constructed of 3½" Steel Tube
- Durable white or optic yellow powder coat finish

### **RUGBY/COLLEGIATE/PRO GOALS (18' 6" BETWEEN UPRIGHTS)**

281181CXX	Goals, 10' uprights
281182CXX	Goals, 20' uprights

### **HIGH SCHOOL GOALS (23' 4" BETWEEN UPRIGHTS)**

281231CXX Goals, 10' uprights
281232CXX Goals, 20' uprights





\*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.

### **COMBINATION FOOTBALL/SOCCER GOALS**

- Football uprights can be secured at 23'4" or 18'6" widths or removed for soccer play. Constructed of 4"x 2" steel tube with 2" square steel tube uprights that extend 10' above crossbar. Soccer nets/backstays sold separately. Soccer goal is 8' x 24' x 8'.
- Meets high school specs for football/soccer
- Durable white powder coat finish

00274000 Combination Goal

### SOLD SEPARATELY

00424000	Required Ground Sleeve
00491824	Net For Use with Backstay (pair)
00291000	Standard Backstay (Set of 4)
292300	European Backstay (Set of 4)



### **CROSSOVER ZONE®**

For everyday use, the Crossover zone is lighter and easier to handle than other conveyor belt rubber systems. Protects against steel tipped cleats, shoes and even grounds equipment wheels, yet rain drains through. Black geotextile with gold edging for safety and durability.

493663	15' x 30' Zone
493664	15' x 40' Zone
493651	15' x 75' Zone
493652	15' x 100' Zone
493653	15' x 125' Zone
493667	7.5' x 30' Zone
493668	7 5' x 40' 7one

# **U90 WORLD CUP & PORTABLE GOALS**



### **U90 STATIONARY WORLD CUP GOAL**

 $8^{\circ}\,x$  24' goals made of 4" round aluminum construction in a white powder coat finish.

492200


World Cup Goal Package

INCLUDED: 8' x 24' Goals (pair), White Hexagon Nets (pair), Ground Sleeves (4), Back Post Net Supports (4), Back Post Ground Sleeves (4), Net Tie Down Stakes (16)

GET CLASSIC WORLD CUP STYLE ANYWHERE!

SOCCER





### **U90 PORTABLE WORLD CUP GOAL**

Portable 8' x 24' goals made of 4" round aluminum construction that comes in a white powder coated finish with custom powder coated back posts. Goal nests under 8' footbal goal posts. Sold in pairs.

#### 493000CXX

World Cup Portable Goal Package

INCLUDED: 8' x 24' Goals (pair), White Hexagon Nets (pair), 4 Easy-To-Engage Wheel Assemblies, Auger Anchor Kit, Back Bar with Weights





### **CUSTOMIZABLE**







# **U90 PREMIER PORTABLE GOAL**



### **U90 PREMIER PORTABLE GOAL**

Portable goals made of 4" round aluminum construction that comes in a white powder coated finish. Equipped with European backstays and signature Upper90 lift and roll wheels.

587200	8' x 24' Premier Package
587202	8' x 24' Premier Nesting Package
587203	6' 6" x 18' 6" Premier Package

INCLUDED: Goals (pair), 3mm x 5" Square Braid Net / White (pair), Quick Clip Net System 4 Easy-To-Engage Wheel Assemblies, Auger Anchor Kit, Back Bar with Weights





# CHAMPIONSHIP GOAL



### **U90 CHAMPIONSHIP PORTABLE GOAL**

Portable goals made of 4" round aluminum construction that comes in a white powder coated finish. Equipped with European backstays and signature Upper90 lift and roll wheels. A variety of net styles are available.

48713

8'x24' Champioship Package

INCLUDED: 8' x 24' Goals (pair), Nets (pair), Transport Kit (pair) Auger Anchor Kit, Back Bar with Weights 487200 8' x 24' Championship Goals

INCLUDED: 8' x 24' Goals (pair), Auger Anchor Kit, Rear Spreader Tube Kit

Accessories

00293000 Transport Kit



# **ANCHORS & SLEEVES**

### **AUGER ANCHOR KIT**

Auger-type goal anchor kit (set of 4) is required on existing portable soccer goals for maximum player safety. Wraps around backstay tubing and through auger to prevent tipping.

00298170



### **GOAL ANCHORING SYSTEM**

Latches around the base of football goal gooseneck and connects to the rear spreader bar of goal. Simple system guards against soccer goal tip over.

F155



#### **SEASONAL ANCHOR SYSTEM**

Install aluminum tube anchors in concrete and bolt goal to anchor through the backstay tube. Seasonal/semi-permanent kit includes 8 anchors for securing 2 soccer goals.

00417040

Set of 4 Anchors



### **OUTDOOR GROUND SLEEVES**

In-ground/sleeve style soccer goals are the best choice for providing maximum safety! Sold individually.

00402000 Fits 23/8" Back Posts

00404000 Fits 4" Round Goals

404570 4" Round Sleeve Cover (4 pack)

**00424000** Fits 4" x 2" Goals



### REPLACEMENT WARNING LABELS

LABL00552000

Portable

LABL00553000

Stationary





### **GROUND SLEEVE ANCHOR**

A ground sleeve option for securing portable goals in turf fields. Featuring a small 4% "footprint and a flexible top that compresses with surrounding turf on impact. Chain link wraps anchor pin inside ground sleeve and rear spreader tube on surface to secure goal in place. Padlocks included. Cap may be covered with turf for uniform appearance.

00406



### **5' FIELD FLAGS**

54601 Set of 8, Numbered 1-8, Steel Peg


**54604** Set of 4 Corner Flags, Steel Peg

54603 Set of 4 Corner Flags, 7" Rubber Base





# LACROSSE & FIELD HOCKEY



### **LACROSSE GOALS**

Portable goals are made of 11/8" aluminum round tubing and snap together for quick assembly.


263300 Portable Goals




Single goal that's easy to assemble with lightweight 11/2" bright orange powder coated aluminum. Folds flat for storage. Includes UV-resistant white net.

54514

Portable Goal









### **COMPETITION FIELD HOCKEY GOALS**

7' x 12' x 4' stationary goals feature 17/8" square heavy wall structural steel construction in white powder coated finish. Uses official 18" bottom boards and includes weather-treated 11/2" square nets (#21 nylon).

260100

#### SOLD SEPARATELY

Transport System (Fits 1 Goal) 260101

Includes (2) pneumatic tires and support bracket assemblies. Attaches to back of a single field hockey goal so user can tip and roll the goal on and off the field.

# **TENNIS**







### **ELITE TENNIS POSTS**

Competition tennis posts with fully enclosed net tensioning mechanism. 4" square high strength aluminum posts with heavy duty outdoor powder coating. Post cap with tamper resistant hardware to prevent vandalism or use by unauthorized individuals. Includes one winch post and one tie-off post. Ground sleeves, net, and accessories all sold separately.

885 Dark Green Posts

### **SOLD SEPARATELY**

00444000	Outdoor Ground Sleeve, Square Cover	
00885800	Indoor Floor Sleeve, Chrome Cover	
00885900	Indoor Floor Sleeve, Brass Cover	



### **ESSENTIALS TENNIS POSTS**

Competition tennis posts with fully enclosed net tensioning mechanism. Outdoor system includes ground sleeves. Indoor system requires purchase of floor sleeves. 3.5" OD high strength steel posts with heavy duty dark green outdoor powder coating. Net and accessories are sold separately.

884 Outdoor Posts
884A Indoor Posts

### **SOLD SEPARATELY**

2235	Tennis Net 42' x 39"
00885500	Singles Stick Net Support
02238000	Center Tie Down Strap
02239000	Outdoor Center Strap Anchor
02238100	Indoor Center Strap Anchor
02991340	Indoor Tennis Net 34' x 39"
010970XX	Indoor Tennis Pads









# WINDSCREENS







### **TUFFY® WINDSCREENS**

Screens are made with an exclusive durable mesh fabric of tightly woven micro-fibers: it's virtually tear-proof.  $Tuffy^*$  is the only windscreen finished with double-needle lock stitching, eliminating the thread unraveling problem of traditional windscreens. Includes 5 year warranty, available in 20 colors. Grommets every 12". 78% Shading. Custom Printing available - call for details.

912014	Tuffy® 4′ Windscreen, Per Linear Foot
912015	Tuffy® 5' Windscreen, Per Linear Foot
912016	Tuffy® 6' Windscreen, Per Linear Foot
912019	Tuffy® 9' Windscreen, Per Linear Foot
912065	6' x 5' Ballasted Tuffy® Windscreen

### **AER-FLO VCP® WINDSCREENS**

Made for 8 oz. vinyl coated polyester mesh with double lock-switch sewn ends/corners. Grommets every 12"; available in Black, Dark Green, Navy, Royal Blue, Red, or Maroon. Includes 2 year warranty. 70% shade. Custom printing available - call for details.

912026	VCP 6' Windscreen, Per Linear Foot
912029	VCP 9' Windscreen, Per Linear Foot

### **LENO WINDSCREENS**

Made of leno polypropylene mesh. Reinforcing threads resist tearing, features ultraviolet and mildew inhibitors. Allows 15% wind passage; popular in high wind areas. Available in Dark Green, Black, or Royal, printing not available on this fabric.

912036	LENO 6' Windscreen, Per Linear Foot
912039	LENO 9' Windscreen, Per Linear Foot

### **CLOSED MESH POLY WINDSCREENS**

Allowing only 8% wind passage, this screen has both high wind blockage and high visual blockage properties. Heavyweight polypropylene fabric is treated for UV, mildew, and insect resistance. Available in Dark Green or Black, grommets every 18". Air vents and tie downs are recommended. Printing not available on this fabric.

912046	6' Poly Closed Mesh Windscreen, Per Linear Foot
912049	9' Poly Closed Mesh Windscreen, Per Linear Foot

### **CLOSED MESH POLY WINDSCREENS**

912051	Homerun Zone Windscreen Topper, Per Linear Foot
912071	Hemmed Windscreen 6" x 12" Window
912081	Rectangular Windscreen 6" x 12" Air Vent

100

# BASEBALL



### **CANTILEVER DUGOUT**

8' tall x 8' wide cantilever dugout with 24" rear offset. Bolt together design with a 120 MPH wind rating and 50 lb/sq ft snow rating. Choose from 15  $\,$ different powder coat colors. Roof only available in white.

340812CXX	12' Long
340824CXX	24' Long
340836CXX	36' Long
340848CXX	48' Long

### FIELDSHELTER DUGOUT

 $8^{\prime}$  tall x  $8^{\prime}$  wide. Bolt together design with a 120 MPH wind rating and 50 lb/sq ft snow rating. Choose from 15 different powder coat colors. Roof only available in white.

330812CXX	12' Long
330824CXX	24' Long
330836CXX	36' Long
330848CXX	48' Long

CUSTOMIZABLE **DUGOUTS** 





















\*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.

### **MAJOR LEAGUE HOME PLATE**



Sturdy hard rubber base designed to withstand the battering of cleats.Runners sliding into home won't dislodge the base thanks to the included anchor, while the beveled edges prevent cleats or uniforms from snagging during the slide.

33250

## **MAJOR LEAGUE SHOCK ABSORBING BASES**



Cushioned base designed to help reduce injury. Durable, one-piece molded rubber base with no metal parts.Removable white center post for easy storage and replacement. Does not include anchors.

33251 Set of 3 Bases 33253 White Center Posts (3)



33252 Pitchers Rubber



### **GROUND ANCHOR SET**

Ground Anchors (3)






Base Plugs (3)

# **FOUL POLES**

### **BASEBALL FOUL POLES**

Baseball foul poles extend the foul lines vertically to provide a visual indication of the fair versus foul territory. Made of two sections that bolt together in the field, constructed of heavy-duty steel pipe. Available in 5 heights, sold in pairs in a durable powder coat finish.

- 8' wing panels
- Available in optic yellow (18), white (04) and optic orange (24)
- GSMIF (ground sleeve miss installation forgiveness)







MAKING GREAT EQUIPMENT ISN'T EASY. INSTALLING IT SHOULD BE.

Since 1918, Gill Athletics® has been equipping coaches with innovative equipment that elevates the sport and performance of athletes across the globe.

# **OUTDOOR PADDING**



### **Essentials Outdoor Wall & Fence Pads**

2" thick polyurethane foam core attached to ½" thick, sealed, water resistant PVC. Pad meets the minimum ASTM F2440 impact standard specification. Each panel uses 15oz UV treated vinyl. WALL PAD panels have an unwrapped back. FENCE PAD panels are completely wrapped, using threaded wood inserts to allow for chain link fence attachment. All pads can also be installed using "Z" clips allowing seasonal removal, repair, or replacement. All Pads built to your specified dimensions with a maximum width of 4'. Custom Graphics available (add SP to end of item #).

WALL PADS	FENCE PADS
000000	0040000

36202XX	36402XX	4' x 2' Pad
9036202XX	9036402XX	Custom Size - 4' x 2' or less
36204XX	36404XX	4' x 4' Pad
9036204XX	9036404XX	Custom Size - 4' x 4' or less
36206XX	36406XX	4' x 6' Pad
9036206XX	9036406XX	Custom Size - 4' x 6' or less
36208XX	36408XX	4' x 8' Pad
9036208XX	9036408XX	Custom Size - 4' x 8' or less

Essentials Vinyl



Use the two-digit number of your color selection to replace XX in the item number.

### **WALL ATTACH Z-CLIPS**

347100 6' Wall Attachment Clip

Custom Graphics Available for Essentials and Elite Pads (Additional Charge) Add SP to end of item #

### Elite Outdoor Wall & Fence Pads

3" thick polyurethane foam core attached to ½" thick, sealed, water resistant PVC. Pad meets the minimum ASTM F2440 impact standard specification. Each panel uses 19oz UV treated vinyl. WALL PAD panels have an unwrapped back. FENCE PAD panels are completely wrapped, using threaded wood inserts to allow for chain link fence attachment. All pads can also be installed using "Z" clips allowing seasonal removal, repair, or replacement. All Pads built to your specified dimensions with a maximum width of 4'. Custom Graphics available (add SP to end of item #).

WALL	<b>PADS</b>	<b>FENCE PADS</b>

36302XX	36502XX	4' x 2' Pad
9036302XX	9036502XX	Custom Size - 4' x 2' or less
36304XX	36504XX	4' x 4' Pad
9036304XX	9036504XX	Custom Size - 4' x 4' or less
36306XX	36506XX	4' x 6' Pad
9036306XX	9036506XX	Custom Size - 4' x 6' or less
36308XX	36508XX	4' x 8' Pad
9036308XX	9036508XX	Custom Size - 4' x 8' or less

Elite Vinyl



Use the two-digit number of your color selection to replace XX in the item number.





### **Hexagon Pole Pad**

6-sided pad fits pole diameters from 10" minimum up to maximum of 24". Pad has a maximum height of 8' tall and is construted using 15oz UV resistant vinyl.

90616XX Custom Size Pad

Vinyl



Use the two-digit number of your color selection to replace XX in the item number.



### **Fence Toppers**

An inexpensive way to outline the perimeter of your ballpark and reduce player injuries by adding protection and clear visibility. Constructed of bright yellow 4" diameter rigid corrugated plastic tubing. Pre-split for use with install tool for easier installation. Weather treated and UV protected to last the test of time. Adds a professional quality appearance on every game day. Optional installation tool and UV resistant cable ties available.

332F106	100' Length
332F256	250' Length
332F3	Installation Tool
332F4	19" Cable Ties, Set of 100



### **Rail Padding**

8' long pads are polyethylene foam with colored vinyl coating. UV, weather and rot resistant pads are pre-slit for easy installation. Fits over any  $2^{1/8}$ " diameter or less pipe.

35901	Light Blue
35903	Red
35906	Yellow
35909	Gray
35912	Black
35913	Navy
35914	Green



Designed to pad the top rail of woven wire fence and minimize injuries to players during outdoor activities.

Pads consist of shock absorbing, closed cell weather resistant polyethylene foam and a polyester reinforced cover with grommets and durable nylon, self-locking type wire ties. Kit is provided in 9 slit sections of 31/2" O.D. x 2" I.D. foam in 28" lengths. The cover is one 20' section, which may be easily cut to provide custom lengths when required. Standard is yellow, available in 14 colors.

003581XX 20' Padding



# **OUTDOOR TUNNELS & CAGES**



### **Batting Tunnels**

### **SINGLE**

330155 55' long 330175 75' long

#### DOUBLE

330255 55' long 330275 75' long

#### **TRIPLE**

330355 55' long 330375 75' long

- Heavy duty 85/8" OD steel poles
- Premium architectural black powder coating
- Four steel pole, open-cage design creates an open cage and hanging net so balls stop without rebound
- 1/4" galvanized aircraft quality cable
- Easy turnbuckle adjustment, and quick clip (snap hook) net attachment
- #36 weather treated knotted netting, machine sewn stitched rope borders, top center rib line for height control, and double door entry on one end



### **Batting Cages**

The cage is 10' high x 12' wide and available in either a 50' or 70' length. Netting is constructed of a durable, black UV resistant weather treated nylon with a 1%", #420 square mesh. The net is supported by 2% diameter aluminum uprights to provide lightweight, yet extremely rigid supports. Uprights extend into either outdoor or indoor sleeves and are furnished with ropes, pulleys, and rope cleats to provide ease of set up of the entire system without the use of ladders.

 330150
 50' Cage (8 Sleeves Required)

 330170
 70' Cage (10 Sleeves Required)

 802025
 Outdoor Ground Sleeve (1)

# PADS & TUNNELS







Contract #071819-PTA

Sourcewell (formerly NJPA) creates national cooperative contract purchasing opportunities and solutions on behalf of its members which include all government, education and non-profit agencies nationwide. These cooperative contract purchasing opportunities present both time and money savings for users.



### WWW.GILLPORTER.COM/PORTER/DEALER-LOCATOR

Keeping your athletic equipment in safe and working order is crucial for any facility. Yearly inspections should take place on all ceiling suspended equipment and safety equipment to keep it safe and in working order.

Ensure your equipment is checked out by a Porter authorized inspector.

# 2 0 2 1 E Q U I P M E N T

COLLECTION CATALOG



FACILITIES BASKETBALL VOLLEYBALL SOCCER FOOTBALL

PORTERATHLETIC.COM
601 MERCURY DRIVE | CHAMPAIGN, IL 61822

**800.523.5177**PORTER@PORTERATHLETIC.COM