

TRACK & FIELD

2022

GILL[®]
ATHLETICS

800.637.3090



GILLATHLETICS.COM


**QUALITY.
COMMITMENT.
INNOVATION.**

Harry L Gill

GILL[®]
ATHLETICS

Since 1918, Gill Athletics[®] has empowered coaches with innovative equipment that develops track athletes and elevates the sport across the globe.

WHAT'S INSIDE



04



22



36



42



49



66



104

2022 Litan Sports Group, Inc. Gill Athletics, PowerMax, Pacer are all registered trademarks of Gill Athletics, Inc. Gill Essentials, Maximus, SafetyMax, AGX, Pacer One, PacerFXV, Pacer Composite, Continuum, Fusion, Carbon 1, Hollowood Star, Orbiter, OTE, Tru-Flight, T2-Fiber, Tufmesh Plus, Duralife, are all trademarks of Gill Athletics, Inc. NCAA is a registered trademark of The National Collegiate Athletic Association.

02 JUMPS

- 04 Landing Systems
- 10 Standards
- 14 Box Collars, Base Pads & Platforms
- 16 Raised Runways & Pit Garages
- 18 Crossbars & Accessories
- 22 Vaulting Poles
- 28 Vault Accessories

30 SPRINTS & HURDLES

- 32 Starting Blocks
- 36 Hurdles
- 39 Hurdle Accessories

40 THROWS

- 42 Discus
- 44 Hammers & Shots
- 46 Throw Accessories
- 48 Javelins
- 57 Implement Accessories

58 MEETS

- 60 Displays
- 62 Measuring Devices & Cameras
- 64 Track Accessories & Maintenance
- 70 Cross Country & Impact Tents

72 TRAINING

- 74 Plyometrics
- 76 Agility Training
- 78 Speed Development
- 81 Core Strength
- 82 Bodyweight Training
- 84 Weight Bars & Plates
- 86 Jump Training & Testing
- 88 Flexibility & Rehab

90 FACILITIES

- 92 Takeoff Boards & Curbing
- 94 Sand Pit Forms & Covers
- 96 Steeplechase
- 98 Vault Boxes & Implement Barriers
- 100 Circles & Toeboards
- 104 Hammer Cages
- 108 Discus Cages
- 112 Discus, Shot & Indoor Cages
- 114 VersaCom Boxes & Track Shelter
- 116 Ballstops

CHECK OUT OUR GREAT **NEW** PRODUCTS

Featured here and online at: www.GILLATHLETICS.com / **NewProducts**

Prices effective from October 1, 2021 through September 30, 2022

RAISE

THE

BAR





LANDING SYSTEMS


LANDING SYSTEMS

ALL NEW!

ULTIMATE CUSTOM PRINTING

FULLY CUSTOMIZABLE EDGE-TO-EDGE TOP PAD AND SIDE PANEL CASING GRAPHICS ARE NOW AVAILABLE FOR **LANDING SYSTEMS AND WEATHER COVERS**. WITH NEARLY LIMITLESS CUSTOM PRINTING OPTIONS, CALL TODAY TO LEARN MORE ABOUT THE ULTIMATE IN CUSTOMIZATION.

**Excludes Essentials Systems*



SIDE CARABINER CONNECTION:

Top Pad is connected to base pads with carabiner side attachments, eliminating any obstruction on top of the pit. This exclusive attention to detail provides an obstruction-free landing area with athletes' safety in mind.



OPTIMAL PIT ENTRY ANGLE:

An ASTM approved vault box collar changes the slope of the tri-slant area when vaulting poles rotate. Gill's thoughtful pit entry design accounts for the box collar's effect by featuring a vaulter friendly angle.



GILL LANDING SYSTEMS FEATURES*

Top Pads

EDGE-TO-EDGE TOP PAD: Aesthetic and functional design eliminates spike contact with base units and unevenness at the edge of the pit. This Gill exclusive feature will increase the life of your new pit and improve safety near the edges.

TUFMESH PLUS™ CASING: Using exclusive 17 x 11 1000 denier material increases the life of your top pad and stands up to repeated use better than any other landing system.

2" DURALIFE™ FOAM: Soft and durable foam creates confidence in every practice. Coaches can teach with assurance because of this industry leading design.

V-LOOP VINYL STRAP: Designed to evenly distribute the force from the athlete's landing, V-Loop straps eliminate tears compared to traditionally designed pits that put undue stress on the seams.

REVERSIBLE: Extend the life of your pit, Gill's top pads are designed to use either side safely and easily.

Vinyl Base Units

ALL-VINYL BASE: Exclusive to Gill landing systems, this unique design keeps water out of your pit better than traditional mesh top units. To extend the life of your pit you keep water out of the foam. Gill's all-vinyl design gets results.

COMPLETE INTERCHANGEABILITY: Reversible sections for maximum interchangeability. This adds years to the life of your pit by maximizing the usage and size of the athlete's landing area.

QUADRUPLE DURALIFE LAYER FOAM: Athletes need to know they are landing safely and comfortably. Gill's new QUADRUPLE Duralife foam is 25% softer than others yet with firmness necessary for the safest landings.

DUAL COATED VINYL: Evenly distributed 1000 x 1000 denier polyester fabric is bonded on both sides with 18oz knife-coated PVC vinyl. This exclusive fabric design eliminates vinyl delamination seen in other pits after years of use. This creates the most durable casing that is lighter than the other pits.

STITCHING: Gill's entire landing system is stitched with the industry's strongest 210 bonded polyester thread. Simply put, your new Gill pit comes triple stitched with the toughest thread in the industry to hold up to high volume practices.

GRIP STRIP FASTENING SYSTEM: A pit is safest when constructed as an integrated system. Gill's Grip Strip Fastening System will keep your base sections functioning as one unit season after season.

ECO-SMART COMPRESS PACKS: Gill Athletics cares about the environment and your budget. All landing systems are expertly packed and shipped utilizing Compress-Pack shipping, reducing freight volume lowering fuel consumption and shipping costs. Pits restore to original size and shape minutes after unpacking.

12 YEAR WARRANTY: A long-term warranty is only as dependable as the company standing behind it. And after 100 years, you can count on Gill to stand behind your landing system for years to come. If any failure occurs in the first 12 years, under normal use and care, we will repair or replace the damaged part. Essentials line includes 5 year warranty.

CUSTOM COLOR AND GRAPHICS: Choose from over 100 unique vinyl casing and top pad color combinations offered at NO EXTRA CHARGE! Select your vinyl casing (xx) and top pad (yy) color combination. Add distinction with multi-color graphics on the top pad, weather cover, or both.

*Features May Exclude Essentials Systems



CUSTOMIZABLE LANDING SYSTEMS

Casing (xx)



Top Pad (yy)



To specify color with order, use the two-digit number of your color selection to replace XX & YY in the item number.

BUILD YOUR PIT!

Visit gillathletics.com to build your custom pit!

STANDARD CUSTOM PRINTING

Add logo or school name to any landing system top pad or weather cover. Multi-color graphic is screen printed on 5' x 5' area. **Vector artwork must be provided.**

9451 5'x5' Top Pad Graphic


9452 5'x5' Weather Cover Graphic

POLE VAULT LANDING SYSTEMS



DOUBLE FRONT LANDING SYSTEMS

Available on G4, G6, and AGX M4. Call for Details.



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS

AGX M4 PV LANDING SYSTEM

- 21' 6" x 31' 2" x 32" // 6.55m x 9.50m x 0.81m
- 2" Top Pad
- 21' in back of the vault box
- Meets World Athletics, NCAA and NFHS specifications
- 12 year warranty

66817CXXYY Landing System 

6681702CXX Weather Cover

CUSTOMIZE IT!

MULTIPLE COLOR COMBINATIONS

*Custom Graphics available. See page 5.





On all Gill Landing Systems[®]
Call for Details.

*Excludes Essentials. 5 Year Warranty on Essentials.



CUSTOMIZABLE SYSTEMS

See color charts on page 5 to replace
the XX and YY in the item numbers.



ESSENTIALS™ PV LANDING SYSTEM

- 19' 9" x 20'2" x 26" // 6.02m x 6.15m x 0.66m
- Skirted Mesh Top Holds Unit in Place
- Royal blue vinyl with gray top pad only
- **Meets NFHS specifications**
- **5 year warranty**

653 Landing System

65302 Weather Cover

VP300 Essentials PV Valuepack

INCLUDED: Essentials PV System, Weather Cover, 7100 Essentials PV Standards, 61517CXX Base Pads, 523 Essentials PV Crossbar



S1 PV LANDING SYSTEM

- 20' x 20' 2.5" x 28" // 6.1m x 6.16m x 0.71m
- 2" Top Pad
- 16' 7" in back of the vault box
- **Meets NFHS specifications**
- **12 year warranty**

65417CXXYY Landing System

6541702CXX Weather Cover

VP65417CXXYY S1 PV Valuepack

INCLUDED: S1 PV System, Weather Cover, 77100 S4 PV Standards, 61517CXX Base Pads, 523 Essentials PV Crossbar



S4 PV LANDING SYSTEM


- 21' 6" x 24' x 28" // 6.55m x 7.32m x 0.71m
- 2" Top Pad
- 16' 7" in back of the vault box
- **Meets NFHS specifications**
- **12 year warranty**

65817CXXYY Landing System

6581702CXX Weather Cover

VP65817CXXYY S4 PV Valuepack

INCLUDED: S4 PV System, Weather Cover, 77100 S4 PV Standards, 61517CXX Base Pads, 523 Essentials PV Crossbar



G1 PV LANDING SYSTEM

- 20' x 21'11" x 32" // 6.10m x 6.68m x 0.81m
- 2" Top Pad
- 16' 7" in back of the vault box
- **Meets NCAA and NFHS specifications**
- **12 year warranty**

66217CXXYY Landing System

6621702CXX Weather Cover

VP66217CXXYY G1 PV Valuepack

INCLUDED: G1 PV System, Weather Cover, 77200C12 G4 PV Standards, 61617CXX Base Pads, 526 Gill Collegiate PV Crossbar



G4 PV LANDING SYSTEM


- 21' 6" x 24' x 32" // 6.55m x 7.32m x 0.81m
- 2" Top Pad
- 16' 7" in back of the vault box
- **Meets NCAA and NFHS specifications**
- **12 year warranty**

66317CXXYY Landing System

6631702CXX Weather Cover

VP66317CXXYY G4 PV Valuepack

INCLUDED: G4 PV System, Weather Cover, 77100 S4 PV Standards, 61517CXX Base Pads, 523 Essentials PV Crossbar



G6 PV LANDING SYSTEM

- 21' 6" x 27' x 32" // 6.55m x 8.23m x 0.81m
- 2" Top Pad
- 19'7" in back of the vault box
- **Meets Word Athletics, NCAA and NFHS specifications**
- **12 year warranty**

66517CXXYY Landing System 

6651702CXX Weather Cover

VP66517CXXYY G6 PV Valuepack

INCLUDED: G6 PV System, Weather Cover, 77100 S4 PV Standards, 61517CXX Base Pads, 523 Essentials PV Crossbar



OFFICIAL TRACK & FIELD
EQUIPMENT SUPPLIER

HIGH JUMP LANDING SYSTEMS

CUSTOMIZE IT!
SHOW YOUR SCHOOL PRIDE

**Standard Custom Printing shown. See page 5.*

G4 HJ LANDING SYSTEM

- 20' x 13' 2" x 28" // 6.10m x 4.01m x 0.71m
- 2" Top pad
- Added safety cutout
- Meets World Athletics, NCAA and NFHS specifications
- 12 year warranty



64417CXXYY Landing System 

6441702CXX Weather Cover



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS

AGX M4 HJ LANDING SYSTEM

- 27' 2" x 13' 2" x 28" // 8.29m x 4.01m x 0.71m
- 2" Top pad
- Added safety cutout
- Meets World Athletics, NCAA and NFHS specifications
- 12 year warranty



64817CXXYY Landing System 

6481702CXX Weather Cover



**Ultimate Custom Printing
shown on high jump top pad.*



On all Gill Landing Systems*
Call for Details.

*Excludes Essentials. 5 Year Warranty on Essentials.



CUSTOMIZABLE SYSTEMS

See color charts on page 5 to replace the XX and YY in the item numbers.



ESSENTIALS™ HJ LANDING SYSTEM

- 16' x 8' x 24" // 4.88m x 2.44m x 0.61m
- Skirted mesh top holds unit in place
- Royal blue vinyl with gray top pad only
- **Meets NFHS specifications**
- **5 year warranty**

640A Landing System

640A02 Weather Cover

VP405 Essentials HJ Valuepack

INCLUDED: Essentials HJ System, Weather Cover, 700 Essentials HJ Standards, 522 Essentials HJ Crossbar



S1 HJ LANDING SYSTEM

- 16'6" x 8' x 26" // 5.03m x 2.44m x 0.66m
- 2" Top pad
- **Meets NFHS specifications**
- **12 year warranty**

64117CXXYY Landing System

6411702CXX Weather Cover

VP64117CXXYY S1 HJ Valuepack

INCLUDED: S1 HJ System, Weather Cover, 78105 S4 HJ Standards, 522 Essentials HJ Crossbar



S4 HJ LANDING SYSTEM


- 16' 6" x 10' x 26" // 5.03m x 3.05m x 0.66m
- 2" Top pad
- Added safety cutout
- **Meets NCAA and NFHS specifications**
- **12 year warranty**

64217CXXYY Landing System

6421702CXX Weather Cover

VP64217CXXYY S4 HJ Valuepack

INCLUDED: S4 HJ System, Weather Cover, 78105 S4 HJ Standards, 522 Essentials HJ Crossbar



G1 HJ LANDING SYSTEM

- 18' x 10' x 26" // 5.49m x 3.05m x 0.66m
- 2" Top pad
- Added safety cutout
- **Meets NCAA and NFHS specifications**
- **12 year warranty**

64617CXXYY Landing System

6461702CXX Weather Cover

VP64617CXXYY G1 HJ Valuepack

INCLUDED: G1 HJ System, Weather Cover, 78200C12 G4 HJ Standards, 525 Gill Collegiate HJ Crossbar



OFFICIAL TRACK & FIELD EQUIPMENT SUPPLIER

POLE VAULT STANDARDS




OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS

AGX M4 POLE VAULT STANDARDS

- Dual hand crank system simplifies and speeds up height transitions
- Height range from 6' 6" to 21'
- Exclusive 2" safety pad increases safety of athletes and reduces vaulting pole damage
- Dual positional locking system; Practice Mode creates quick bar height changes while Competition Mode locks in peg height during jumps
- Internal measuring tape displays Metric and English units
- Quick hand crank crossbar depth adjustment from 0cm to 80cm
- Exclusive customizable offset width between pins from 4.30m-4.37m
- Steel base for stability during use and Easy-Port hinge technology for quicker location movement
- Strong aluminum profile increases aesthetics, functionality, and customization
- Customize 2" safety pad with choice of color and graphics
- Use the two-digit number of your vinyl color selection to replace XX in the item number
- Use the two-digit number of your powder coat color selection to replace YY in the item number
- Meets NFHS, NCAA, and World Athletics specifications
- 10 year warranty

740110CXXYYSP



MANUAL DEPTH
ADJUSTMENTS

AGX M2 POLE VAULT STANDARDS

- Includes high-end features from the AGX M4 Standard except with manual depth adjustments
- Meets NFHS, NCAA, and World Athletics specifications
- 10 year warranty

77300CXXYYSP

Vinyl

| | | | | | | |
|------------|------------|--------|-------|-----------|-------------|------------|
| 01 | 02 | 03 | 04 | 05 | 06 | 08 |
| LIGHT BLUE | ROYAL BLUE | RED | WHITE | ORANGE | YELLOW GOLD | TAN |
| 09 | 10 | 11 | 12 | 13 | 14 | 15 |
| GRAY | MAROON | PURPLE | BLACK | NAVY BLUE | KELLY GREEN | DARK GREEN |

Powder Coat

| | | | | | | | |
|------------|------------|--------|-------|-----------|-------------|------------|----------|
| 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 |
| LIGHT BLUE | ROYAL BLUE | RED | WHITE | ORANGE | YELLOW GOLD | SILVER | OLD GOLD |
| 09 | 10 | 11 | 12 | 13 | 14 | 15 | |
| GRAY | MAROON | PURPLE | BLACK | NAVY BLUE | KELLY GREEN | DARK GREEN | |



On all Gill Standards*
Call for Details.

*Excludes Essentials. 5 Year Warranty on Essentials.



77200C02

G4 POLE VAULT STANDARDS

- Constructed of heavy duty aluminum uprights and risers with custom glide parts for smooth operation
- Weighted steel base includes leveling feet and wheels for easy mobility
- Clamping mechanism pulls upright and riser together to hold desired height
- Height adjustment: 10' 3" to 21' with adjustable height readout window display
- Reads both English and Metric measurements
- 55mm bar rest pins and 8 base anchors included
- Meets NFHS, NCAA, and World Athletics specifications, World Athletics certified
- 10 year warranty

77200CXX



S4 POLE VAULT STANDARDS

- Constructed of heavy duty aluminum uprights and risers with custom glide parts for smooth operation
- Weighted steel base includes wheels for easy mobility
- Clamping mechanism pulls upright and riser together to hold desired height
- Height adjustment: 7' to 18'
- Reads both English and Metric measurements
- Meets NFHS and NCAA specifications
- 10 year warranty

77100



ESSENTIALS™ POLE VAULT STANDARDS

- Full steel tubing construction gives added strength
- Height adjustment: 6' to 16'
- Reads both English and Metric measurements
- Upright detaches from base rails for improved storage
- Wide stance base for added stability
- 75mm bar rest pins and 8 base anchors included
- Meets NFHS specifications
- 5 year warranty

7100



PV STANDARD UPRIGHT PAD

- Protects competitors, pole, and standards from harm
- Fits snug around the standard facing the inside of the pit
- Open back allows for setting of height and tightening of knobs
- High density foam in vinyl casing
- Customizable Color

731109CXX



71252 Shown

OFFSET EXTENSION

- 71252 adds additional 2' to Gill standards: 77100 and 77200CXX
- 71253 adds additional 4' to Gill standards: 77100 and 77200CXX
- Fits any standards with 1.25" square offsets
- Comes in safety orange color

71252

71253

HIGH JUMP STANDARDS



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS

AGX M4 HIGH JUMP STANDARDS

- Simple height adjustments with unique thumb button and handle assist
- Choose your team's powder coat color for complete customization
- Customize exclusive 2" safety pad with choice of color and graphics
- High-visible English or Metric unit height indicator display for fans, coaches, and athletes
- Eye-level height indicator color coordinated with dual bar rest system
- Exclusive steel powder coated weighted base with wheels for increased stability and easy transportation
- Height range from 1' to 8' 3"
- Use the two-digit number of your vinyl color selection to replace XX in the item number
- Use the two-digit number of your powder coat color selection to replace YY in the item number
- Meets NFHS, NCAA, and World Athletics specifications
- 10 year warranty

740120CXXYYSP



AGX M4 HIGH JUMP BASE PADS

Specifically designed for AGX M4 High Jump Standards.

- Use the two-digit number of your vinyl color selection to replace XX in the item number

708CXX

Vinyl




Powder Coat




On all Gill Standards*
Call for Details.

*Excludes Essentials. 5 Year Warranty on Essentials.



Improved Clamping Mechanism

78200C02 Shown



G4 HIGH JUMP STANDARDS

- Constructed of heavy duty aluminum uprights and risers with custom glide parts for smooth operation
- Weighted steel base includes wheels for easy mobility and leveling feet
- Clamping mechanism pulls upright and riser together to hold desired height
- Height adjustment: 2'8" - 8'4" with adjustable height readout window display
- Reads both English and Metric measurements.
- *Meets NFHS, NCAA and World Athletics specifications*
- **10 year warranty**

78200CXX



S4 HIGH JUMP STANDARDS

- Constructed of heavy duty aluminum uprights and risers with custom glide parts for smooth operation
- Weighted steel base includes wheels for easy mobility
- Clamping mechanism pulls upright and riser together to hold desired height
- Height adjustment: 2' - 7'4"
- Reads both English and Metric measurements
- *Meets NFHS and NCAA specifications*
- **10 year warranty**

78105

ESSENTIALS™ HIGH JUMP STANDARDS

- Square steel construction with durable black powder coat finish
- Weighted base includes wheels for easy mobility
- Height adjustment: 2' to 8'
- Reads both English and Metric measurements
- *Meets NFHS and NCAA specifications*
- **5 year warranty**

700

HIGH JUMP MULTI-BAR REST ATTACHMENT

- Eliminates need for time wasting raising and lowering of standards at practice
- Designed to fit most high jump standards
- Six bar rest pads at 3" increments
- 1 3/4" x 1 3/4" openings with a 22" overall length

71254



HIGH JUMP STANDARD BASE PADS

- Provides additional safety during high jump event
- 2" thick foam pad encased in yellow vinyl

707



LANDING SYSTEM ACCESSORIES



2534



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS



2535



PATENT NO. 8,644,531

PIT STOP

- 1/4" Powder coated steel plates
- 1/2" spikes on base secures the plate from shifting
- Pole Vault Pit Stop includes 2 base plates with a connector panel
- High Jump Pit Stop includes 1 base plate
- Compatible with any pole vault or high jump pit

2534 Pole Vault

2535 High Jump



SAFETYMAX+™ VAULT BOX COLLAR

- Compatible with any style of landing system
- Spike Plate to reduce collar from slipping
- Complies with ASTM standard F2949
- Meets the 2014 NCAA and 2015 NFHS rule

719 SafetyMax+ Vault Box Collar

71904 Spike Plate Kit



VAULT PERIMETER PAD

- High school rule requires covering over all exposed hard surfaces surrounding the PV landing area
- 4' x 8' pad is 2" thick high density foam

716



FLAT BASE PADS

- Fits 28" tall Gill systems and all standards with center-mounted uprights

61517CXX



LANDING SYSTEM TIE-DOWN KIT

- Decrease the chances of pit 'flying' away
- Increase safety and security of your pits

7081 With Concrete Anchors

7082 With Grass Anchors



SLOPED BASE PADS

- Fits 32" tall Gill systems and all standards with center-mounted uprights
- Adjustable measurement scale on top of pad
- Meets World Athletics specifications

61617CXX



SLOPED AGX M2 BASE PADS

- Specifically designed for 77300CXXYYSP AGX M2 Pole Vault Standards.

61817CXX



SLOPED AGX M4 BASE PADS

- Specifically designed for 740110CXXYYSP AGX M4 Pole Vault Standards.

61717CXX



CUSTOMIZABLE BASE PADS

See color charts on page 5 to replace the XX in the item numbers.



ALUMINUM PIT CART

- Deck of cart measures 5' x 10'
- Constructed of quality aluminum planking
- Pneumatic caster wheels have a 12" diameter for easy travel over smooth and rough surfaces
- Deck height is optimal 19"

768

WOOD DECK PIT CART

- Deck of cart measures 4' x 8'
- Constructed of MDO exterior plywood for improved weather resistance
- Pneumatic caster wheels have a 12" diameter for easy travel over smooth and rough surfaces
- Deck height is 16"

767



PLATFORMS FOR LANDING SYSTEMS

- Support PV and HJ pits above the ground to prevent water damage
- Corrosion resistant aluminum or corrosion resistant rubber construction
- Consist of individual, easy to carry and convenient to store pallets

Aluminum

| | |
|--------|--|
| 733641 | Fits 64117 High Jump System |
| 733642 | Fits 64217 High Jump System |
| 733644 | Fits 64417 High Jump System |
| 733646 | Fits 64617 High Jump System |
| 733648 | Fits 64817 High Jump System |
| 733654 | Fits 65417 Pole Vault System |
| 733662 | Fits 66217 Pole Vault System |
| 733663 | Fits 66317 and 65817 Pole Vault System |
| 733665 | Fits 66517 Pole Vault System |
| 733668 | Fits 66817 Pole Vault System |



Rubber

| | |
|--------|--|
| 734641 | Fits 64117 High Jump System |
| 734642 | Fits 64217 High Jump System |
| 734644 | Fits 64417 High Jump System |
| 734646 | Fits 64617 High Jump System |
| 734648 | Fits 64817 High Jump System |
| 734654 | Fits 65417 Pole Vault System |
| 734662 | Fits 66217 Pole Vault System |
| 734663 | Fits 66317 and 65817 Pole Vault System |
| 734665 | Fits 66517 Pole Vault System |
| 734668 | Fits 66817 Pole Vault System |



WATER SHED INSERT

- Guaranteed to increase the life of your HJ and PV pits
- Prevents water pooling on your pit which destroys your foam


709

RAISED RUNWAYS

In the past, these types of runway systems have been priced upwards to \$75k! You can now have this product at a fraction of that price. The Gill Raised Runway allows for the flexibility to design runways that will accommodate the pole vault, long jump and triple jump for all levels of competition and practice.


The basic unit is an 8' x 4' general runway section. Specialized sections incorporate a vault box or take-off board trays and blanking lids. The construction of each section is welded aluminum, with ½" plywood decking. Track surfacing is not included, so you can have your preference on surfacing.

Adjunct products for the Raised Runway include the Soft Shell Sand Pit Form for the long and triple jump (sand not included), and a pole vault pit elevating system.



CALL TODAY!

LET US HELP YOU PIECE TOGETHER THE **RAISED RUNWAY** SYSTEM THAT BEST FITS YOUR NEEDS.



CUSTOMIZABLE RUNWAY

Powder Coat

| | | | | | | | |
|------------|------------|--------|-------|-----------|-------------|------------|----------|
| 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 |
| LIGHT BLUE | ROYAL BLUE | RED | WHITE | ORANGE | YELLOW GOLD | SILVER | OLD GOLD |
| 09 | 10 | 11 | 12 | 13 | 14 | 15 | |
| GRAY | MAROON | PURPLE | BLACK | NAVY BLUE | KELLY GREEN | DARK GREEN | |

*Gray and Black powder coat available in Gloss or Flat

PIT GARAGES



PIT GARAGES

- Protect your PV or HJ investment from the elements
- Keep rain, snow, and vandals away
- Easily moves on and off position with the help of a few people
- Use the two-digit number of your color selection to replace XX in the item number

881018CXX 21' X 10' 6" High Jump Pits or Smaller

881425CXX 28' 5" X 13' 8" High Jump Pits or Smaller

882120CXX 20' 3" X 21' 11" Pole Vault Pits or Smaller

883022CXX 22' X 32' Pole Vault Pits or Smaller

GILLINSTALLHJG High Jump Pit Garage Factory Installation

GILLINSTALLPVG Pole Vault Pit Garage Factory Installation

- Snow Load Kits available for areas with inclement weather

COLORS



POLE VAULT



HIGH JUMP

CROSSBARS



AGX™ COUNTERVAIL CROSSBARS

- Includes high-end features of the AGX Crossbar with added Countervail™ Vibration Cancelling Technology
- Countervail strengthens the crossbar creating minimal sag
- Dampens 40% quicker than other crossbars
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*



535 High Jump

536 Pole Vault



AGX™ CROSSBARS

- Exclusive half moon profile ends lower the center of gravity of the bar
- Heaviest crossbar the rules allow
- Shorter, more stable, end pieces redesigned for improved performance
- Features durable thick-walled pulltruded fiberglass rod
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*



INSPECT CROSSBARS FOR
VISIBLE AND CONCEALED DAMAGE
BEFORE ACCEPTING DELIVERY

CROSSBARS ARE NOT
GUARANTEED AGAINST BREAKAGE

529 High Jump 

530 Pole Vault 



GILL® COLLEGIATE CROSSBARS

- Features durable thick-walled pulltruded fiberglass rod
- Minimum sag
- Order sets of three to help offset expensive shipping costs
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*

525 High Jump 

5253 High Jump (3) 

526 Pole Vault 

5263 Pole Vault (3) 



ESSENTIALS™ CROSSBARS

- Features durable pulltruded fiberglass rod
- Excellent choice for high school competitions
- Order sets of three to help offset expensive shipping costs
- *Meets NFHS specifications*

522 High Jump

5223 High Jump (3)

523 Pole Vault

5233 Pole Vault (3)

3-PIECE CROSSBARS

- Crossbar kit that ships by UPS instead of truck
- Reduced shipping charges
- Can be shipped UPS overnight
- Utilizes same durable thick-walled pultruded fiberglass as Collegiate Crossbars
- *Meets NFHS and NCAA specifications*



538 High Jump

539 Pole Vault



E73708



PV/HJ MEASURING STICK

- 59" tall aluminum measuring stick brings laser readout closer to eye level
- Use for both High Jump and Pole Vault events
- Simple to use: Utilize viewfinder to line up crossbar and press the button
- Measure in either English or Metric units
- Minimum measurement is 1.54m (5' 1/2"), No maximum measurement

E73708 Stick and Laser



PUTTER UPPER

- Simplest crossbar placer ever made
- Fits over the end of any vaulting pole

710390



TELESCOPING CROSSBAR PLACER

- Facilitate easy placement of crossbars at all heights
- Telescoping pole extends 6' to 12' in 6" increments
- Thumb mechanism allows for quick adjustment

950



ELASTIC CROSSBAND

- Training crossbar for PV and HJ
- Bright fluorescent orange elastic tubing
- 1" diameter foam sections

528

TEAMPACER.COM

 **PACER**[®]

ONE *FXV* COMPOSITE

LIVE
TO
VAULT





POLES

ONE



 **1** YEAR
WARRANTY

ON EVERY PACER POLE

**QUICK
SHIP** 

*AVAILABLE FOR ALL PACER
FIBERGLASS POLES*

A full-line of vaulting poles designed for every vaulter, allowing smooth transition from pole to pole no matter the length, weight, or model. The ONLY vaulting pole with a 1 Year warranty.

From novice to elite, Pacer has you covered.

THE PACER® ADVANTAGE

The Pacer® ONE is a versatile, economical pole perfect for the beginning vaulter. Our design patterns create a “slow down” of the bend allowing more time to rotate into a vertical position. Available 9’ to 13’ in 10 lb increments, the Pacer ONE is sure to get your vaulters to the next level. 1 Year Warranty.



9’ (2.75M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 527527 | 60 lb | 21 |
| 527532 | 70 lb | 21 |
| 527536 | 80 lb | 21 |
| 527541 | 90 lb | 21 |
| 527545 | 100 lb | 21 |

11’ (3.35M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 533536 | 80 lb | 21 |
| 533541 | 90 lb | 21 |
| 533545 | 100 lb | 21 |
| 533550 | 110 lb | 21 |
| 533554 | 120 lb | 21 |
| 533559 | 130 lb | 21 |
| 533563 | 140 lb | 21 |
| 533568 | 150 lb | 21 |

12’6” (3.81M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 537545 | 100 lb | 21 |
| 537550 | 110 lb | 21 |
| 537554 | 120 lb | 21 |
| 537559 | 130 lb | 18 |
| 537563 | 140 lb | 18 |
| 537568 | 150 lb | 16 |
| 537573 | 160 lb | 16 |
| 537577 | 170 lb | 16 |

10’ (3.10M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 531032 | 70 lb | 21 |
| 531036 | 80 lb | 21 |
| 531041 | 90 lb | 21 |
| 531045 | 100 lb | 21 |
| 531050 | 110 lb | 21 |
| 531054 | 120 lb | 21 |
| 531059 | 130 lb | 21 |

11’6” (3.51M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 535541 | 90 lb | 21 |
| 535545 | 100 lb | 21 |
| 535550 | 110 lb | 21 |
| 535554 | 120 lb | 21 |
| 535559 | 130 lb | 21 |
| 535563 | 140 lb | 21 |
| 535568 | 150 lb | 21 |

13’ (3.96M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 540050 | 110 lb | 18 |
| 540054 | 120 lb | 18 |
| 540059 | 130 lb | 18 |
| 540063 | 140 lb | 16 |
| 540068 | 150 lb | 16 |
| 540073 | 160 lb | 13 |
| 540077 | 170 lb | 13 |
| 540082 | 180 lb | 13 |

10’6” (3.20M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 532532 | 70 lb | 21 |
| 532536 | 80 lb | 21 |
| 532541 | 90 lb | 21 |
| 532545 | 100 lb | 21 |
| 532550 | 110 lb | 21 |
| 532554 | 120 lb | 21 |
| 532559 | 130 lb | 21 |
| 532563 | 140 lb | 21 |

12’ (3.66M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 536041 | 90 lb | 21 |
| 536045 | 100 lb | 21 |
| 536050 | 110 lb | 21 |
| 536054 | 120 lb | 21 |
| 536059 | 130 lb | 18 |
| 536063 | 140 lb | 18 |
| 536068 | 150 lb | 16 |
| 536073 | 160 lb | 16 |

VAULTING POLES ARE NOT GUARANTEED AGAINST BREAKAGE

INSPECT VAULTING POLES FOR VISIBLE AND CONCEALED DAMAGE BEFORE ACCEPTING DELIVERY

COMPETITION POLE TIPS

Tough, durable polyurethane for a softer plant and long lasting performance.



700002, 700004, 700005, 700007, 700010, 700013, 700016, 700018, and 700021

FXV



NEW! 5lb WT INCREMENTS

11'
(3.35M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 733536 | 80 lb | 21 |
| 733539 | 85 lb | 21 |
| 733541 | 90 lb | 21 |
| 733543 | 95 lb | 21 |
| 733545 | 100 lb | 21 |
| 733547 | 105 lb | 21 |
| 733550 | 110 lb | 21 |
| 733552 | 115 lb | 21 |
| 733554 | 120 lb | 21 |
| 733557 | 125 lb | 21 |
| 733559 | 130 lb | 21 |
| 733561 | 135 lb | 21 |
| 733563 | 140 lb | 18 |
| 733566 | 145 lb | 18 |
| 733568 | 150 lb | 18 |

12'
(3.66M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 736045 | 100 lb | 21 |
| 736047 | 105 lb | 21 |
| 736050 | 110 lb | 21 |
| 736052 | 115 lb | 21 |
| 736054 | 120 lb | 21 |
| 736057 | 125 lb | 21 |
| 736059 | 130 lb | 18 |
| 736061 | 135 lb | 18 |
| 736063 | 140 lb | 18 |
| 736066 | 145 lb | 18 |
| 736068 | 150 lb | 18 |
| 736070 | 155 lb | 18 |
| 736073 | 160 lb | 18 |

13'
(3.96M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 740050 | 110 lb | 18 |
| 740052 | 115 lb | 18 |
| 740054 | 120 lb | 18 |
| 740057 | 125 lb | 18 |
| 740059 | 130 lb | 18 |
| 740061 | 135 lb | 18 |
| 740063 | 140 lb | 16 |
| 740066 | 145 lb | 16 |
| 740068 | 150 lb | 16 |
| 740070 | 155 lb | 16 |
| 740073 | 160 lb | 13 |
| 740075 | 165 lb | 13 |
| 740077 | 170 lb | 13 |
| 740080 | 175 lb | 13 |
| 740082 | 180 lb | 10 |

11'6"
(3.51M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 735039 | 85 lb | 21 |
| 735041 | 90 lb | 21 |
| 735043 | 95 lb | 21 |
| 735045 | 100 lb | 21 |
| 735047 | 105 lb | 21 |
| 735050 | 110 lb | 21 |
| 735052 | 115 lb | 21 |
| 735054 | 120 lb | 18 |
| 735057 | 125 lb | 18 |
| 735059 | 130 lb | 18 |
| 735061 | 135 lb | 18 |
| 735063 | 140 lb | 16 |
| 735066 | 145 lb | 16 |
| 735068 | 150 lb | 16 |

12'6"
(3.81M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 737545 | 100 lb | 21 |
| 737547 | 105 lb | 21 |
| 737550 | 110 lb | 21 |
| 737552 | 115 lb | 18 |
| 737554 | 120 lb | 18 |
| 737557 | 125 lb | 18 |
| 737559 | 130 lb | 18 |
| 737561 | 135 lb | 18 |
| 737563 | 140 lb | 16 |
| 737566 | 145 lb | 16 |
| 737568 | 150 lb | 16 |
| 737570 | 155 lb | 16 |
| 737573 | 160 lb | 16 |
| 737575 | 165 lb | 16 |
| 737577 | 170 lb | 16 |

13'6"
(4.11M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 741554 | 120 lb | 16 |
| 741557 | 125 lb | 16 |
| 741559 | 130 lb | 16 |
| 741561 | 135 lb | 16 |
| 741563 | 140 lb | 16 |
| 741566 | 145 lb | 16 |
| 741568 | 150 lb | 13 |
| 741570 | 155 lb | 13 |
| 741573 | 160 lb | 13 |
| 741575 | 165 lb | 13 |
| 741577 | 170 lb | 10 |
| 741580 | 175 lb | 10 |

THE PACER® ADVANTAGE

The Pacer® FXV vaulting pole is the flagship series of our Pacer line-up. With a design to perform well for all styles of jumpers, the lightweight s-glass is designed for smooth, consistent response as vaulters transition from pole to pole. The Pacer FXV is the perfect pole for greater heights and maximum PRs. Available 11' to 16'9" in 5lb increments. 1 Year Warranty.



14' (4.27M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 742557 | 125 lb | 16 |
| 742559 | 130 lb | 16 |
| 742561 | 135 lb | 13 |
| 742563 | 140 lb | 13 |
| 742566 | 145 lb | 13 |
| 742568 | 150 lb | 13 |
| 742570 | 155 lb | 13 |
| 742573 | 160 lb | 13 |
| 742575 | 165 lb | 10 |
| 742577 | 170 lb | 10 |
| 742580 | 175 lb | 7 |
| 742582 | 180 lb | 7 |

15' (4.57M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 746063 | 140 lb | 10 |
| 746066 | 145 lb | 10 |
| 746068 | 150 lb | 10 |
| 746070 | 155 lb | 10 |
| 746073 | 160 lb | 10 |
| 746075 | 165 lb | 7 |
| 746077 | 170 lb | 7 |
| 746080 | 175 lb | 7 |
| 746082 | 180 lb | 5 |
| 746084 | 185 lb | 5 |

16'1 (4.90M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 749073 | 160 lb | 10 |
| 749075 | 165 lb | 10 |
| 749077 | 170 lb | 7 |
| 749080 | 175 lb | 7 |
| 749082 | 180 lb | 5 |
| 749084 | 185 lb | 5 |
| 749086 | 190 lb | 4 |
| 749088 | 195 lb | 4 |
| 749091 | 200 lb | 4 |

14'6 (4.42M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 744059 | 130 lb | 13 |
| 744061 | 135 lb | 13 |
| 744063 | 140 lb | 10 |
| 744066 | 145 lb | 10 |
| 744068 | 150 lb | 10 |
| 744070 | 155 lb | 10 |
| 744073 | 160 lb | 10 |
| 744075 | 165 lb | 10 |
| 744077 | 170 lb | 7 |
| 744080 | 175 lb | 7 |
| 744082 | 180 lb | 7 |
| 744084 | 185 lb | 7 |

15'6 (4.72M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 747068 | 150 lb | 10 |
| 747070 | 155 lb | 10 |
| 747073 | 160 lb | 7 |
| 747075 | 165 lb | 7 |
| 747077 | 170 lb | 5 |
| 747080 | 175 lb | 5 |
| 747082 | 180 lb | 4 |
| 747084 | 185 lb | 4 |
| 747086 | 190 lb | 4 |
| 747088 | 195 lb | 4 |

16'5 (5.01M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 750077 | 170 lb | 7 |
| 750080 | 175 lb | 7 |
| 750082 | 180 lb | 7 |
| 750084 | 185 lb | 5 |
| 750086 | 190 lb | 5 |
| 750088 | 195 lb | 4 |
| 750091 | 200 lb | 4 |

16'9 (5.11M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 751084 | 185 lb | 5 |
| 751086 | 190 lb | 5 |
| 751088 | 195 lb | 4 |
| 751091 | 200 lb | 4 |
| 751093 | 205 lb | 4 |

COMPOSITE



13' (3.96M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 340050 | 110 lb | 21 |
| 340052 | 115 lb | 18 |
| 340054 | 120 lb | 18 |
| 340057 | 125 lb | 18 |
| 340059 | 130 lb | 18 |
| 340061 | 135 lb | 18 |
| 340063 | 140 lb | 18 |
| 340066 | 145 lb | 18 |
| 340068 | 150 lb | 16 |
| 340070 | 155 lb | 16 |
| 340073 | 160 lb | 16 |

14' (4.27M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 342557 | 125 lb | 16 |
| 342559 | 130 lb | 16 |
| 342561 | 135 lb | 16 |
| 342563 | 140 lb | 16 |
| 342566 | 145 lb | 16 |
| 342568 | 150 lb | 13 |
| 342570 | 155 lb | 13 |
| 342573 | 160 lb | 13 |
| 342575 | 165 lb | 13 |
| 342577 | 170 lb | 13 |
| 342580 | 175 lb | 13 |
| 342582 | 180 lb | 10 |

15' (4.57M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 346063 | 140 lb | 13 |
| 346066 | 145 lb | 10 |
| 346068 | 150 lb | 10 |
| 346070 | 155 lb | 10 |
| 346073 | 160 lb | 10 |
| 346075 | 165 lb | 10 |
| 346077 | 170 lb | 10 |
| 346080 | 175 lb | 10 |
| 346082 | 180 lb | 7 |
| 346084 | 185 lb | 7 |
| 346086 | 190 lb | 7 |

13'6" (4.11M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 341554 | 120 lb | 18 |
| 341557 | 125 lb | 18 |
| 341559 | 130 lb | 18 |
| 341561 | 135 lb | 16 |
| 341563 | 140 lb | 16 |
| 341566 | 145 lb | 16 |
| 341568 | 150 lb | 16 |
| 341570 | 155 lb | 16 |
| 341573 | 160 lb | 13 |
| 341575 | 165 lb | 13 |
| 341577 | 170 lb | 13 |
| 341580 | 175 lb | 13 |

14'6" (4.42M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 344059 | 130 lb | 13 |
| 344061 | 135 lb | 13 |
| 344063 | 140 lb | 13 |
| 344066 | 145 lb | 10 |
| 344068 | 150 lb | 10 |
| 344070 | 155 lb | 10 |
| 344073 | 160 lb | 10 |
| 344075 | 165 lb | 10 |
| 344077 | 170 lb | 10 |
| 344080 | 175 lb | 10 |
| 344082 | 180 lb | 10 |
| 344084 | 185 lb | 10 |
| 344086 | 190 lb | 7 |
| 344088 | 195 lb | 7 |

15'6" (4.72M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 347068 | 150 lb | 10 |
| 347070 | 155 lb | 10 |
| 347073 | 160 lb | 10 |
| 347075 | 165 lb | 10 |
| 347077 | 170 lb | 10 |
| 347080 | 175 lb | 10 |
| 347082 | 180 lb | 7 |
| 347084 | 185 lb | 7 |
| 347086 | 190 lb | 5 |
| 347088 | 195 lb | 5 |

THE PACER® ADVANTAGE

For advanced aggressive vaulters, the Pacer® COMPOSITE is the lightest pole on the market with increased tensile strength and superior energy return. The patent-pending design blends T2-Fiber™, S-Glass, and carbon fiber to create a robust and durable composite construction. The Pacer COMPOSITE is designed for vaulters to raise the bar. Available 13' to 16'9" in 5lb increments. 1 Year Warranty.



16'1 (4.90M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 349073 | 160 lb | 10 |
| 349075 | 165 lb | 10 |
| 349077 | 170 lb | 10 |
| 349080 | 175 lb | 10 |
| 349082 | 180 lb | 7 |
| 349084 | 185 lb | 7 |
| 349086 | 190 lb | 5 |
| 349088 | 195 lb | 5 |
| 349091 | 200 lb | 5 |

16'5 (5.01M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 350077 | 170 lb | 10 |
| 350080 | 175 lb | 7 |
| 350082 | 180 lb | 7 |
| 350084 | 185 lb | 7 |
| 350086 | 190 lb | 5 |
| 350088 | 195 lb | 5 |
| 350091 | 200 lb | 4 |
| 350093 | 205 lb | 4 |
| 350095 | 210 lb | 4 |

16'9 (5.11M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 351084 | 185 lb | 5 |
| 351086 | 190 lb | 5 |
| 351088 | 195 lb | 4 |
| 351091 | 200 lb | 4 |
| 351093 | 205 lb | 4 |
| 351095 | 210 lb | 4 |
| 351097 | 215 lb | 2 |

WE RAISED
THE BAR SO
YOU CAN TOO.

VAULTING POLES ARE NOT
GUARANTEED AGAINST BREAKAGE

INSPECT VAULTING POLES FOR
VISIBLE AND CONCEALED DAMAGE
BEFORE ACCEPTING DELIVERY

COMPETITION POLE TIPS

Tough, durable polyurethane for a softer plant and long lasting performance.



700002, 700004, 700005, 700007, 700010,
700013, 700016, 700018, and 700021

POLE BAGS & ACCESSORIES



CUSTOM POLE BAG

- Customize for your school's personality!
- Holds up to five vaulting poles
- Shoulder strap for ease of transportation
- Heavy duty vinyl and leather reinforced ends for long life
- Made to fit 6" corrugated drain tube (not included)
- Use the two-digit number of your vinyl color selection (Page 10) to replace the XX in the item number

8008##CXX 10' - 18' Custom Pole Bag

*Use two-digit number of desired pole bag length to replace '##' in part number. 10'-18' lengths available.

ESSENTIALS™ POLE BAG

- Holds at least five vaulting poles
- Heavy duty polyester for long life
- Maximum length is 15'
- Made to fit 6" corrugated drain tube (not included)

800801

ELITE POLE BAG

- Holds at least five vaulting poles
- Heavy duty vinyl and leather reinforced ends for long life
- Adjustable from 14' 6" to 17' 6"
- Made to fit 6" corrugated drain tube (not included)

800802



VAULT TRAINER SYSTEM

- Unique device for beginner and intermediate vaulters
- Allows athlete to acclimate the body to positions occurring during peak vault height
- Strengthens muscle groups for effective push off
- Helps to coordinate grip and pole positions while rotating around pole for push off

TA190



PACER® GIZMO

- Practice vaulting while safely on the ground
- Allows athlete to mimic complex movements that occur in the air while firmly on your feet
- Three cord system to accommodate your specific level of strength and coordination
- Vault specific training device designed to take you to the next level

700231 Small Grip

700232 Large Grip



PERFECT PLANT SLIDING VAULT BOX

- Sliding vault box allows vaulters to perfect the run, plant, and take-off
- Pole carriage, run mechanics, tempo, and step placement are more effectively learned using this training tool
- Tip proof design has a built in handle, a zero mark molded into the side for placement accuracy
- Constructed of a high-impact thermoplastic

2531





CHALK STAND

- Store chalk during practice and competition
- Lightweight stand features a wide opening for hands, a pocket for extra chalk, and rungs for hanging accessories or resting vaulting poles

WE305 Chalk Stand

700250 1 lb Sports Chalk



PORTABLE POLE RACK

- Convenient way to store and protect your poles during meets and practice
- Free standing pole rack made of heavy duty steel with durable powder coat finish

725



INTERNATIONAL POLE CART

- Built to hold all the vaulting poles you own
- Made of sturdy steel with high end design
- Dual purposed wheels switch from swivel to locked position in a snap

733180 Cart

735 Tow Bar Kit



VAULT BOX POWER PUMP

- Battery powered by 3 "D" cell batteries (not included)
- Pump fully submersible
- Empties a water filled vault box in less than five minutes

72001



GRRRIP PLUS LOTION

- Scientifically formulated mixture developed to enhance hand-grip up to 75% better
- Fluid mixes with natural skin oils to create a moisture barrier yet still allows the skin to breathe
- More convenient and cleaner than chalk

700253



POLE VAULT GRIP TAPE

- 12 1/2 yard roll of colored adhesive tape
- 1 1/2" width

700259 White (15 yds)

700260 Red

700261 Maroon

700262 Gold

700263 Green

700264 Royal

700265 Purple

700266 Black

700267 Pink



GRAPHIC POLE VAULT GRIP TAPE


- 20 yard roll of adhesive design tape
- Camo/flag designs come in 2" width
- Jolly Roger design comes in 1" width

700273 USA Flag

700271 Pink Camo

700272 Winter Camo

700274 Jolly Roger



Microscopic detail of grip technology.

NINJA ELITE POLE VAULT GRIP TAPE

- Lab-designed with thousands of gripping 'fingers'
- Grip lighter and hold tighter
- No additional substances needed (chalk, sticky spray, etc)
- Slip resistant, vibration dampening and easy release properties
- Water and oil resistant

700281 9' x 1"

RECORDS
ARE MADE
AND
BROKEN






SPRINTS & HURDLES

SPRINTS

FUSION™

FASTER STARTS THROUGH
ADVANCED TECHNOLOGY



FUSION F10

THE FUSION DESIGN WAS BUILT WITH EVERY ASPECT OF THE SPRINT START IN MIND, AND THE RESULT IS THE BEST STARTING BLOCK IN EXISTENCE.



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS



FUSION™ F10 STARTING BLOCK

- Exclusive 8" x 10" pedal allows full heel support for the best starts
- Precise and consistent foot placement is ensured using integrated pedal markings
- Angled spikes in base of pedals guarantee no slipping
- Built in handle allows for easy carriage between locations
- Pedals adjustable to 30°, 40°, 50°, 60°
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

730183C02 Royal Blue



730183C03 Red



730183C05 Orange



730183C12 Black



730183C15 Dark Green



Adjust Fusion pedals to four different angles to fit your starting style.



Handle provides easy transport.



FUSION F4, F8, & F10
PAT. NO. 6,929,585 & 7,156,775



MORE FUSION COLOR OPTIONS



FUSION™ F8 STARTING BLOCK



- Exclusive 8" x 8" pedals designed for a more aggressive acceleration pattern
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified


- 730182C02 Royal Blue
- 730182C03 Red
- 730182C05 Orange
- 730182C12 Black
- 730182C15 Dark Green

FUSION™ F4 STARTING BLOCK



- Standard 4" x 8" pedals
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

- 730181C02 Royal Blue
- 730181C03 Red
- 730181C05 Orange
- 730181C12 Black
- 730181C15 Dark Green



MOYE™ PEDAL ADAPTER

Converts any Fusion block into a Moye style block

730168

STARTING BLOCKS



G2 STARTING BLOCK

- Aircraft aluminum construction for maximal lifespan
- Pedals adjust to 45°, 55°, 65°, 75°
- Ruled decal in rail allows quick, easy, repeatable pedal set-up
- Includes 1/2" pyramid spikes for synthetic tracks
- Meets World Athletics, NCAA and NFHS specifications

410C02 *Royal Blue*

410C03 *Red*

410C12 *Black*

PAD COLORS




S2 STARTING BLOCK


- Polished steel rail with cast aluminum pedals
- Pedals adjust to 45°, 55°, 65°, 75°
- Ruled decal in rail allows quick, easy, repeatable pedal set-up
- Includes 1/2" pyramid spikes for synthetic tracks
- Meets NCAA and NFHS specifications

412C02 *Royal Blue*

412C03 *Red*

412C12 *Black*





ESSENTIALS™ STARTING BLOCK

- One piece, all steel construction with durable black powder coat finish
- Standard width pedals with rubber pads
- Change pedal positions with simple Spring Lock Adjustment
- Features built in spikes to eliminate slipping
- *Meets NFHS specifications*

416

VP416

INCLUDED: (1) Essentials Block Cart, (8) Essentials Starting Blocks



INDOOR STARTING BLOCK

- No nails, pins or holes needed to hold in place
- Foot pressure on the flaps provide a non-slip start

417



GILL® INTERNATIONAL STARTING BLOCK CART

- Holds up to 10 starting blocks horizontally
- Handle is included for easy transport
- Includes a storage shelf for loose pedals and accessories
- Steel construction with durable, architectural gray powder coat finish

733190



GILL® TRANSPORTER STARTING BLOCK CART

- Holds up to 16 starting blocks; any style
- Large wheels make transportation easy
- Steel construction with durable black powder coat finish

9311



ESSENTIALS™ BLOCK CART

- Holds up to 10 starting blocks
- Steel construction with durable black powder coat finish

923

CONTINUUM™

THE WORLD'S FASTEST HURDLE IS ALSO THE WORLD'S SAFEST



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS

CONTINUUM™ C4 AUTOMATIC HURDLE

The Continuum™ hurdle is designed to be the safest, fastest, and most unobtrusive hurdle that the rules will allow, all accomplished by placing the gateboard directly over the pivot point (tip-over-fulcrum).

- Internal leg weight from Continuum looping mechanism creates the most reliable, hassle-free automatic hurdle
- Robust frame features reinforced gusseted elbows for unparalleled strength
- Exclusive extrusion gatetubes allow for graphic customization
- Unique inner leg height indicator for no-mistake height settings (30", 33", 36", 39", 42")
- Internalized height mechanism creates whole-unit hurdle reducing maintenance and upkeep
- *Meets NFHS, NCAA and World Athletics specifications*
- *5 year warranty*

1041CXX 41" 

1047CXX 47" 

CONTINUUM™ C2 HURDLE

Includes all high-end features from the C4 except with manual weight adjustments.

1141CXX 41" 

1147CXX 47" 



Easy trigger mechanism creates zero-click continuous transitions from height to height.



On all Gill Hurdles*
Call for Details.

*Excludes Essentials

Automatic Hurdle U.S. Patent
Manual Hurdle U.S. Patent

#9,486,714
#9,427,677

ULTIMATE CUSTOM GATEBOARD PRINTING

Customize your hurdle boards with four color printing and show off your hurdles!

946 59 or Less Hurdles
60 or More Hurdles



STANDARD CUSTOM GATEBOARD PRINTING

Customize your hurdle boards with standard gateboard printing. Uppercase letters printed in single color.

945 59 or Less Hurdles
60 or More Hurdles



REPLACEMENT BOARDS & PARTS

visit us online: GillAthletics.com



G6 HURDLE

- Constructed of thick extruded aircraft aluminum
- Manual weight adjustment to meet precise official pullover force at each height
- Aluminum powder coated gatetubes and Lexan® gateboard
- Easy stack design for better stacking and portability
- Adjustable heights: 30", 33", 36", 39", 42"
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*
- **5 year warranty**

406CXX 41" Hurdle



40647CXX 47" Hurdle



40635CXX 35" Hurdle


CUSTOMIZABLE HURDLES

Gatetubes available in a variety of bright and durable powder coat colors at no extra cost.



**Replace XX in the item number with the two-digit number of your color selection.*

Color Rendering Feature at gillathletics.com



G4 HURDLE

- Constructed of thick extruded aircraft aluminum
- Free sliding weights adjust quickly to official pullover resistance at all heights
- Aluminum powder coated gatetubes and Lexan® gateboard
- Easy stack design for better stacking and portability
- Adjustable heights: 30", 33", 36", 39", 42"
- *Meets NFHS and NCAA specifications*
- *Available in master's competition hurdle sizes*
- **5 year warranty**

4060CXX 41" Hurdle

406047CXX 47" Hurdle

406035CXX 35" Hurdle



S4 HURDLE

- Best selling high school hurdle for elite programs
- Aluminum square tube construction
- Welded cross support design provides unrivalled durability
- Aluminum powder coated gatetubes and Lexan® gateboard
- Gatetubes allow for GRAPHIC customization
- Adjustable heights: 30", 33", 36", 39", 42"
- **Meets NFHS specifications**
- **5 year warranty**
- **Ships assembled**

402CXX 41" S4 Hurdle

402TCXXSP 41" Hurdle with Gatetube Graphics



402TC02SP

CUSTOMIZABLE GATETUBES



Easy stack design for better storage and portability

CUSTOMIZABLE HURDLES

Gatetubes available in a variety of bright and durable powder coat colors at no extra cost.



*Replace XX in the item number with the two-digit number of your color selection.



S2 HURDLE

- Powder coated steel U-shaped single cross support design
- Single cross support allows for easy carriage and unhindered plyometric drills
- Aluminum powder coated gatetubes and Lexan® gateboard
- Adjustable heights: 30", 33", 36", 39", 42"
- **Meets NFHS specifications**
- **5 year warranty**
- **Assembly required**

403CXX 41" Hurdle

40335CXX 35" Hurdle



GILL ESSENTIALS™ HURDLE

- Strong all aluminum construction
- Economical hurdle that meets official pullover resistance at all heights
- Rigid double-crossbar design ensures superior durability
- Lexan gateboard
- Adjustable heights: 27", 30", 33", 36", 39", 42"
- **Meets NFHS specifications**
- **1 year warranty**
- **Assembly required**

401CXX 41" Hurdle



S1 HURDLE

- All aluminum design
- Unmatched value for high school programs
- Aluminum powder coated gatetubes and Lexan® gateboard
- Adjustable heights: 30", 33", 36", 39", 42"
- **Meets NFHS specifications**
- **5 year warranty**
- **Assembly required**

411CXX 41" Hurdle

GILL® FLIGHT HURDLE CART

- World's most convenient and efficient hurdle cart
- Four wheel design provides superior moveability compared to corner cutting three wheel designed carts
- Sturdy steel construction with durable black powder coat finish
- Efficiently supports up to 10 hurdles at a time

4630 41" Hurdle Cart

4631 47" Hurdle Cart



HURDLE CART WEATHER COVER

733630CXX 41" Cart Weather Cover

733631CXX 47" Cart Weather Cover

733630CXXSP 41" Cart Weather Cover with Graphics

733631CXXSP 47" Cart Weather Cover with Graphics

CUSTOMIZABLE



*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.



FOAM HURDLE BOARD GUARD

- Easily attaches to hurdle for maximum protection against injury

403BG Guard

403BG10 Guards (10)



HURDLE CART

- Unique walk-in design
- Steel construction with durable black powder coat finish
- Large swivel casters for easy transportation
- Compatible with both rocker and 'L' shaped hurdles

4010 41" Hurdle Cart (Holds 8-10)

4020 41" Hurdle Cart (Holds 18-20)

4036 35" Hurdle Cart (Holds 8-10)



HURDLE PORTER

- Easy convenient way to move 8-10 hurdles
- Steel construction with durable black powder coat finish
- Compatible with 'L' shaped hurdles only

4210 41" Hurdle Porter

42147 47" Hurdle Porter

THROW

FAR





THROWS

DISCUS



NEW! S-SERIES

Gill Athletics'® new low- to mid-spin S-series feature exclusive, high-impact translucent side plates in three distinctive in-molding patterns.

- High quality steel rim
- Colorful, high-impact translucent side plates
- Meets NFHS, NCAA and World Athletics specifications

| STEP 1: DISCUS WEIGHT | STEP 2: % RIM WEIGHT | | |
|--------------------------|---|---|---|
| 1.0K Girls | <p>LOW-SPIN 58% RIM WT 75810</p> | <p>MID-SPIN 75% RIM WT 77510</p> | <p>MID-SPIN 78% RIM WT 77810</p> |
| | <p>LOW-SPIN 61% RIM WT 76116</p> | <p>MID-SPIN 75% RIM WT 77516</p> | <p>MID-SPIN 80% RIM WT 78016</p> |
| | <p>LOW-SPIN 67% RIM WT 76720</p> | <p>MID-SPIN 75% RIM WT 77520</p> | <p>MID-SPIN 80% RIM WT 78020</p> |



INDOOR RUBBER DISCUS

- Solid one-piece rubber construction
- Won't scuff floors or walls
- Meets NFHS specifications

| | |
|-----|------|
| 311 | 1.0K |
| 308 | 1.6K |
| 304 | 2.0K |



RUBBER DISCUS

- Solid one-piece construction
- Tough, durable rubber
- Meets NFHS specifications

| | |
|-----|------|
| 310 | 1.0K |
| 307 | 1.6K |
| 302 | 2.0K |



RUBBER DISCUS + HANDSTRAP

- Adjustable hand strap
- For training only
- Warning: Practice in a protective cage

| | |
|-------|------|
| 81310 | 1.0K |
| 81316 | 1.6K |
| 81320 | 2.0K |



HOW TO CHOOSE

STEP 1:

SELECT YOUR OFFICIAL
COMPETITION WEIGHT

1.0K High School Girls/Women

1.6K High School Boys

2.0K College Men

STEP 2:

SELECT YOUR DISCUS
% RIM WEIGHT



G-SERIES NEW!

Gill Athletics® high-moment G-series offers throwers precision-crafted, certified World Athletics discs.

- High-spin steel alloy rim
- Meets NFHS, NCAA and World Athletics specifications
- World Athletics certified

| STEP 1: DISCUS WEIGHT | STEP 2: % RIM WEIGHT | | CARBON  |
|--------------------------|---|---|--|
| 1.0K Womens |  HIGH-SPIN 81% RIM WT 88110 |  HIGH-SPIN 83% RIM WT 88310 |  HIGH-SPIN 85% RIM WT 2104 |
| |  HIGH-SPIN 83% RIM WT 88316 |  HIGH-SPIN 85% RIM WT 88516 |  HIGH-SPIN 86% RIM WT 2164 |
| |  HIGH-SPIN 83% RIM WT 88320 |  HIGH-SPIN 85% RIM WT 88520 |  HIGH-SPIN 90% RIM WT 2204 |



LEGENDARY HOLLOWOOD™ DISCUS

- Low- to mid-spin discus
- Straight grained hard rock maple side plates
- High quality steel rim
- World Athletics certified
- Meets NFHS, NCAA, World Athletics specifications

| | | | |
|-----|------|---|-----|
| 313 | 1.0K |  | 65% |
| 305 | 1.6K |  | 74% |
| 300 | 2.0K |  | 75% |



VIBE LIMITED EDITION DISCUS

- Mid-spin discus
- ABS plastic side plates
- High quality steel rim
- Meets NFHS, NCAA and World Athletics specifications

| | | |
|--------|------|-----|
| VIBE10 | 1.0K | 75% |
| VIBE16 | 1.6K | 75% |

THROWS

HAMMERS

ONE-PIECE
TEXTURED HANDLE

LIGHTWEIGHT
BALL BEARING SWIVEL

ORBITER™ - TUNGSTEN

- Smaller diameter 100% tungsten-filled shell: 125mm for 20lb balls and 156mm for 35lb balls
- One-piece textured handle
- Exclusive lightweight ball-bearing swivel reduces torque and friction during rotation
- Kevlar weight bag
- Plastic injection NBR collar reduces damage potential and allows uninhibited rotation
- **1 year warranty**

4959 20 lb

4958 35 lb



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS



PACER® STAINLESS STEEL HAMMERS

- Includes wire, handle and ball
- Meets NFHS, NCAA and World Athletics specifications
- World Athletics Certified

738940 4K 95mm

738120 12 lb 103mm

738160 16 lb 110mm



TURNED IRON HAMMERS

- Includes wire, handle and ball
- Meets NFHS, NCAA and World Athletics specifications

3693 3K (6.6 lb)

36935 3.5K (7.7 lb)

3694 4K (8.8 lb)

36945 4.5K (9.9 lb)

3695 5K (11 lb)

3612 12 lb

3696 6K (13.2 lb)

3614 14 lb

3616 16 lb

3618 18 lb

3620 20 lb



TRAINING THROWING WEIGHTS

- Top quality turned iron
- Strong steel handle

3920 20 lb

3925 25 lb

3935 35 lb

ORBITER™ - LEAD

- Plastic injection NBR collar reduces damage potential and allows uninhibited rotation
- Sewn strap bag made out of double layered seatbelt polyester material
- Textured handle is the widest the rules allow for increased throwing performance
- **1 year warranty**

4947 12 lb

4948 16 lb

4949 18 lb

4950 20 lb

4952 25 lb

4954 30 lb

4955 35 lb



Guaranteed Legal
Weight and Size

GILL
ATHLETICS



PERFECT BALANCE SHOTS

- Engineered with exacting specifications for balance
- 100% sweet spot design gives uncompromised throwing distance
- Turned iron material for maximum durability
- Meets NFHS, NCAA and World Athletics specifications

| | | |
|------|-------|-------|
| 3894 | 4K | 108mm |
| 3812 | 12 lb | 115mm |
| 3816 | 16 lb | 128mm |

**OFFICIAL
COMPETITION
REFERENCE GUIDE**



PACER® STAINLESS STEEL SHOTS

- Machine turned for precision shape and weight
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| | | |
|--------|-------|-------|
| 735940 | 4K | 95mm |
| 735941 | 4K | 109mm |
| 735120 | 12 lb | 103mm |
| 735160 | 16 lb | 110mm |
| 735163 | 16 lb | 129mm |

High School Girls/Women: 4K
High School Boys: 12 lb
College Men: 16 lb



BRASS SHOTS

- Machine turned brass for unmatched design and feel
- Meets NFHS, NCAA and World Athletics specifications

| | | |
|------|-------|-------|
| 3594 | 4K | 95mm |
| 3512 | 12 lb | 103mm |
| 3516 | 16 lb | 110mm |

TRAINING SHOTS

- Cast iron material for maximum durability
- Uniform size of diameter allows for ideal training
- Keep the same size diameter as you train with variable weights



| | | | | | |
|---------|-------|-------|---------|-------|-------|
| TS10830 | 3K | 108mm | TS11516 | 16 lb | 115mm |
| TS10835 | 3.5K | 108mm | TS12813 | 13 lb | 128mm |
| TS10845 | 4.5K | 108mm | TS12814 | 14 lb | 128mm |
| TS10850 | 5K | 108mm | TS12815 | 15 lb | 128mm |
| TS11510 | 10 lb | 115mm | TS12817 | 17 lb | 128mm |
| TS11511 | 11 lb | 115mm | TS12818 | 18 lb | 128mm |
| TS11513 | 13 lb | 115mm | TS12820 | 20 lb | 128mm |
| TS11514 | 14 lb | 115mm | | | |



INDOOR SOFTSHELL SHOTS

- Polyvinyl plastic shell has softer feel for athlete preference
- Fine lead shot filled to exact weights
- Meets NFHS, and World Athletics specifications, World Athletics certified
- 1 year warranty

| | |
|------|--------------|
| 3106 | 6 lb |
| 3193 | 3K (6.6 lb) |
| 3108 | 8 lb |
| 3194 | 4K (8.8 lb) |
| 3195 | 5K (11 lb) |
| 3112 | 12 lb |
| 3196 | 6K (13.2 lb) |
| 3114 | 14 lb |
| 3115 | 15 lb |
| 3116 | 16 lb |
| 3118 | 18 lb |



INDOOR HARDSHELL SHOTS

- Polyethylene shell will last season after season
- Fine lead shot filled to exact weights
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified
- 1 year warranty

| | |
|------|--------------|
| 3206 | 6 lb |
| 3293 | 3K (6.6 lb) |
| 3208 | 8 lb |
| 3294 | 4K (8.8 lb) |
| 3210 | 10 lb |
| 3295 | 5K (11 lb) |
| 3212 | 12 lb |
| 3296 | 6K (13.2 lb) |
| 3214 | 14 lb |
| 3215 | 15 lb |
| 3216 | 16 lb |
| 3218 | 18 lb |



CAST IRON SHOTS

- 4K and 12 lb shots guaranteed legal weight and size
- Meets NFHS, NCAA and World Athletics specifications

| | |
|------|--------------|
| 3306 | 6 lb |
| 3393 | 3K (6.6 lb) |
| 3308 | 8 lb |
| 3394 | 4K (8.8 lb) |
| 3310 | 10 lb |
| 3395 | 5K (11 lb) |
| 3312 | 12 lb |
| 3396 | 6K (13.2 lb) |
| 3314 | 14 lb |
| 3315 | 15 lb |
| 3316 | 16 lb |
| 3318 | 18 lb |
| 3320 | 20 lb |



TURNED SHOTS

- Machine turned for precision shape and weight
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| | | |
|-------|-------|-------|
| 34941 | 4K | 100mm |
| 34944 | 4K | 104mm |
| 34943 | 4K | 108mm |
| 34121 | 12 lb | 108mm |
| 34122 | 12 lb | 115mm |
| 34161 | 16 lb | 120mm |
| 34162 | 16 lb | 125mm |
| 34163 | 16 lb | 128mm |

TRAINING & ACCESSORIES

SAVE MONEY WITH VALUEPACKS!



BOYS' THROWS HIGH SCHOOL

- 307 1.6K Gill Rubber Discus (1)
- 77516 1.6K Gill S75 Discus (1)
- 78016 1.6K Gill S80 Discus (1)
- 76116 1.6K Gill S61 Discus (1)
- 3312 12 lb Cast Iron Shot (1)
- 34121 12 lb, 108mm Turned Iron Shot (1)
- 931 Shot/Discus Carriers (2)

VP200

GIRLS' THROWS HIGH SCHOOL/COLLEGE

- 310 1K Gill Rubber Discus (1)
- 77510 1K Gill S75 Discus (1)
- 77810 1K Gill S78 Discus (1)
- 75810 1K Gill S58 Discus (1)
- 3394 4K Cast Iron Shot (1)
- 34941 4K, 100mm Turned Iron Shot (1)
- 931 Shot/Discus Carriers (2)

VP100



DISCUS CARRIER

- High quality vinyl discus carrier
- Features a plastic handle and convenient shoulder strap
- Holds 2 discuses or shot puts

931



2-SHOT CARRIER

- Features a plastic handle and convenient shoulder strap
- Vinyl construction with snap top closure
- Holds 2 shot puts

929



SCHOLASTIC SHOT CARRIER

- Heavy woven polyethylene rope with plastic handle
- Holds 1 shot put

928



TRAINING DISCUS

- Customize your training with variable weight
- Easy and quick transition from weight to weight
- Not competition legal, for training only

812 0.85K~1.20K

811 1.40K~1.80K

810 1.75K~2.20K



DELUXE UNIVERSAL IMPLEMENT CARRIER

- Holds any of the three standard throwing implements
- Stores and protects: Shot Put (1), Discus (2), or Hammer (1)
- Great value to protect your throwing investment

9282



ADD ON WEIGHT

- Use for either hammer or indoor throwing weights
- Economical way to add variable weight to your training without buying more implements
- Adjustable from .5 lb to 2.5 lb

3603 Add on Weight

SHOTS
THROWING
WEIGHTS
DISCUS
HAMMERS
JAVELINS



*733230 Shown

NEW!

INTERNATIONAL IMPLEMENT CARTS

- HDPE liners keep each implement separated and protected
- 8" never-flat rubber casters for easy movement over rough terrain
- Steel construction with durable powder coat finish

| | |
|--------|---------------------------------|
| 733100 | Shot Cart (Holds 32) |
| 733110 | Throwing Weight Cart (Holds 20) |
| 733200 | Discus Cart (Holds 28) |
| 733210 | Hammer Cart (Holds 16) |
| 733220 | Javelin Cart (Holds 24) |
| 733230 | Combo Cart |



TRACK WAGON

- Conveniently haul a variety of track equipment
- Gates fold down for added convenience
- Large pneumatic tires for rugged terrain travel
- 500 lb capacity to haul even the heaviest of equipment
- 48" long x 24" wide x 12" deep x 25" tall

937



*9312 Shown

IMPLEMENT CARTS

| | |
|------|-------------------------------|
| 9313 | Shot Cart (Holds 24) |
| 9314 | Discus Cart (Holds 30) |
| 9315 | Javelin Cart (Holds 26) |
| 9316 | Hammer Cart (Holds 18) |
| 9312 | Discus/Shot/Hammer Combo Cart |



PREMIUM HAMMER HANDLE (ALUMINUM GRIP)


32019 Meets World Athletics Specifications

\$93



USA HAMMER GLOVES

- Designed to endure the toughest throwers
- Seamless outside finger designed for unobtrusive fit
- High quality genuine leather



HAMMER WIRES

| | |
|-------|--------------|
| 32200 | 20" Wire |
| 32300 | 30" Wire |
| 32370 | 37" Wire |
| 32375 | 37 1/2" Wire |
| 32380 | 38" Wire |
| 32385 | 38 1/2" Wire |
| 32390 | 39" Wire |
| 32395 | 39 1/2" Wire |

| | | |
|-------|-------|---------|
| 31918 | Left | Small |
| 31917 | Right | Small |
| 31919 | Left | Medium |
| 31922 | Right | Medium |
| 31920 | Left | Large |
| 31923 | Right | Large |
| 31921 | Left | X-Large |
| 31924 | Right | X-Large |



2K TURBO HAMMER

- Teaches proper throwing mechanics and fundamentals
- Made of durable nylon with strong grip handle
- Ball made with high grade polyethylene rubber with gel filling and sharkskin surface
- Safe for both indoor and outdoor use

TA1185

2K TURBO SHOT

- Teaches proper throwing mechanics and fundamentals
- High grade polyethylene rubber with gel filling
- Sharkskin grip surface
- Non-marking materials
- Printed uni-grip hand guide for proper positioning

TA1184

JAVELINS



The choice of elite throwers worldwide! OTE javelins are handmade in the USA by the master artisans who are following in the tradition of the world's greatest name in javelin development: Dick Held. The performance potential of OTE javelins is unsurpassed, being used for numerous championship wins and world records.



Gill Athletics is proud to be the exclusive North American distributor of all Nordic javelins. The Nordic Sport javelins are all manufactured with the famous Nordic finish and Nordic quality. Gill manufactures the elite OTE javelins, as well as the championship level Pacer javelins. Both Gill and Nordic provide different level javelins as well as rubber tipped javelins.



Built by the same master craftsmen that make the OTE javelins, Pacer javelins are built to slightly more generous tolerances. These javelins are built for performance and durability, and are suitable for high level competition. Pacer is the brand of choice for coaches seeking great value.



This lower price point line of javelins is recommended for high school level competition offering unsurpassed value. The best quality javelin for a budget-conscious program, Tru-Flight javelins allow athletes to have more efficient practice sessions by purchasing multiple javelins at nearly the same price as a singular higher-priced javelin!

CHOOSING A JAVELIN

STEP 1 Decide if you are purchasing a Rubber Tipped, 600g women's, or 800g men's javelin.

STEP 2 Consider the technical proficiency of the athlete. Javelin throwers who are skilled at flying the javelin will get farther throws when they throw through the point using OTE javelins. Throwers who occasionally miss accurate flights should switch between OTE and Pacer to help learn the fine points of flying the javelin. Beginners will learn quicker with Tru-Flight javelins, and if possible, should occasionally try an OTE to see if they understand how to really make it fly.

STEP 3 Once you have decided which javelin will best maximize your athlete's potential, choose a light, medium, or max relative flex javelin. Generally speaking; the stiffer the javelin, the longer the throw, assuming it is thrown precisely through the point.

THROW FURTHER

| | ATHLETE'S ABILITY | JAVELIN FORGIVENESS |
|---------------------------|-------------------|---------------------|
| STIFF 4.4 FLEX 100M | High | Low |
| | Low | High |

Use this chart for help on how to choose the best javelin. Call our experts at 800.637.3090 for more details.



COUNTERVAIL®

VIBRATION CANCELLING TECHNOLOGY

Gill Athletics is privileged to continue our exclusive partnership with Countervail® to create the world's most technologically advanced javelins. Both the OTE Carbon 1 and NEW! Composite 1 Countervail provide up to a 40% quicker damping rate which results in longer flights with minimal vibration.

The Carbon 1 Countervail is designed after the world-record setting OTE Legend tailwind javelin, and rooted in a patented design by the inventor of modern javelins, Dick Held. Featuring a flex of 4.4 and thicker grip cord for more support and control, this javelin will behave similar to old-rules javelins and appear to "float" when thrown clean.

CARBON 1



THE ONLY SINGLE-PIECE CARBON JAVELIN IN THE WORLD



CARBON FIBER TECHNOLOGY



THICKER GRIP CORD FOR MAXIMUM PERFORMANCE

NEW!

COMPOSITE 1

The Composite 1 Countervail dampens like a carbon javelin yet is forgiving like an aluminum javelin. Not only does the Composite 1 Countervail self-correct during flight for longer throws but is highly durable, maintaining its out-of-the-box performance with every throw.



OFFICIAL TRACK & FIELD EQUIPMENT SUPPLIER

JAVELINS



Guaranteed Legal
Weight and Size



CARBON 1 COUNTERVAIL

| | | | | |
|--------------|----------|--|-----|----------|
| 2001H | Headwind | | 80m | 5.4 flex |
| 2001T | Tailwind | | 80m | 5.4 flex |



NEW!

COMPOSITE 1 COUNTERVAIL

| | | | | |
|--------------|----------|--|-----|----------|
| 2002H | Headwind | | 80m | 5.8 flex |
| 2002T | Tailwind | | 80m | 5.8 flex |



COMPETITION

| | | | | |
|--------------|----------|--|-----|----------|
| 2695H | Headwind | | 70m | 6.1 flex |
| 2695T | Tailwind | | 70m | 6.1 flex |



XTRA

| | | | | |
|--------------|----------|--|-----|----------|
| 2690H | Headwind | | 60m | 6.5 flex |
| 2690T | Tailwind | | 60m | 6.5 flex |



SPECIAL

| | | | | |
|--------------|----------|--|-----|----------|
| 2684H | Headwind | | 50m | 6.9 flex |
| 2684T | Tailwind | | 50m | 6.9 flex |




INTERMEDIATE

| | | | | |
|--------------|----------|--|-----|----------|
| 2663H | Headwind | | 40m | 7.2 flex |
| 2663T | Tailwind | | 40m | 7.2 flex |

**600G
JAVELINS**



| | | | | |
|----------|--------------------|--|-----------|-----------|
| 7961600 | Comet Alu 600 | | Universal | 12.1 flex |
| 7925600 | Viking 600 | | Universal | 11.1 flex |
| 7917601 | Diana NXS | | NXS | 7.2 flex |
| 7917602 | Diana NXB | | NXB | 7.7 flex |
| 7917600A | Master Alu 600 | | Universal | 7.9 flex |
| 7917606C | Olympia Carbon 600 | | Universal | 5.9 flex |
| 7917603C | Diana Carbon 600 | | Headwind | 5.3 flex |
| 7918601C | Valhalla 600 | | NXS | Hard |
| 7918600C | Valhalla 600 | | NXB | Hard |
| 7918603C | Valhalla 600 | | NXS | Medium |
| 7918602C | Valhalla 600 | | NXB | Medium |
| 7918604C | Valkyrie 600 | | NXS | Medium |



| | | | | |
|--------|----------|-----------|-----|----------|
| 760005 | Litania® | Universal | 40m | 8.2 flex |
| 760011 | Comet 45 | Headwind | 45m | 7.0 flex |
| 760012 | Comet 55 | Headwind | 55m | 6.8 flex |



| | | | | |
|-------|---------------|-----------|-----|----------|
| 35064 | Tru-Flight 40 | Universal | 40m | 8.6 flex |
| 35065 | Tru-Flight 50 | Universal | 50m | 8.3 flex |



HEADWIND (H) A headwind version of an OTE javelin describes a streamlined tip designed to help cut through the wind. This javelin tip, because of its small surface area, will have self-correcting characteristics when a thrower misses the point, adding valuable distance to a missed throw. The headwind version is ideal for 'power' throwers who lack perfect technique but make up for it with strength and torque.

TAILWIND (T) A tailwind version of an OTE javelin describes a thicker, more blunted tip that increases the surface area in front of the javelin. When a thrower hits the point with a tailwind version of an OTE javelin, it will mimic the old rules style javelins, with a beautiful floating flight and greater distances. This tailwind version is ideal for 'finesse' throwers who lack high outputs of power, yet throw at a high technical level.

JAVELINS



Guaranteed Legal
Weight and Size



CARBON 1 COUNTERVAIL

| | | | | |
|--------------|----------|--|------|----------|
| 3001H | Headwind | | 100m | 4.4 flex |
| 3001T | Tailwind | | 100m | 4.4 flex |



NEW!

COMPOSITE 1 COUNTERVAIL

| | | | | |
|--------------|----------|--|------|----------|
| 3002H | Headwind | | 100m | 6.0 flex |
| 3002T | Tailwind | | 100m | 6.0 flex |



COMPETITION

| | | | | |
|--------------|----------|--|-----|----------|
| 2885H | Headwind | | 90m | 6.3 flex |
| 2885T | Tailwind | | 90m | 6.3 flex |



XTRA

| | | | | |
|--------------|----------|--|-----|----------|
| 2890H | Headwind | | 80m | 6.7 flex |
| 2890T | Tailwind | | 80m | 6.7 flex |



SPECIAL

| | | | | |
|--------------|----------|--|-----|----------|
| 2870H | Headwind | | 70m | 6.9 flex |
| 2870T | Tailwind | | 70m | 6.9 flex |



INTERMEDIATE

| | | | | |
|--------------|----------|--|-----|----------|
| 2860H | Headwind | | 60m | 7.1 flex |
| 2860T | Tailwind | | 60m | 7.1 flex |

**800G
JAVELINS**



| | | | | |
|----------|----------------------|--|-----------|-----------|
| 7961800 | Comet Alu 800 | | Universal | 11.4 flex |
| 7922800 | Viking 800 | | Universal | 10.4 flex |
| 7913800 | Master 800 | | Universal | 7.5 flex |
| 7916805 | Champion Steel 800 | | Headwind | 6.4 flex |
| 7916803 | Airglider Steel 800 | | Universal | 6.1 flex |
| 7916800C | Champion Carbon 800 | | Headwind | 4.8 flex |
| 7916803C | Airglider Carbon 800 | | Universal | 4.5 flex |
| 7918801C | Valhalla 800 | | NXS | Hard |
| 7918800C | Valhalla 800 | | NXB | Hard |
| 7918803C | Valhalla 800 | | NXS | Medium |
| 7918802C | Valhalla 800 | | NXB | Medium |
| 7918804C | Valkyrie 800 | | NXS | Medium |



PACER

| | | | | |
|--------|----------|-----------|-----|----------|
| 780005 | Litania® | Universal | 50m | 8.7 flex |
| 780050 | Astro 50 | Headwind | 50m | 7.4 flex |
| 780060 | Astro 60 | Headwind | 60m | 7.2 flex |
| 780031 | Astro 70 | Headwind | 70m | 6.9 flex |



GILL TRU-FLIGHT

| | | | | |
|-------|---------------|-----------|-----|----------|
| 35085 | Tru-Flight 50 | Universal | 50m | 8.6 flex |
| 35086 | Tru-Flight 60 | Universal | 60m | 8.3 flex |
| 35087 | Tru-Flight 70 | Universal | 70m | 7.7 flex |



JAVELINS & ACCESSORIES



Guaranteed Legal Weight and Size



600G RUBBER TIPPED

| | | | |
|-------|-----------------|-----|----------|
| 2663R | Intermediate RT | 40m | 7.2 flex |
| 2690R | Xtra RT | 60m | 6.5 flex |



800G RUBBER TIPPED

| | | | |
|-------|-----------------|-----|----------|
| 2860R | Intermediate RT | 60m | 7.1 flex |
| 2870R | Special RT | 70m | 6.9 flex |
| 2890R | Xtra RT | 80m | 6.7 flex |



Nordic Sport

| | | | |
|---------|-------------------------|--|----------|
| 7968600 | Comet RT | | 8.8 flex |
| 7955600 | Javelin High School 600 | | Medium |



Nordic Sport

| | | | |
|---------|---------------------------|--|----------|
| 7968800 | Comet RT | | 8.7 flex |
| 7952800 | Javelin High School 800 | | Medium |
| 7916822 | High School Master 60 800 | | Medium |
| 7962800 | Javelin HS Elite 800 | | Max |
| 7916902 | High School Master 70 800 | | Max |



PACER

| | | | |
|---------|-------------|-----|----------|
| 760055R | Litania® RT | 40m | 8.2 flex |
| 760211R | Comet 45RT | 45m | 7.0 flex |
| 760212R | Comet 55RT | 55m | 6.8 flex |



PACER

| | | | |
|---------|-------------|-----|----------|
| 780055R | Litania® RT | 50m | 8.7 flex |
| 780250R | Astro 50RT | 50m | 7.4 flex |
| 780260R | Astro 60RT | 60m | 7.2 flex |
| 780033R | Astro 70RT | 70m | 6.9 flex |



GILL TRU-FLIGHT

| | | | |
|--------|-----------------|-----|----------|
| 35164R | Tru-Flight 40RT | 40m | 8.6 flex |
| 35165R | Tru-Flight 50RT | 50m | 8.3 flex |



GILL TRU-FLIGHT

| | | | |
|--------|-----------------|-----|----------|
| 35185R | Tru-Flight 50RT | 50m | 8.6 flex |
| 35186R | Tru-Flight 60RT | 60m | 8.3 flex |



RUBBER TIPPED STATES: ALABAMA, FLORIDA, NEW JERSEY, NORTH DAKOTA, AND WASHINGTON

J FORCE TRAINING JAVELINS



- 700g weighted training javelin designed with 800g dimensions
- 700g is the ideal tool for injury recovery training
- 900g weighted training javelin designed with 800g dimensions
- 900g is the perfect tool for specific strength adaptation

| | |
|--------|-----------------------|
| 780700 | 700g Training Javelin |
| 780900 | 900g Training Javelin |

POCKET JAVELIN



- Replicates the feel of a competition javelin
- Aluminum shaft, rubber ends, and real grip cord
- Balance point that matches that of a competition javelin
- Compact design of 13"
- Designed for indoor and outdoor use

| | |
|-------|---------------------|
| 34620 | 600g Pocket Javelin |
| 34820 | 800g Pocket Javelin |



NOCKEN BALLS

- Designed to give you the look and feel of a javelin while throwing indoors

| | |
|--------|------|
| TA105 | 400g |
| TA100 | 600g |
| TA101 | 800g |
| TA1010 | 1K |



OUTDOOR THROWING BALLS

- Technique and arm speed training balls. For outdoor use.

| | |
|-------|------|
| TA113 | 400g |
| TA114 | 600g |
| TA115 | 800g |
| TA116 | 1K |
| TA117 | 1.5K |
| TA118 | 2K |



INDOOR THROWING BALLS

- Technique and arm speed training balls. For indoor use.

| | |
|--------|------|
| TA102 | 500g |
| TA103 | 600g |
| TA104 | 800g |
| TA1041 | 1K |
| TA1042 | 1.6K |
| TA1043 | 2K |

PETRANOFF JAVELINS

- Designed by former world record holder Tom Petranoff (99.72m)
- Advance from 300g to 800g model

| | |
|--------|------------------|
| TA1193 | 300g Turbojav |
| TA1194 | 400g Turbojav |
| TA1195 | 500g Long Tom |
| TA1196 | 600g Long Tom |
| TA1187 | 700g Turbo Spier |
| TA1188 | 800g Turbo Spier |



INDOOR TRAINING JAVELINS

- Air drag cones increase resistance to shorten throw for indoor facilities
- Aluminum shaft with rubber tip for maximum durability

| | |
|--------|------|
| TA1198 | 600g |
| TA1199 | 800g |



ALL SURFACE TRAINING JAVELINS

- Designed for indoor, outdoor, and turf surfaces
- Get the balance and weight of a competition implement with a durable metal shaft and real grip cord
- Cost effective way to get more practice implements in your training inventory

| | |
|-------|------|
| 34610 | 600g |
| 34710 | 700g |
| 34810 | 800g |
| 34910 | 900g |

REAL GRIP CORD!



JAVEE JAVELIN TRAINER

- Excellent training aid to develop javelin specific strength, flexibility, range of motion
- Use for static and dynamic stretching and warm up routines
- Improve functional length limits for reduced chance of muscle and tendon injuries
- Variable resistance provided by three strong elastic cords
- Grip diameter specific to 600g and 800g sizes

| | |
|--------|------|
| TA1820 | 600g |
| TA1821 | 800g |



ARCHY ALL SURFACE TRAINING MAT

- Specifically designed to help isolate the shoulder for javelin-specific exercises
- Three different sides create a multi-use training tool for core, flexibility, and technique
- Anti-skid material on bottom of Archy

TA2000

TRAINING & ACCESSORIES



PACER® ADJUSTABLE BAG

- Includes 4 protective tubes
- Holds 5-7 javelins (without tubing), 4 javelins (with tubing)
- Heavy duty Cordura nylon
- Universal fit adjusts to hold 600g and 800g javelins

700803



HARDSHELL JAVELIN TUBE

- Holds five to seven javelins
- ABS plastic material gives peace of mind when transporting valuable javelins
- Universal fit adjusts between 600g and 800g javelins

700804



JAVELIN BACK BRACE

- Used by javelin throwers around the world
- Supports throwers and helps them throw far and safe
- Fits waist sizes 28-50" (71-127cm)

4581



NORDIC BACK BRACE

| | |
|---------|-----------------|
| 1086292 | S, 22" - 28.5" |
| 1086293 | M, 28" - 34.5" |
| 1086294 | L, 34" - 40.5" |
| 1086295 | XL, 40" - 46.5" |
| 1086296 | XXL, 46.5"+ |



NORDIC ELBOW BRACE

| | |
|---------|-----------------|
| 1086392 | S, 7.5" - 9" |
| 1086383 | M, 8.5" - 12" |
| 1086384 | L, 11.5" - 14" |
| 1086395 | XL, 13.5" - 15" |

IMPLEMENT ACCESSORIES & KITS

NEW!

GILL® HAMMER LENGTH GAUGE

- Aluminum gauge is constructed horizontally for ergonomic use
- Toggle Clamp pulls and straightens the wire for true length
- Hammer Read-Out Tool to precisely capture lengths
- 3-piece unit breaks down for convenient storage



93090



IMPLEMENT CERTIFICATION KITS

- Official-friendly design assures each implement meets specifications
- Laser cut stainless steel gauges for extreme accuracy and permanency
- High School gauges are 1/4" polycarbonate for durability and grip
- Labeled tabs on each gauge helps organize the process
- Self-contained unit packaged in one convenient case

93051 High School Certification Kit
(1K, 1.6K discuses; 4K, 12 lb shot put)

93066 Javelin Certification Kit (all javelin competitions)

93075 NCAA Certification Kit
(1K, 2K discuses; 4K, 16 lb shot put;
4K, 16 lb hammer; all javelin competitions)

93080 World Athletics Certification Kit
(1K, 1.5K, 1.75K, 2K discuses; 4K, 5K, 6K,
16 lb shot put and hammer; all javelin competitions)



93051



93075 & 93080

GILL® IMPLEMENT SCALES

- Quickly, easily and accurately measure the weight of any track implement
- Works for javelin, discus, hammer, shot, and indoor weight
- Easy zero reset for calibration prior to weighing
- Read out in English or Metric system

93015 Up to 15K/33 lb

93020 Up to 20K/44 lb

93021 Scale Ring



93015



93021



ESSENTIALS™ IMPLEMENT SCALE

- Large 55 lb capacity scale with 'easy press' buttons
- Includes digital auto calibration and full range tare/zero function
- Read out in English or Metric system

93010 Essentials™ Implement Scale

INDOOR THROWING WEIGHT GAUGE

- Easily check the length of indoor weight throw implements
- Adjustable knob assists in the quick calibration of the gauge before each use

93035



SHOT/HAMMER RETRIEVER

- Ideal for quick, painless pick-up of shots and hammers
- Multi-adjustment height for ergonomic use

940



SHOT AND DISCUS MARKERS

- Large three square-inch writing surface
- Ample room to write athlete's name or number
- Extra strong pointed base for fast placement
- 7 1/2" long
- 18 gauge steel

932W Marker

932W12 Markers (12)



NEVER
GIVEN
ALWAYS
EARNED





MEETS

ELECTRONICS & INDICATORS



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS

TIMER AND DISPLAY

- Lightweight with rugged rubber bumpers for increased durability
- Countdown timer has various pre-programmed times
- Three brightness intervals adjust to your specific needs
- Also used as an elapsed time clock for CC, road races, and the track
- Countdown can be set for durations up to 99 minutes
- Anti-glare 6" x 3" digits
- Includes tripod, 120V adapter plug, and 12V internal battery
- External battery can be connected if needed
- Connect to Gill Ultrasonic Wind Gauge to display wind reading continuously or at 10 second intervals

E49821 *Single Sided*

E49822 *Double Sided*

E39820B *Optional External Battery*



ULTRASONIC WIND GAUGE 2.0

- Highly visible backlit display improved for officials accuracy
- Use as standalone, or designed for smooth interface with Lynx systems
- Special cable from Lynx required for Lynx interface
- Includes tripod, AC adapter, and padded protective case
- World Athletics: ultrasonic wind gauges shall be used at all International Competitions (Rule 1.1 (a) through (h))

E49810



COMPACT WIND GAUGE KIT

- Displays Wind Reading in Meters Per Second
- Accuracy: +/- 0.010 m/s
- Meets NFHS, NCAA, and World Athletics specifications
- Includes tripod and carry case

E39815



COMPACT WIND INDICATOR

- Designed to indicate relative strength of wind at point of use
- Unintrusive economical design, gets the job done without breaking the budget
- Guides athletes to jump safer (pole vault) and farther (long jump/triple jump)

726



E49872



728

2 DIGIT ELECTRONIC DISPLAY

- Use as a PV standard indicator, wind reading indicator unit, or lap counter.
- 6" digits with 3 stage dimming feature
- Quality carry/storage case included
- Lap Counter Display Stand sold separately

E49872 2 Digit Electronic Display

728 Lap Counter Display Stand



79200



79300



79400



79100

PERFORMANCE INDICATORS

- 9" numerals
- Rotates 360° for visibility
- Aluminum construction with steel roll away base
- Powder coated black

79300 2 Digit Lap Counter with Bell

79400 2 Digit Pole Vault Display

79100 4 Digit Scholastic Performance Indicator

79200 5 Digit National Performance Indicator



LYNX COMPATIBLE
EAGLE EYE COMPATIBLE

LED SCROLLING DISPLAY

- Displays event standings, upcoming races and more
- Update information easily with provided software
- Software is designed to run in background when using Lynx, scrolls track event times/places as Lynx System files results
- Sixteen 4" tall characters maximum displayed at one time
- Power options: 120V power cord (included) or 12V battery (sold separately)
- Carrying case included

E39860 Scrolling Display

E39820B 12V Battery



LYNX COMPATIBLE
EAGLE EYE COMPATIBLE

GILL 9" DIGIT RACE CLOCKS

- Six digit race clocks in 9" tall digits
- Count-up/count-down capability in seconds or hundredths of seconds
- Features end-mounted controls for direct operation
- Power options: 120V AC (included) or external 12V battery (sold separately)
- *Optional carrying case available (sold separately)*
- *Tripod and remote control included*

E39851 Race Clock

E39853 Double-Sided Race Clock

E39858 Carrying Case

E39820B 12V Battery

MEASURING DEVICES



FIBERGLASS MEASURING TAPES

- Durable vinyl-coated fiberglass tape
- More flexible than cloth tapes and won't kink or break when twisted or stepped on
- Measures in both English and Metric units
- *C = closed reel; O = open reel*

984 50' (15m) C

985 100' (30m) O

987 165' (50m) O

986 200' (60m) O

988 300' (90m) O

989 330' (100m) O

STEEL MEASURING TAPES

- Coated with durable epoxy finish
- *C = closed reel; O = open reel*

980 50' (15m) C

981 100' (30m) C

983 300' (90m) O


971 330' (100m) O

MEASURING TAPE KIT

For all your measuring needs, includes:

- 988 300' (90m) (1)
- 985 100' (30m) (2)
- 984 50' (15m) (1)

982 Measuring Tape Kit



TAPE STAKES

- Handy tool attaches to end of measuring tape for convenient use
- Used for all throwing and horizontal jumping events
- *Set of 4*

970



After aligning the targeting laser with the landing, simply push a button on and read the measurement.

HORIZONTAL JUMPS LASER MEASURING DEVICE

- Provides accurate measurements for both Long Jump and Triple Jump
- Leica Measuring Device reads both English and Metric units
- Constructed with a 6 meter aluminum rail and weighted steel bases

E73740



LASER DISTANCE MEASURING SYSTEM

- Accurate laser measuring device for throwing events
- Center the mounted laser after each attempt and aim at the target
- Accurate readings to the nearest 1/8"
- *Fully compliant with NFHS, NCAA and World Athletics specifications*

E737

EVERYTHING YOU NEED IN ONE SIMPLE PACKAGE

ETHERLYNX VISION™ CAMERA PACKAGES BY LYNX

- **All packages contain everything you need.** Each package is a complete photofinish and timing solution for your track meets. All you add are the athletes and a computer!
- **All systems can run on any Windows computer** equipped with an Ethernet connection
- **All systems include the new FinishLynx EASYALIGN™ technology** that shows a full-frame video view of the finish line for fast and accurate camera placement
- **All systems take full color pictures** for easier athlete identification
- **All systems use power-over-Ethernet**, so no dedicated AC power is required at the camera location. A single Ethernet cable transfers all data AND provides camera power
- **All packages include LYNXPAD Meet Management software** - this integrates with multiple online meet entry websites, including Athletics.net and DirectAthletics.com



| THE SCHOLASTIC SOLUTION | THE BRONZE SOLUTION | THE SILVER SOLUTION | THE GOLD SOLUTION | THE PLATINUM SOLUTION | THE DIAMOND SOLUTION |
|--|--|---|--|---|--|
| <ul style="list-style-type: none"> ▪ (1) 5L510 EtherLynx™ Camera ▪ 600 Standard Frame Rate ▪ 2.8-10mm Manual Zoom Lens <p>INCLUDES: All camera connection and power cables Custom FinishLynx Carrying Case Tech Support & 1-year renewable warranty Camera Tripod and mounting hardware FinishLynx Lite software with support for RadioLynx Wireless Start (E39916)</p> <p>E39905</p> | <ul style="list-style-type: none"> ▪ (1) 5L500 Vision EtherLynx™ Camera ▪ 1000 Standard Frame Rate ▪ 8-48mm Manual Zoom lens <p>INCLUDES EVERYTHING FROM THE SCHOLASTIC SOLUTION, PLUS: Full FinishLynx32 software with support for RadioLynx Wireless Start (E39916), Lynx Software Plug-in(s) Multiple FinishLynx Cameras, IdentiLynx 2-D video camera, scoreboard interface for display of running time & results, and wind gauge interface for automatic wind reading data import</p> <p>E39906</p> | <ul style="list-style-type: none"> ▪ (1) 5L500 Vision EtherLynx™ Camera ▪ 2000 Standard Frame Rate ▪ Motorized Zoom lens <p>INCLUDES EVERYTHING FROM THE BRONZE SOLUTION, PLUS: Automatic capture & virtual photocell plug-in High resolution (2000 fps) images Remote positioner (remote camera adjustment) Motorized lens (remote lens adjustment)</p> <p>E39903</p> | <ul style="list-style-type: none"> ▪ (1) 5L500 Vision EtherLynx™ Camera ▪ 2000 Standard Frame Rate ▪ Motorized Zoom lens <p>INCLUDES EVERYTHING FROM THE SILVER SOLUTION, PLUS: RadioLynx Wireless Start System Power over Ethernet network switch IdentiLynx full frame video camera 9-digit alphanumeric scoreboard</p> <p>E39901</p> | <ul style="list-style-type: none"> ▪ (2) 5L500 Vision EtherLynx™ Cameras ▪ 2000 Standard Frame Rate ▪ Motorized Zoom lens <p>INCLUDES EVERYTHING FROM THE GOLD SOLUTION, WITH UPGRADED DISPLAY, PLUS: A second 2000 fps 5L500 Vision EtherLynx™ camera (reverse angle/alternate finish line) Internal RadioLynx Receiver Video display Module (VDM) Portable LED Display</p> <p>E39921</p> | <ul style="list-style-type: none"> ▪ (2) 5L500 Vision EtherLynx™ Cameras ▪ 2000 Standard Frame Rate ▪ Motorized Zoom lens <p>INCLUDES EVERYTHING FROM THE PLATINUM SOLUTION WITH UPGRADED DISPLAY, PLUS: LuxBoost Low-Light Capture Internal Camera Battery ResulTV software License Network COM Port Plug-in SeriaLynx with External Battery Pack Weather-Proof Wind Gauge Infield Video Display</p> <p>E39922</p> |

* FinishLynx Systems are licensed and cannot be returned.

TRACK ACCESSORIES



CONE MARKERS

- Durable, flexible PVC

| | | | |
|--------|----|-----|-----|
| F451 | 2" | 999 | 12" |
| 975 | 4" | 976 | 18" |
| TA9756 | 6" | | |



GILL® LANE MARKERS

- Lightweight markers are easy to stack and carry
- Stable 3-sided design provides great visibility
- 28" tall with convenient hand hole for quick set up
- Custom graphics available

| | |
|----------|----------------------|
| 73090 | Lanes 1-8 |
| 73090SP | Lanes 1-8, Custom |
| 730909 | Lane 9 Only |
| 730909SP | Lane 9 Only, Custom |
| 730910 | Lane 10 Only |
| 730910SP | Lane 10 Only, Custom |

LJ & TJ TAKE OFF BOARD MARKERS

- Guides athletes to the horizontal jumps take-off board
- Made of safe collapsible plastic material

730310



HORIZONTAL DISTANCE INDICATOR BOARDS

- Visual gauge of jump distance
- Made of safe collapsible plastic material
- Lightweight for easy transportation and storage
- Custom graphics available for additional charge

| | |
|--------|-----------------------------|
| 730721 | LJ Boards English (16'-30') |
| 730722 | LJ Boards Metric (5m-9m) |
| 730741 | TJ Boards English (38'-55') |
| 730742 | TJ Boards Metric (12m-17m) |

BATONS

| Individual | | Set of 8 | |
|------------|---------------|----------|----------|
| 43101 | Gold | 431018 | Gold |
| 43102 | Orange | 431028 | Orange |
| 43104 | Silver | 431048 | Silver |
| 43105 | Red | 431058 | Red |
| 43106 | Purple | 431068 | Purple |
| 43107 | Green | 431078 | Green |
| 43108 | Blue | 431088 | Blue |
| 43109 | Black | 431098 | Black |
| 433 | White Plastic | 430 | Assorted |



GILL® DISTANCE MARKERS

- Lightweight durable plastic material
- Stable 3-sided design provides 360 degree visibility
- 18" tall letters
- Custom graphics available*

Individual Markers

Individual Markers with Graphics*

| | | | |
|--------|---------|--------|----------|
| 730912 | 12m/39' | 730930 | 30m/98' |
| 730914 | 14m/46' | 730940 | 40m/131' |
| 730916 | 16m/52' | 730950 | 50m/164' |
| 730918 | 18m/59' | 730960 | 60m/197' |
| 730920 | 20m/66' | 730970 | 70m/230' |
| 730922 | 22m/72' | 730980 | 80m/262' |
| 730924 | 24m/79' | 730990 | 90m/295' |

*Add "SP" to end of part number. Example: 730912SP



SCHOLASTIC DISTANCE MARKERS

- Ultra light expanded vinyl material
- 13" x 16" with quick stack & light carry characteristics
- 11" letter height

941 Set of 13

Individual Markers

| | | | |
|--------|-----|--------|------|
| 941030 | 30" | 941100 | 100' |
| 941035 | 35' | 941120 | 120' |
| 941040 | 40' | 941140 | 140' |
| 941045 | 45' | 941160 | 160' |
| 941050 | 50' | 941180 | 180' |
| 941055 | 55' | 941200 | 200' |
| 941060 | 60' | | |



TEAR TAG NUMBERS

- Made of Tyvek® material for unsurpassed durability
- 7 ½" x 7 ½" numbers feature a 3 ½" numeral and 2" detachable tag
- **Sets of 100**

| | |
|-------|----------|
| 92300 | #001-100 |
| 92301 | #101-200 |
| 92302 | #201-300 |
| 92303 | #301-400 |
| 92304 | #401-500 |



CUSTOMIZED COMPETITOR'S NUMBERS

- Feature your school name and/or event
- Made of Tyvek material for unsurpassed durability
- **Sets of 100**

| | |
|--------|--|
| 730400 | 5 ½" x 7 ½" |
| 730410 | 7 ½" x 7 ½" * * with Detachable Tag |



HIP NUMBERS

- Necessary for photo finish timing
- 3 ½" digit on a 4" x 3" label
- No-residue adhesive labels

| | |
|-----|-------------------------------|
| 921 | Hip Numbers 1-9 (25 of each) |
| 922 | Hip Numbers 1-18 (25 of each) |

| | |
|--------------------|----------|
| SAFETY PINS | |
| 910 | 144 ct. |
| 91010 | 1440 ct. |

COMPETITOR'S NUMBERS

- Made of 100 lb 'Tuff Tear' paper tag stock
- 5 ½" x 8 ½"
- **Sets of 100**



Competitor's Numbers

| | | | |
|-----|----------|-----|-----------|
| 900 | #001-100 | 903 | #301-400 |
| 901 | #101-200 | 904 | #401-500 |
| 902 | #201-300 | 909 | #901-1000 |

INDIVIDUAL HIP NUMBERS

Sets of 100

| | | | | | |
|-------|----|-------|-----|-------|-----|
| 92101 | #1 | 92107 | #7 | 92113 | #13 |
| 92102 | #2 | 92108 | #8 | 92114 | #14 |
| 92103 | #3 | 92109 | #9 | 92115 | #15 |
| 92104 | #4 | 92110 | #10 | 92116 | #16 |
| 92105 | #5 | 92111 | #11 | 92117 | #17 |
| 92106 | #6 | 92112 | #12 | 92118 | #18 |



SPIKE KIT

Storage case and 1500 spikes

- 4 x 842 spikes
- 3 x 840 spikes
- 2 x 83602 spikes
- 2 x 83601 spikes
- 2 x 843 spikes
- 2 x 838 spikes
- 1 x 846 t-handle wrench

850



STEELEX SPIKES

- Case hardened steel with blue coat provides extreme durability and extended life
- Hex-base for easier installation and removal
- Bags of 100

| | |
|-------|-----------------|
| 83500 | ¼" Spike Wrench |
| 83511 | Spikes: ⅛" |
| 83512 | Spikes: ⅜" |
| 83513 | Spikes: ½" |
| 83514 | Spikes: ⅝" |



PYRAMID NEEDLE BLANK

SPIKES

Bags of 100, unless otherwise noted

| | |
|-------|----------------------|
| 842 | Pyramid: ¼" |
| 8401 | Needle: ⅛" |
| 83601 | Needle: ⅜" |
| 838 | Needle: ¼" |
| 839 | Needle: ⅝" |
| 840 | Pyramid: ⅛" |
| 83602 | Pyramid: ⅜" |
| 841 | Pyramid: ½" |
| 843 | Pyramid: ⅝" |
| 844 | Pyramid: ⅞" |
| 848 | Blanks |
| 837 | Javelin: 1" (20 ct.) |



846



845

SPIKE WRENCHES

| | |
|-----|----------|
| 845 | 3-Way |
| 846 | T-Handle |

GILL HALO

NEW!

HALO ELECTRONIC STARTER DEVICE

Introducing the next generation of starting devices—the patent pending Gill Athletics® HALO Electronic Starter Device! Unlike traditional starting pistols that require costly blanks, the HALO® is an electronic system that can connect wirelessly to the Wireless Speaker System and produce both the traditional bang sound as well as an audible tone. Connect to the Multiple Speaker System to disperse sound above the decibel standard equally across the starting line.



E49710



STARTERS SLEEVE

Highly visible from any part of the track. Bright orange with elastic at both ends for a sure fit.

423



STARTING BLANKS

| | |
|-------|---------------------------------|
| 42701 | .22 Cal. Crimped (100 rds.) |
| 429 | .32 Cal. Gator Blanks (50 rds.) |
| 435 | .22 Cal. Gator Blanks (100) |
| 42801 | .32 Cal. Crimped (100 rds.) |
| 39603 | Pyro Bright Shells (50 rds.) |



ALFA COMPETITION STARTING PISTOLS

- Zinc-aluminum frame finished in rust resistant nickel
- High strength heat-treated steel parts promise trouble free usage
- Bright orange grips and barrel cap eliminate confusion with a firearm
- Rugged and reliable with swing out 6-round cylinder for easy load and unload
- **Limited Lifetime warranty**

| | |
|-----|-----------------|
| 425 | .22 Cal. Pistol |
| 426 | .32 Cal. Pistol |



45W MEGAPHONE

45W Megaphone with range of up to 800 meters. Requires 10 "D" batteries (17 hours of use. Not included).

731



GILL® COMPETITION STARTING PISTOLS

- Inexpensive yet durable starting pistols
- Feature free spinning cylinder necessitating to cock the hammer before firing
- Holds 8 rounds

| | |
|-------|-------------------------|
| 42510 | .22 Cal. |
| 42610 | .32 Cal. (holds 5 rds.) |

TIMEKEEPING FOR ANY SIZE EVENT

ULTRAK L10 MULTI-LANE TIMER

- Compatible with Hytek Meet Management Software
- Times races with up to 10 lanes
- Times road races with up to 8,000 participants
- Prints bib number, lane, place, and time
- Includes linkgate, eliminating tangled cords to L10
- Includes Windows interface and 2 rolls of paper
- **2 year warranty**



| | |
|-------|-------------------|
| 37932 | 8-Lane Timer |
| 37934 | Extra Button |
| 37935 | Paper Refills (3) |

SEIKO S149 STOPWATCH WITH PRINTER

- 300 dual split memory
- Saves multiple events into memory
- Large-sized 3 line display
- Auto start function
- Prints 13 digits per line at 1.5 per second
- Battery life indicator
- Includes 2 rolls of paper
- **3 year warranty**



| | |
|-------|-----------------------|
| 37801 | Stopwatch and Printer |
| 37805 | Paper Refills (5) |



Back Panel

NEW!

WIRELESS SPEAKER SYSTEM

The Wireless Starter System is the perfect companion to the HALO® Starting Device. Multiple Speaker System disperses sound above the decibel standard equally across the starting line.

E49720



Includes: Wide-base Tripod, Protective Carrying Case, Rain Cover, 12V Battery & Charging Cable.



ROBIC SILVER 2.0

- Event, lap or split timing
- 1/100 second precision to 10 hours
- Two finish time memory recall
- 1 year warranty

37923



ULTRAK 310

- Functions: start, stop, reset
- Measures 10 hours
- 3 year warranty

33106 Set of Six



ROBIC SC-505W

- Twelve (12) memory recall
- Lap, split or single event timing
- 1/100 second resolution to 24 hours
- 1 year full factory warranty

37603 Single

37604 Set of Six



ROBIC SC-606W

- 50 dual split memory recall
- Lap, split or dual split timing
- Multi-function countdown timer; stop, repeat or count-up modes
- 1 year full factory warranty

37602

BEST SELLER!

ULTRAK 495

- 100 dual split recallable memory
- Measures up to 10 hours
- Continuous display of event time
- Allow for split in recall mode
- Water resistant
- 5 year warranty

37904 Black

37904Y Yellow



ROBIC SC-899

- Up to 540 memory recall
- 3 fully loaded time keeping modes
- 1/100 second precision to 1 hour
- Speed timer in mph/kph
- On-demand EL backlight for low light or no light use
- Lithium battery
- 1 year warranty

37611



ULTRAK BTS - BLUETOOTH

- Compatible with both Apple and Android smartphones
- 750 dual split memory recall, measuring to 10 hours in 1/100 second precision
- Countdown timer, pacer, stroke frequency and calendar functions
- 5 year warranty

37912

TRACK ACCESSORIES

VICTORY PODIUM (8 PIECE SET)

- Frame constructed with 2" x 2" aluminum tubing, powder coated flat black.
- 8 individual stands allow for quick storage
- Each stand has a 39" x 39" polyboard grip floor
- Podium face is wrapped with a 19oz vinyl for cascading customization across the front of all 8 stands

990CXXSP



VICTORY PODIUM CART

- Steel construction with durable powder coat
- 8" never-flat rubber casters for easy movement over rough terrain
- Holds all 8 Victory Podium stands

991



E39917



INTERNATIONAL FINISH POSTS

- Heavy duty steel with folded square square bases
- Wheeled bases for easy mobility
- Big, bold letters for clear visibility

721

FINISH LINE TAPE

- Lightweight and easy to break
- 50 yd roll

974



STARTER'S ROSTRUM

- Provides starting official with enough height to view all lanes
- Stable design for safety

860



E39918

CAMERA MOUNT POLE

- Custom Height Settings
- Durable powder coat finish

E39917 *Portable*

E39918 *Ground Sleeve*



TIMERS AND JUDGES STAND

- Holds 10 people seated or 20 standing
- Five rows of 48" long steps
- Rail support along back for safety
- Red enamel finish with galvanized seats, footrests and backrest
- Easy mobility provided by 8" diameter wheels on back

995

TRACK MAINTENANCE



SAND PIT LEVELER

- 10' long steel leveler smooths the sand in one pass
- Two 40" long wired handles
- Adjustable guides glide the leveler across the pit
- Powder coated in architectural gray

740



3-LANE TRACK GATE

- Discourage joggers from using three inside lanes causing premature and uneven wear
- Easy lift and rotate to allow training on inside lanes
- Locks into place
- Includes ground sleeve
- Available in custom color, see chart on page 87

| | |
|---------|--------------------------|
| 8540 | 3-Lane Track Gate |
| 8540CXX | 3-Lane Track Gate; color |
| 8540P | Track Gate Post Padding |



CROSSOVER ZONE®

- Lighter and easier to handle than other 'conveyor belt rubber' systems
- Protects against steel tipped cleats, shoes and equipment wheels
- Rain drains through

| | |
|--------|------------|
| 493667 | 7.5' x 30' |
| 493668 | 7.5' x 40' |
| 493663 | 15' x 30' |
| 493664 | 15' x 40' |
| 493651 | 15' x 75' |
| 493652 | 15' x 100' |
| 493653 | 15' x 125' |



QUICKIE SAND PIT BROOM

453



PIT RAKE

451



SURFACE ROLLER

452



PIT SHOVEL


450

NEW!

PIT FINISH RAKE

- Easy to use lightweight aluminum construction
- Custom made to fit each pit
- Quick release for ease of storage and movement
- Handle can be customized with school name or logo
- Rubber blade is "quarry quality" for long wear and does not allow sand to stick to it.
- Visit PitFinishRake.com for more information

550



ROLLOUT RUNWAY

- Install quickly over worn runway or create a runway where none exists
- No bonding necessary, but can be done if required
- Custom Length (25' minimum) (no returns)

| | |
|-------|------------|
| 49036 | 10mm x 36" |
| 49048 | 10mm x 48" |
| 49136 | 12mm x 36" |
| 49148 | 12mm x 48" |

TRACK REPAIR KITS

- Repair worn areas of track or field event area
- Includes 18.5 lb of rubber granules and 1 gallon of single-solution, no-mix polyurethane adhesive
- Approximate 11 sq ft coverage

| | |
|------|-----------------------|
| 8700 | Black Repair Kit |
| 8701 | Red Repair Kit |
| 8702 | Royal Blue Repair Kit |
| 8703 | Green Repair Kit |



CROSS COUNTRY KIT

Includes: 24 chute posts, 2-110' lengths of chute rope with pennants, 9 directional flags (3 red, 3 blue, 3 yellow) and 9 flag poles.

- 960 Complete Kit
 - 961 4' Chute Post
 - 962 Chute Rope and Pennants (110')
-
- 9650 Flag Pole, Red Flag (Left Turn)
 - 9660 Flag Pole, Blue Flag (Straight)
 - 9670 Flag Pole, Yellow Flag (Right Turn)



TURF CHUTE POST

- 12 lb non-invasive chute posts are ideal for turf or golf course

- 968 Turf Chute Post
- 962 Chute Rope and Pennants (110')



CROSS COUNTRY FINISH LINE BANNER

- Heavy duty vinyl banner attaches to fiberglass uprights
- Width is adjustable from 6'-12'
- Clearance height is 7'

969

DISTANCE MEASURING WHEEL

- Handle collapses for easy storage
- Lightweight, durable construction
- Measures up to 10,000 feet
- English Units Only

9703



ELECTRONIC MEASURING WHEEL

- Durable long-lasting steel frame
- Electronic 7-digit LCD readout is backlit for low light usage
- Patent-pending 'thumb-up' grip ensures less wrist strain and superior control

9701



CC PACE WHEEL

- Find your athlete's recent race/time trial in the 'Current Fitness' window and that's it!
- Pace wheel reveals aerobic base training pace, marathon race pace, lactate threshold pace, Vo2 max development intervals, and running economy repetitions

998



DUAL XC MEASURING WHEEL & COURSE MARKER

- Measure and mark simultaneously
- Lightweight tool features a trigger under the pistol grip
- Trigger activates spray paint (not included)
- English units only

9702





TENT SHOWN: 955215 Tent Canopy, 955210S Side Wall (2), 955215S Side Wall, 955201 & 955202 Custom Graphics

IMPACT TENTS

- Commercial grade steel frame
- 500 denier polyester canopy and walls
- Water, UV light, and fire resistant
- Roller bag: 600 denier polyester with scuff resistant and waterproof finish
- Tent stake kit and dust coverbag included
- Sidewalls, roller bags, and graphics sold separately

COLORS



TENT CANOPY

955210 10' x 10' Tent Canopy

955215 10' x 15' Tent Canopy

955220 10' x 20' Tent Canopy

SIDE WALL

955210S 10' Solid Side Wall

955215S 15' Solid Side Wall

ROLLER BAG

955210B 10' Tent Roller Bag

955215B 15' Tent Roller Bag

955220B 20' Tent Roller Bag

CUSTOM GRAPHICS

Stand out from the crowd with custom screen printed graphics available in 1 to 5 locations! Tent graphic worksheet and vector graphics are all that is needed to show your team pride today! **Price covers 1 to 5 locations, per logo, per color.**

955201 Graphic 10" x 100"

955202 Graphic 40" x 60"

955203 Graphic 50" x 90"

ACCESSORIES

9552WB Weight Bags (4) (Recommended)



TOTE BASKET

809



BOOKS

98902 T&F Scorebook



STRIKEALERT

- Provides warning for strikes as far away as 40 miles
- Audible alarm and corresponding LED light illuminates to warn you of strike
- Comes with belt clip and runs on single AA battery for up to 100 hours

ELD1000



OFFICIALS' FLAGS

- Highly visible heavy duty nylon flag with plastic handle
- Flags measure 14" x 13"

730270 Red/White

730271 Yellow/White

TRAIN
HARD





TRAINING

PLYOMETRICS



STEEL PLYOBXES

- 1" square steel tubing
- Plywood top platform with 10mm rubber surface
- Anti-skid rubber on base corners prevents slipping and protects floors
- Tapered design allows for stacking and stability

TA3060 6" Plyobox

TA312 12" Plyobox

TA318 18" Plyobox

TA324 24" Plyobox

TA330 30" Plyobox

TA336 36" Plyobox

TA342 42" Plyobox

TA301 4pc. Plyobox Set
(12", 18", 24" & 30")

TA300 6pc. Plyobox Set
(12", 18", 24", 30", 36" & 42")



LAUNCH PAD

- Allows for more jumps per session
- Steel construction with welded support braces
- Synthetic track material on jump surface
- Track spikes can be installed to ensure no slipping if needed

TA1921



BEST SELLER!



PLYO RUNWAY MAT

Surface reduces stress of impact on joints and muscles during explosive training sessions.

TA303 3'W x 6'L x 1/2" thick



BEST SELLER!

ARCHED JUMP BOX

- Convex jumping box made of lightweight steel that is easy to carry to and from practices
- Covered in synthetic track material to simulate the same feelings as your track and runways
- 8" high in the middle by 30" wide and 47" long

TA193



SOFT PLYOBXES

- Standard 28" x 28" blocks
- 3" block is built with 2.2# density polyethylene foam, other sizes with 1.8# which provides stability, shock attenuation, and performance
- Secured for stacking with industrial strength Velcro®
- Durable vinyl cover with two reinforced handles for portability
- Each box weighs less than 28 lb

TA203 3" Soft Plyobox

TA206 6" Soft Plyobox

TA212 12" Soft Plyobox

TA218 18" Soft Plyobox

TA224 24" Soft Plyobox

TA225 Set of 5, 1 of Each Size



POWER PAD

- Low-impact, energy absorbing foam pad
- 48"L x 48"W x 24"H


TA194



FLAT JUMP PLATFORM

- Made of lightweight aluminum and covered with synthetic track material
- Easy to transport between practices
- Track spikes can be installed to ensure no slipping if needed
- Platform is 5" x 34" x 19"

TA198



POWERMAX® VERSA-HURDLE

- Built-in safety feature causes the hurdles to collapse upon impact
- Adjustable from 12" to 42"
- 18 gauge tube steel with durable gate board

| | |
|-----|------------------|
| 100 | Hurdle |
| 101 | Versa-Hurdle Bag |



FOAM TRAINING HURDLE

- Ideal training hurdle made of forgiving foam
- Heavy enough to remain upright, yet light enough to be completely portable
- Durable vinyl covering allows for indoor and outdoor use
- Heights: 30", 33", 36", & 39"

409



SMART HURDLE

Smart Hurdles have a three point base for superior stability on all surfaces. Smart Hurdles are durable, lightweight, and easy to carry.

| | |
|---------|--------------------------|
| TA18544 | 21-36" Adjustable Hurdle |
| TA18545 | 27-42" Adjustable Hurdle |



AGILITY ROCKER HURDLES

Weighted base allows hurdles to rock back into the starting position.

| | |
|---------|------------|
| TA1676 | 6" Hurdle |
| TA1678 | 8" Hurdle |
| TA16710 | 10" Hurdle |
| TA16712 | 12" Hurdle |



STEP HURDLES

Constructed of durable, lightweight PVC tubing

| | |
|----------|-----------------|
| TA167 | 6" Hurdle |
| TA1675 | 6" Hurdles (5) |
| TA166 | 12" Hurdle |
| TA1665 | 12" Hurdles (5) |
| TA16618 | 18" Hurdle |
| TA166185 | 18" Hurdles (5) |
| TA16624 | 24" Hurdle |
| TA166245 | 24" Hurdles (5) |




VARIABLE HEIGHT STEP HURDLES

The 2-in-1 hurdle can quickly and easily be adjusted to 2 heights (8"-12") and folds flat for storage.

| | |
|---------|-------------------------------------|
| TA1662 | 2-in-1 Hurdles |
| TA16625 | Set of 5 with Bag |
| TA16601 | Mesh Carry Bag (Holds 5 Hurdles) |

The 3-in-1 step hurdle adjusts from (6"-12"-18") and may be disassembled for storage. perform lateral agility moves, forward moves for speed, or plyometrics jumps.

| | |
|---------|-------------------------------------|
| TA1663 | 3-in-1 Hurdles |
| TA16635 | Set of 5 with Bag |
| TA16601 | Mesh Carry Bag (Holds 5 Hurdles) |



AGILITY TRAINING

POWERMAX® WEIGHT VEST

- Holds soft double stitched ½ lb weights
- Purchase additional ½ lb packs to fill short vest up to 20 lb or the long vest up to 40 lb
- Moveable shoulder straps 2 ¾" wide with 5 ½" of adjustability
- Short vest fits up to a 40" chest/waist, 18" L x 16" W, long vest fits up to a 57" chest/waist, 23" L x 16" W

TA1226 Short 10 lb Vest

TA1227 Long 20 lb Vest

TA1228 10 weight packs (5 lb)

TA12281 20 weight packs (10 lb)



TA1226



TA1227



POWERMAX® WEB LADDER

- Sewn nylon ladder is 16' L x 18" W
- Slats every 18"
- Includes storage bag and 4 ground stakes

TA1696



POWERMAX® AGILITY LADDERS

- 15' ladder comes in two 7' 6" sections with 10 slats total
- 30' ladder comes in four 7' 6" sections
- Easily connect with other ladders
- 20" wide with 18" between slats, not adjustable
- Includes 1 agility ladder & carry bag

TA1691 15' Agility Ladder


TA1681 30' Agility Ladder



POWERMAX® AGILITY DOMES

- Multicolored domes are ideal to mark an agility course
- Durable impact resistant polyethylene
- Includes 40 domes (10 in each color) and storage rack

TA1852



POWERMAX® ACCELERATION LADDER

- Incrementally increase stride length and frequency
- Increasing stride spacing from 12" to 69"
- All red rungs, black sides, and a carry bag

TA168 37'6" X 20"



AGILITY POLES

- 5' tall poles force athletes to maintain posture
- Includes 4 bases and 4 poles
- Add sand or water to base for additional stability

TA1850



AGILITY RINGS

- Create patterns to challenge footwork or set a pattern of acceleration
- Can be used on a variety of surfaces, ideal on textured surfaces

TA1693 Set of 12



AGILITY DOTS

- Dots are easy to store and transport
- Easy to see bright colors

TA1694 Set of 6



SPEED ROPES

- Stainless steel cable encased in plastic
- Ball bearing in handles for quick turnover
- Fixed length
- Includes carry bag for easy storage
- Padded handles for comfort

TA128 9' Speed Rope

TA1281 10' Speed Rope

BEGINNER SPEED ROPES

- These PVC ropes feature lightweight plastic handles and high-spin swivels

TA1271 7' (Green)

TA1272 8' (Blue)

TA1273 9' (Red)

TA1274 10' (Yellow)

SPEED DEVELOPMENT

MAX BELT

- Features a 3" wide padded heavy-duty Cordura nylon
- Reinforced stitching
- Multiple nylon attachment loops
- Stainless steel hardware

TA1500 S-M (24" - 32" waist)

TA1501 L-XL (33" - 42" waist)

Compatible with: Low Drag Speed Sled, Resistance Tether, Dual Resistance Tether, PowerMax Hip Flexor, Tire Tether, PowerMax VR Chuate, PowerMax Sled, Sprint Start Sled, Dual Speed Trainer, Dynamic Trainer, and Push/Pull Sled.



BULLET BELT™ SYSTEM

- For resistance to improve starting and acceleration mechanics
- Hook & loop closure for easy release giving a contrast workout from resistance to free running
- Adjustable belt

TA138

POP BELT™

- The Bullet Belt "Pop" release is the basic design in the Bullet Belt series
- Used to train explosive sport-specific skills

TA1383

BULLET BELT SPEED PULLEY

This two-person over-speed trainer features a unique safety release if towed athlete cannot maintain pace. Comes with 30m of cord and a Bullet Belt universal web belt.

TA1381



RESISTANCE TETHER

- Improve speed with resistance running
- Harness attaches to 10' long nylon web cord with handle
- Includes nylon cord and a 3" wide hook & loop closure belt adjustable to 42" waist, and carry bag

TA150

DUAL RESISTANCE TETHER

- One athlete runs while the other provides resistance
- Includes nylon strap attached to two 3" wide hook & loop closure belts adjustable to 42" waist, and carry bag

TA1521

TIRE TETHER

- Can be used to drag tires of different sizes for varied workouts
- Includes nylon strap and hardware to attach tire, 3" wide hook & loop closure belt adjustable to 42" waist, and carry bag
- Tire not included

TA1384



SPRINT START SLED

- Unique design provides for clearance over and around virtually all starting blocks
- Olympic style weight plates may be added to increase resistance. Includes sled, 11' leads, and 3" wide hook & loop closure belt adjustable up to 42" waist
- Designed by University of Idaho head coach Tim Cawley

TA1541




POWERMAX® SLED

Provides lower body resistance that develops speed and strength for all athletes in all sports. Add the desired weight to determine resistance. Load up to 200 lb. 15" tall post fits 4 Olympic bumper plates. Includes sled, 11' lead, 3" wide hook & loop closure belt adjustable to 42" waist, and instructions. **Weights not included.**

TA154 Sled with Belt

TA156 Sled with Shoulder Harness



LOW DRAG SPEED SLED

- Ideal sled to add incremental resistance to your athletes
- Easy storage
- Weighs less than 7 lb each
- Includes waist belt, nylon leads, carabiners and sled

TA157



POWERMAX® VARIABLE RESISTANCE CHUTE

The PowerMax VR Chute features a hook & loop closure baffle panel that can be opened or closed to achieve desired resistance. Open the baffle for reduced resistance or close to increase it.

TA163M S/M Gray

TA163XL L/XL Black



TC-TIMER SYSTEM

The TC-Timer is a wireless timing device that enables athletes and coaches to measure time, speed, count repetitions, input test data and save it all in the TC-Timer memory.

- Sends radio transmissions up to 1,000 feet
- Accurate to the 100th of a second
- Equipped with 5 different radio frequencies allowing multiple systems to be used in the same area
- All components fit neatly into a small lumbar pack

E38720 TC Timer System

E38721 Pair, Additional TC Gates



BEST SELLER!

POWERMAX® PUSH/PULL SLED

The PowerMax Push/Pull Sled is great for versatility and adjustability in speed training.

- USA made 11 gauge steel frame sled
- Space-saving design that is less than 7" high when folded
- Replaceable/removable runners for use on a variety of surfaces
- Quick release pins for fast set-up and breakdown
- Adjustable width push posts (12-21" W x 32" H) and multiple push/pull options
- Sled weighs 45 lb (empty)
- Holds up to 300 lb, center post fits four 45 lb bumper plates

TA155 Sled w/Belt + Harness
24" W x 35" L x 35" H (with post)

BLACK BOX TIMING SYSTEM

The Black Box system timing data is displayed on a smart-phone instead of the TCi Timer using a BLE connection. Add up to 20 split beams for testing and custom applications.

E38711

SPEED DEVELOPMENT



DUAL SPEED TRAINER

- Two-person assisted overspeed and resistance running kit
- Overspeed training provided to the rear athlete increases both stride length and frequency.
- Includes 20' latex tubing, two 3" wide hook & loop closure belts adjustable to 42" waist, and carry bag.

TA164 20' Medium Tubing

TA165 20' Heavy Tubing



DYNAMIC TRAINER

- Keeps resistance around the hips or torso
- 10' elastic tube is covered with nylon webbing, can stretch up to 30'

TA158



POWERMAX® HIP FLEXOR

- Strengthen hip flexors and upper quadriceps
- Offers resistance to muscle groups during any training session and maintains athlete's pure running form
- Up to three ¾ lb weight bars attached to thigh belts
- Includes thigh belts, six ¾ lb weight bars, 3" wide hook & loop closure belt adjustable to 42" waist, and carry bag

TA1511



POWERMAX® SAND BAG SET

- Leak proof inner bags hold 20 lb of sand securely (sand not included)
- Inner bags are pre-marked for easy measurement
- Five strategically placed padded handles
- Set includes inner and outer bags, holds up to 80 lbs

TA12241



SINGLE-SIDED RACK

- Powder-coated steel rack holds up to 5 balls

TA129 52" x 11" x 14" (7 lb)



DOUBLE-SIDED RACK

- Powder-coated steel rack holds up to 10 balls

TA1292 63" x 22.5" x 9" (27 lb)

CORE STRENGTH



POWERMAX® V2 MED BALLS

- 18 oz. flexible moisture resistant polyurethane shell textured for grip
- Hand-sewn casing design and expert ball construction
- Dimensionally stable, balanced, and maintains the impact absorbing properties
- **One year warranty**

| | | |
|--------|-------|-------|
| TA1362 | 6 lb | Ø 14" |
| TA1363 | 8 lb | Ø 14" |
| TA1364 | 10 lb | Ø 14" |
| TA1365 | 12 lb | Ø 14" |
| TA1366 | 14 lb | Ø 14" |
| TA1367 | 16 lb | Ø 14" |
| TA1368 | 18 lb | Ø 14" |
| TA1369 | 20 lb | Ø 14" |



POWERMAX® RUBBER MED BALLS

Synthetic rubber balls suitable for all sports. Can be used indoor and outdoor. Color coded for easy weight identification.

| | | | | | |
|-------|-----------|--------|-------|-----------|---------|
| TA106 | 1K Purple | Ø 6.5" | TA111 | 5K Blue | Ø 10.5" |
| TA108 | 2K Yellow | Ø 7.5" | TA112 | 6K Orange | Ø 11" |
| TA109 | 3K Green | Ø 9.5" | TA131 | 7K Gray | Ø 11.5" |
| TA110 | 4K Red | Ø 9.5" | TA132 | 8K Black | Ø 12" |



NON-BOUNCE MED BALLS

Material is made from durable PVC.

| | | |
|---------|-------|---------|
| TA13204 | 4 lb | Ø 9" |
| TA13206 | 6 lb | Ø 9" |
| TA13208 | 8 lb | Ø 9" |
| TA13210 | 10 lb | Ø 9" |
| TA13215 | 15 lb | Ø 9" |
| TA13220 | 20 lb | Ø 9" |
| TA13225 | 25 lb | Ø 9" |
| TA13230 | 30 lb | Ø 10 ½" |
| TA13240 | 40 lb | Ø 10 ½" |
| TA13250 | 50 lb | Ø 10 ½" |



POWERMAX® GRIP BALLS

Durable rubber shell with filler and comfortable built in rubber handle. Will not harm rubber floors. Balls are Ø 8" (diameter), grip is 1" x 1 ¼".

| | |
|--------|-------|
| TA4002 | 2 lb |
| TA4004 | 4 lb |
| TA4006 | 6 lb |
| TA4008 | 8 lb |
| TA4010 | 10 lb |



POWERMAX® SWING BALLS

- For swinging, slamming, and rotation drills
- Rope: ½" nylon with a 30" handle from stopper to end

| | | |
|--------|-----------|--------|
| TA1332 | 2K Yellow | Ø 7.5" |
| TA1333 | 3K Green | Ø 9.5" |
| TA1334 | 4K Red | Ø 9.5" |
| TA1335 | 5K Blue | Ø 9.5" |

BODYWEIGHT TRAINING

| | Knotted End Hemp | Vinyl Boot End Collegiate | Ball/Knotted Hemp | Vinyl Boot End Dacron | Boot/Knotted Dacron |
|----------|------------------|---------------------------|-------------------|-----------------------|---------------------|
| 12' Long | 00113120 | 00199012 | 00115120 | 00118120 | 00119120 |
| 16' Long | 00113160 | 00199016 | 00115160 | 00118160 | 00119160 |
| 20' Long | 00113200 | 00199020 | 00115200 | 00118200 | 00119200 |
| 24' Long | 00113240 | 00199024 | 00115240 | 00118240 | 00119240 |



HEMP CLIMBING ROPES

This 1-½" rope contains 12-18% mineral oil lubricant by weight for long life and is securely attached within a heavy-duty steel fitting for years of durability. Optional rubber knots anchored every 12". Collegiate ropes are finished with a vinyl boot.

SOFT DACRON ROPES

Soft Dacron ropes are ideal for elementary physical education programs. The no-twist spun Dacron material is easier on hands than hemp ropes and will wear better than cotton. Hypoallergenic.

ROPE ATTACHMENT METHODS



3 ½" OD PIPE CLAMP

XCLP97001002



STAPLE PLATE

10340000 For Wood Beams

10341000 For Concrete Beams



STEEL I-BEAM CLAMP

10100100 Fits ≤8" Beams

10100200 Fits ≤17" Beams

ROPE ACCESSORIES



TAMBOURINE

3/8" lacquered plywood tambourine restricts climbing height. Clamp permits fast removal & easy adjustment.

00198000



ROPE HOIST

Hoist is complete with wall brackets, ceiling attachment, heavy-duty cord and weight. Installs easily, ready to use.

00104000



SAFETY GUARD

Safety guard prevents the rope from falling if a part fails or wears out.

00110000



POWERMAX® CONDITIONING ROPES

Ropes help athletes with power generation, strength endurance, and increased cardio development.

- 1.5" or 2" Thicknesses with finished handles to prevent shedding and blistering
- Synthetic fibers
- Optional bracket fits up to 2.125" rope, made of .125" flat steel and round bar

TA1606 1.5" Synthetic Rope – 30'

TA1607 1.5" Synthetic Rope – 40'

TA1608 1.5" Synthetic Rope – 50'

TA1617 2" Synthetic Rope – 30'

TA1618 2" Synthetic Rope – 40'

TA1619 2" Synthetic Rope – 50'

TA1613 Rope Wall Bracket





MULTI-STATION WALL-MOUNTED CHINNING BARS

- 10' long chinning bar with three stations
- Mounts 16" away from the wall
- 1" solid steel diameter grip with a durable zinc plated finish

00196013 10' 3 Piece Steel Chinning Bar



WALL-MOUNTED CHINNING BAR

- 50" wide by 21" tall with 1" grip diameter
- Bar is 22" away from wall/ceiling
- 48" mounting centers
- Black powder coat finish
- *Hardware not included*

WE179



ADJUSTABLE CHINNING BAR

- 1" Grip diameter
- Bar is 22" away from wall
- 48" Mounting centers
- Black powder coat finish
- *Hardware not included*

00197100



PEG BOARD CLIMBERS

- 1½" Thick gloss finished hardwood
- Rectangle has 11 holes spaced on 10" centers. Holes are arranged in 2 rows with staggered alignment
- Square has 16 holes spaced on 7½" centers in a 4 x 4 grid pattern
- Two ø1½" x 6½" wood pegs included
- Mount directly to the wall or use optional mounting brackets
- *Hardware not included*

00188 Rectangle 15" x 60" \$561

00189 Square 30" x 30" \$561

001881 Pair, Mounting Brackets \$167

001891 Pair, Wood Pegs \$28

WEIGHT BARS & PLATES

POWER BAR

- 86"
- Bright Zinc Plated Sleeve Coating
- 45 Lb weight
- 32 mm grip diameter
- 1200 Lb weight rating
- Lifetime warranty against bending


WT1203



WOMEN'S HYBRID BAR

- 79" Carbon steel bar
- 33 Lb weight
- 25mm grip diameter
- 400 Lb weight rating

WT1216



CAMBERED SQUAT BAR

This bar allows squats to be done in a more vertical posture, producing intensified quadriceps involvement. Cambered end design relieves much of the lower back stress normally associated with a back squat. All steel design with padded shoulder harness.

WT129



PRO BAR WRAP PAD

- Protects shoulders and back during lifting exercises
- Black nylon cover with high quality foam insert
- 14" Long

WE310



STEEL SPRING COLLARS

Traditional, functional steel spring collar

WT131

SOLID RUBBER BUMPER PLATES

Bumper plates are the ideal tools for any lift from a standing position. Designed to impact the ground without creating damage to the floor, these new plates are thinner for those who wish to lift larger loads.

- 100% Rubber plates with solid steel insert
- Fit any olympic-style bar
- Colored plates feature colors to help guide weight selection
- Plates are sold in pairs
- Standard plate size 18" diameter



ROLLING BUMPER STAND

- Rugged casters allow for easy transport
- Stores up to ten 45 lb bumper plates
- Removable center post for easy load/unload
- Laser cut 1/2" steel base

WE528 36"H x 24"W x 24"D, 25 lb

45 LB

WT245CB



3.5"

35 LB

WT235CB



2.75"

25 LB

WT225CB



2"

10 LB

WT210CB



1"

45 LB

WT245B



3.5"

35 LB

WT235B



2.75"

25 LB

WT225B



2"

15 LB

WT215B



1.5"

10 LB

WT210B



1"



FLAT UTILITY BENCH

- Constructed of 11 gauge, 2" welded square steel tubing
- Firm Foam Padding with durable stitch-seamed vinyl
- Assembly Required

WE100 18"H x 16"W x 48"L, 32 lb



WRIST STRAPS

Provides support for Olympic lifts, overheadwork, and bench presses.

WE31912 12" Wrist Straps

WE31924 24" Wrist Straps

JUMP TRAINING & TESTING



STANDING LONG JUMP TEST MAT

- Non slip mat provides a soft landing surface that makes marking the distance of the jump easy
- Both English and Metric units
- Heavy enough to prevent any sliding, rolls up for easy storage
- Measures jumps to 10' 5"

TA197



POWERMAX® ELECTRONIC VERTICAL JUMP TESTER

- Measures from 7' to 12' in ½" increments
- Light up dots on the height scale and digital display immediately show the exact jump height
- Data is downloadable to any computer
- Height decal offers quick "zero" marking
- Standing height measuring strip helps establish base height of reach prior to jump

TA199C12



VERTEC™ MEASURING DEVICE

- An effective, easy-to-use jump training tool
- Measures from 6-12'
- Height scale and color coded vanes offer half-inch measurement for immediate feedback
- Handy, attachable rod to align or reset vanes

TA195



STRIDE CHECKER

- Improve stride length and frequency
- 30M long with segmented markings
- Usable on most surfaces
- Includes storage bag

TA1695



PRO WRIST ROLLER

- Most effective way to strengthen hands, forearms, and wrists
- Heavy 12" long ø1.25" Pipes
- Clip on attachment for standard plates

WE312



POWERWHEEL

Challenging unique exercises for your abs, obliques, back, hips and glutes

TA364



**POWERMAX®
ADJUSTABLE ANKLE WEIGHTS**

- Made of stretchable neoprene
- Adjustable weight up to 5lb total
- 21" x 5.25" x 1/2"

TA1861

FLEXIBILITY & REHAB



POWERMAX® STRENGTH BANDS

- Resistance determined by thickness & width
- 41" long, seamless latex rubber
- Layered construction helps prevent breakage
- Sold individually

TA17110 XX-Light 35 lb Resistance, .5", Red

TA17160 X-Light 50 lb Resistance, .75", Orange

TA17170 Light 65 lb Resistance, 1", Violet

TA17120 Medium 80 lb Resistance, 1.7", Blue

TA17130 Heavy 150 lb Resistance, 2", Green

TA17140 X-Heavy 175 lb Resistance, 3", Black

TA17150 Super 200 lb Resistance, 4", Yellow



POWERMAX® MINI BANDS

- Great tool for warm-ups, hip muscles, and small intrinsic muscles
- 2" wide x 13" long

TA1741L 10 Light Bands (Red)

TA1741M 10 Medium Bands (Gray)

TA1741H 10 Heavy Bands (Black)



POWERMAX® STABILITY BALLS

- Excellent for balance, abdominal work, and stretching
- Fabricated from durable vinyl, supports 500 lb
- Ships Deflated

TA1805 55 cm Ball (5' - 5' 8")

TA1806 65 cm Ball (5' 8"-6' 2")

TA1807 75 cm Ball (6' 2"+)



5" MASSAGE BALL

- Helps eliminate muscle knots, tension, and tightness
- Multi-directional roll to pinpoint specific muscles
- Two layer design with firm interior and soft exterior

TA1841

ANKLE-FLEX STRAPS

- Holds sprinter's foot flexed
- Improved ground strike efficiency

TA1485



STRETCH OUT STRAP

- PNF stretching without a partner
- Eight 8" Handles allow a variety of stretches
- 62" Length x 4" Width x .5" Thickness

TA1781



STRETCHRITE™

- Increase tension by changing grip position
- Change or isolate the stretch by rotating foot inward or outward

TA1780



BOSU® BALANCE TRAINER

- Fitness / health professional version
- Includes program manual, training video, & free pump


TA1790



36" POWERMAX® FOAM ROLLER

- For advanced balance exercises or pressure massage
- Constructed of high density foam
- 6" Diameter x 36" Length

TA3620



THE STICK

- Excellent tool for injury prevention and rehabilitation
- Used by professional athletic teams

TA1830 24" Stick

TA1831 18" Stick



ROLL-UP EXERCISE MAT


- Soft, durable foam with textured surface
- Roll-up for portability and storage
- 24" Width x 70" Length x .125" Height

TA304

POWERMAX® BALANCE PAD

- Soft eva foam material
- Great for balance & coordination activities
- 17" Length x 10" Width x 2 3/8" Height

TA1803



GO
THE
DISTANCE





FACILITIES

TAKE-OFF BOARDS & CURBING

PREPARE FOR TAKE-OFF WITH GILL BOARDS



ADJUSTABLE TAKE-OFF BOARD SYSTEMS

With the Gill Adjustable Take-Off Board Systems you get ease of installation, ease of use and dependable peak performance.

Gill Take-Off Board systems are the easiest and fastest boards to install in the market. **Complete system** comes with installation tray, adjustable folded aluminum base, reversible long lasting take-off board and foul board, and functional blanking lid ready to accept track surfacing.

- 8" take-off board and 4" foul board creates 12" system
- Exclusive easy-adjust leveling system for both horizontal and vertical axis
- Composite for longer lifespan
- Composite boards made of Polyboard®, an environmentally friendly, waterproof material that will not split or crack while offering jumpers great grip
- Meets NFHS, NCAA and World Athletics specifications

| | |
|---------|---|
| 43505 | Complete NCAA System |
| 43515 | Complete World Athletic System  |
| 43525 | Complete 12" Take-Off Board and Tray |
| 439 | 1 lb Plasticine Brick - Yellow |
| P435007 | Replacement 4" NCAA Foul Board |
| P435107 | Replacement 4" World Athletics Foul Board  |
| P435005 | Replacement 8" Take-Off Board |
| P435205 | Replacement 12" Take-Off Board |

ADJUSTABLE 8" TAKE-OFF BOARD SYSTEMS

- Complete system: Installation tray, aluminum leveling board and reversible take-off board
- Composite for longer lifespan
- Composite boards made of Polyboard®, an environmentally friendly, waterproof material that will not split or crack while offering jumpers great grip
- Blanking lid sold separately
- Meets NFHS and NCAA specifications

| | |
|-------|--|
| 4445 | Complete Standard 8" Take-Off Board System |
| 44421 | Blanking Lid Assembly |
| 44405 | Replacement Take-Off Board |





851A

INTERNATIONAL TRACK CURBING

- Heavy gauge aluminum design features upscale fluted dome-shaped top
- Curbing sections are notched at one end to allow easy drop in or removal of section
- Curbing supported by ½" tall ribbed feet for unencumbered drainage
- Optional pin kit available to keep curbing from shifting on track
- Permanent installation includes two anchor pins for every 20' section
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*

NON-PERMANENT INSTALLATION CURBING

| | | |
|------|----------------|---|
| 851A | Plain |  |
| 852A | Anodized |  |
| 852P | Powder Coated |  |
| 851P | Base Pins (12) | |

PERMANENT INSTALLATION CURBING

| | | |
|------|---------------|---|
| 853A | Plain |  |
| 854A | Anodized |  |
| 854P | Powder Coated |  |

CUSTOMIZABLE

Powder Coat



*Gray and Black powder coat available in Gloss or Flat



441TS

19.5" TAKE-OFF BOARD SYSTEM

- Complete System: Installation tray, aluminum base board, and reversible take-off board
- Composite for longer lifespan
- Composite boards made of Polyboard®, an environmentally friendly, waterproof material that will not split or crack while offering jumpers great grip
- *Meets NFHS specifications*

| | |
|-------|----------------------------------|
| 441TS | Complete HS System |
| 44105 | Replacement 19 ½" Take-Off Board |



CONVERSION BOARD

- Convert a Gill 19 ½" take-off board system to an 8" system
- Includes 8" composite take-off board, black vultrak, and baseboard

441C

SAND PIT FORMS & COVERS

Sand pit forms hold more than just sand, they hold value.

With four different options of Sand Catcher locations and two practical Sand Catcher Cover options, you can design the horizontal jump facility that will perfectly meet your needs.

No matter which combination you choose; with the Gill Functional-Form, you can rest assured it's the finest product (with the easiest installation) available.


Choose from one of two Sand Catcher Cover systems: traditional grate and mat or Gill (exclusive) Recessed Lid. When you consider the main function of a Sand Catcher system is not to catch sand but to store it, the Recessed Lid system is rapidly becoming the choice of facilities worldwide, as it is designed to receive track surfacing to match your track facility. When coupled with the 730148 Aluminum Sand Pit Cover, a complete logical design emerges for your world class jumps facility.

Choose from one of four sand catcher locations: no sides, two sides, two sides and back, or all four sides. Choosing Sand Catchers on the sides will cut unnecessary costs and eliminate potential trip hazards, providing more than ample storage space for overflow sand.

FORM WITH RECESSED CATCHERS



FORM WITH GRATE & MAT CATCHERS



FORM WITH NO CATCHERS



730 Perimeter Padding sold separately

| | | |
|---------|-------|--------|
| 4 SIDES | 25' L | F46225 |
| | 28' L | F46228 |
| | 31' L | F46231 |
| 3 SIDES | 24' L | F46124 |
| | 27' L | F46127 |
| | 30' L | F46130 |
| 2 SIDES | 23' L | F46023 |
| | 26' L | F46026 |
| | 29' L | F46029 |

| | | |
|---------|-------|--------|
| 4 SIDES | 25' L | F44225 |
| | 28' L | F44228 |
| | 31' L | F44231 |
| 3 SIDES | 24' L | F44124 |
| | 27' L | F44127 |
| | 30' L | F44130 |
| 2 SIDES | 23' L | F44023 |
| | 26' L | F44026 |
| | 29' L | F44029 |

| | | |
|-------|-------|--------|
| LEDGE | 23' L | F42023 |
| | 26' L | F42026 |
| | 29' L | F42029 |

ALL FORMS ARE 9' 8" WIDE

FAST INSTALLATION

**Track surface not included

PERIMETER PADDING SYSTEM


- Greatly reduce possibility of injury caused by impact with sand pit edging
- Modular pads install on any sand pit quickly and conveniently
- Critical location of pads is along sides of sand pit
- Each pad is 36" long

730



RECESSED SAND CATCHER COVER PANELS

- Designed for 1/2" (12mm) track surface
- Constructed of 1/8" aluminum sheet metal
- Standard unit measures 18" x 36" and requires a ledge around perimeter to rest on
- Special lengths available between 18" and 35" long



LJ/TJ ALUMINUM SAND PIT COVER

- Each panel made from 9.5" x 1.75" x .125" aluminum planking framed with 2 3/8" x 1 1/2" x 3/16" aluminum angle
- Panels have four flush mount handles
- Recessed design for 1/2" (12mm) track surface

730148

READY-FIT ALUMINUM SAND PIT COVERS

| | |
|---------|-----------|
| F44023C | 23' Cover |
| F44124C | 24' Cover |
| F44225C | 25' Cover |
| F44026C | 26' Cover |
| F44127C | 27' Cover |
| F44228C | 28' Cover |
| F44029C | 29' Cover |
| F44130C | 30' Cover |
| F44231C | 31' Cover |



493680

BALLASTED LJ/TJ SAND PIT COVERS

- Exclusive Vipol Matrix mesh material or solid vinyl polyester
- Anchoring system: Vinyl wrapped galvanized steel chain perimeter
- Ballasted pit covers are custom sized and sold by the square foot (no returns)
- Dimension certification form must be submitted with order

493680 Mesh Vinyl

493682 Solid Vinyl

COLORS



**MORE
COLORS
AVAILABLE!**

*Additional charge applies.
(Gray is standard.)*

LJ/TJ SAND PIT COVERS

- Keep your sand pit clean and dry with solid vinyl sand pit covers or choose mesh if rain is not an issue
- Constructed of vinyl coated woven polyester
- Anchoring system: Bags filled with sand placed in pouches to weigh cover down
- Optional 5' x 5' multi-color graphic available
- Graphic worksheet and vector artwork must be provided

730147 Mesh 11' 9" x 25' 6"

730147L Mesh 11' 9" x 31' 6"

730147V Vinyl 11' 9" x 25' 6"

730147VL Vinyl 11' 9" x 31' 6"

9453 Graphic Option

STEEPLECHASE



SAVE MONEY WITH VALUEPACKS!

VALUEPACK - SURFACE MOUNT

Package includes:

- F600 Steeplechase Water Jump Form
- 740144 Steeplechase Water Jump Barrier-surface mount version

VPF600

FUNCTIONAL-FORM STEEPLECHASE WATER JUMP SYSTEMS

Gill Athletics has greatly simplified the installation of steeplechase water jump reservoirs with these Functional-Form systems. With the Functional-Form, installation precision is ensured to meet NFHS, NCAA and World Athletics specifications. Structure is fabricated of specially folded 1/8" aluminum to maximize strength and includes designed inner wall supports that allow the concrete to flow through and set evenly.

- F600: Compatible with 740144 water jump barrier
- F610: Compatible with 740134 water jump barrier
- Both models compatible with 730146 aluminum water jump cover
- Both models come standard with valve option: installed front wall valve to be connected with an outgoing pipe to the drain source
- *Meets NFHS, NCAA and World Athletics specifications*

F600 *Surface Mount Form*

F610 *Ground Sleeve Form*

VALUEPACK - GROUND SLEEVE

Package includes:

- F610 Steeplechase Water Jump Form with integrated ground sleeves
- 740134 Steeplechase Water Jump Barrier-ground sleeve version

VPF610

WATER JUMP COVERS

- Each panel made from 9.5" x 1.75" x .125" aluminum planking framed with heavy duty aluminum angle
- Panels have four flush mount handles
- Recessed design for 1/2" (12mm) track surface
- Understructure supported with 4" x 2" aluminum beams

730146 **\$10285**



730146 *Shown with 730150C02SP*



MESH WATER JUMP BARRIER SEALS

- Add color and design to your steeplechase water jump
- Lightweight design will ease water barrier height change

740145202 *Royal Blue*

740145203 *Red*

740145204 *White*

740145209 *Gray*

740145212 *Black*

740145204SP *White Mesh with Graphics*

STEEPLECHASE WATER JUMP BARRIERS

- Barrier beam is 4" x 4" square steel tubing with synthetic track material
- Pull pin design makes barrier height change a snap
- Welded gusset adds needed strength support to the beam
- Adjustable to three heights: 30", 33", 36"
- Aluminum water jump barrier seal available
- *Meets NFHS, NCAA and World Athletics specifications*
- *Surface mount barrier is World Athletics certified*
- *5 Year Limited Warranty*

740134 *Water Jump Barrier with Ground Sleeves*

740144 *Water Jump Barrier with Surface Mount*

NEW!

730150CXX *Aluminum Barrier Seal*

730150CXXSP *Aluminum Barrier Seal w/ Graphics*

COLORS



COLORS






OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS



STEEPLECHASE BARRIER WITH DROP DOWN WHEELS

- 5" x 5" Barrier beam is constructed with aluminum extrusion and synthetic track material
- Wheels easily set and retract with foot engaged levers
- Pin pull design allows for simple barrier height adjustment
- Welded gusset adds needed strength support to the beam
- Adjustable to three heights: 30", 33", 36"
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified
- 5 Year Limited Warranty

| | | |
|-----------|-----------------------------|--|
| 740150 | 1 x 5m Barriers, 3 x 4m (4) | |
| 740150131 | 4m Barrier; 13' Width | |
| 740150161 | 5m Barrier; 16' 5" Width | |




STEEPLECHASE BARRIER

- 5" x 5" Barrier beam is constructed with aluminum extrusion and synthetic track material
- Pin pull design allows for simple barrier height adjustment
- Welded gusset adds needed strength support to the beam
- Adjustable to three heights: 30", 33", 36"
- Optional wheel kit for manual addition of wheels for transportation
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified
- 5 Year Limited Warranty

| | | |
|-----------|-----------------------------|--|
| 740140 | 1 x 5m Barriers, 3 x 4m (4) | |
| 740140131 | 4m Barrier; 13' Width | |
| 740140161 | 5m Barrier; 16' 5" Width | |
| 74014050 | Wheels (4) | |



On all Steeplechase Barriers
Call for Details.



740140

6' TRAINING BARRIER

| | |
|-----------|---|
| 740140061 | 6' Training Steeplechase Barrier |
| 740150061 | 6' Training Barrier with Drop Down Wheels |

VAULT BOXES

ALUMINUM VAULT BOX

- Welded aluminum construction
- Reinforced backstop for prolonged life
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*

502 

ALUMINUM VAULT BOX LID

- Compatible with all Gill vault boxes
- Reinforced with two 1/2" angled vertical supports to prevent sagging
- 50201: Recessed design to accommodate 1/2" (12mm) track surface
- 50202: Flush design with no added track surface

50201 *Lid-Recessed Mount*

50202 *Lid-Flush Mount*



STEEL VAULT BOX

- Twelve gauge steel with fold and weld construction
- Flanged edges and flared sides for secure installation
- Finished with durable white powder coat
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*

500 

UNIVERSAL VAULT BOX LID

- Compatible with all Gill vault boxes
- Constructed of 11 gauge hot rolled steel
- Features anti-slip designed surface
- Finished with durable white powder coat

503



STAINLESS STEEL VAULT BOX AND LID

- Box: Stainless steel alloy fold and weld construction for corrosion resistance
- Lid: 12 gauge 304 stainless steel plate with 2 angled vertical supports to prevent sag
- Lid: Recessed design to accommodate 1/2" (12mm) track surface
- Lid intended for use with stainless steel vault box
- *Meets NFHS and NCAA specifications*

504 *Vault Box*

50401 *Vault Box Lid*



CAST ALUMINUM VAULT BOX

- 100% cast aluminum construction with a wall thickness of 3/8"
- Standard durable white powder coat finish; Orange powder coat option available
- Inside corners rounded for unhindered pole rotation
- Guaranteed against cracking or warping
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*

505 *White* 

505C05 *Orange* 

SHOT RETURN & STOPS



SHOT PUT RETURN

- Spring loaded Shock-Stop™ absorbs the impact of the returning shot and protects the implement
- Powder coated steel legs adjust in height to control the shot return speed
- Pin pull design allows for simple barrier height adjustment
- Bases include stabilizing rubber feet (indoor surfaces) and spikes (outdoor surfaces)
- Base Set 872 includes 2 bases and 10' of rail
- Each Add-On Kit adds 10' of rail to customize the length to meet the facility needs

**Shown with 872 Base Set, 871 Add-on Kits (3), and Custom Banner*

872 Shot Put Return Base Set

871 Shot Put Return 10' Add-on Kit

87103CXXSP Optional Custom Banner

CUSTOMIZABLE



SOFT SHOT STOP

- Prevents implements from rolling past the throw sector
- Shock absorbing foam filled barriers wrapped in a 19oz customizable vinyl
- Non-slip material on bottom creates traction to keep barriers in place
- Hook and loop straps secures each barrier to each other and keeps barriers functioning as one unit
- Each barrier is 6' L x 23" W x 23" H

869CXX Soft Shot Stop

869CXXSP Soft Shot Stop with Graphics



HEAVY DUTY IMPLEMENT BARRIER

- Prevents implements from rolling past the throw sector
- Constructed with durable polyethylene
- Each barrier locks together with steel pin to eliminate gaps
- Each section is 6' L x 18" W x 32" H
- 80 lbs empty / 1,110 lbs if filled with water

868

| SECTOR LENGTH | # OF UNITS |
|---------------|------------|
| 16m / 52' | 6 |
| 18m / 59' | 7 |
| 20m / 66' | 8 |
| 22m / 72' | 8 |
| 24m / 79' | 9 |

**Applies to both 868 and 869 Models*

CIRCLES & TOEBOARDS



ALUMINUM CIRCLES

- Four sections of 1" x 3/4" extruded aluminum angle
- Designed to be cast into concrete
- Discus circle can also be mounted to surface
- Compatible with toeboards 358, 363
- *Meets NFHS, NCAA and World Athletics specifications*

369 Shot/Hammer Circle

370 Discus Circle



ALUMINUM CIRCLES WITH 2" ANGLE PROFILE

- Two sections of 2" x 2" extruded aluminum angle
- Designed to be cast into concrete
- Compatible with toeboards 358, 363
- *Meets NFHS, NCAA and World Athletics specifications*

374 Shot/Hammer Circle

375 Discus Circle



PROFILE FOR
369, 370 & 372



PROFILE FOR
371 & 373



PROFILE FOR
374 & 375



364 with 373



ALUMINUM SHOT CIRCLE

- Three sections of 1" x 3/4" extruded aluminum angle
- Designed to be mounted on top of concrete surface
- Anchor bolts included
- Compatible with toeboards 359, 364
- *Meets NFHS specifications*

372



POWDER COATED STEEL DISCUS CIRCLE

- Three sections of 1/4" x 1 1/2" flat powder coated steel
- Designed to be mounted on top of concrete surface
- Anchor bolts included
- *Meets NFHS specifications*

371



POWDER COATED STEEL SHOT CIRCLE

- Four sections of 1/4" x 1 1/2" flat powder coated steel
- Designed to be mounted on top of concrete surface
- Anchor bolts included
- Compatible with toeboards 359, 364
- *Meets NFHS specifications*

373



HAMMER CONVERSION CIRCLE

- Converts a discus ring into a hammer ring
- 7 interlocking sections of white PVC plastic
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*

3622 4 Piece System 



ALUMINUM CIRCLES WITH CROSS BRACING

- Two sections of 1/4" x 3" extruded aluminum with welded bracing
- Bolt together to maintain form during in-ground installation
- Hardware included
- Compatible with toeboards 358, 363
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*

| | | |
|--------|---------------------------|---|
| 366 | Shot/Hammer Circle |  |
| 366C04 | Shot/Hammer Circle; White |  |
| 367 | Discus Circle |  |
| 367C04 | Discus Circle; White |  |



ALUMINUM CIRCLE FORMS

- Four sections of 2" x 3" aluminum angle
- Bolt together form for in-ground installation
- Aluminum exterior bracing creates a strong frame
- Center open for smooth concrete pour and crack-resistant finish
- Inner circle is 1/4" x 3" flat aluminum bar
- Compatible with toeboards 358, 363
- *Meets NFHS, NCAA and World Athletics specifications*

| | |
|------|-------------------------|
| 3741 | Shot/Hammer Circle Form |
| 3751 | Discus Circle Form |



SYNTHETIC SHOT TOEBOARD FOR DEPRESSED PAD

- Molded low density polyethylene designed for 3/8" depressed surface
- Compatible with circles 366, 369, 374, 3741
- *Meets NFHS, NCAA and World Athletics specifications*

358

SYNTHETIC SHOT TOEBOARD FOR LEVEL PAD

- Molded low density polyethylene designed for surface mount shot circles
- Compatible with circles 372, 373
- *Meets NFHS specifications*

359



ALUMINUM SHOT TOEBOARD FOR DEPRESSED PAD

- Cast aluminum designed for a 3/8" depressed surface
- Compatible with circles 366, 369, 374, 3741
- *Meets NFHS, NCAA and World Athletics specifications, World Athletics certified*

363

ALUMINUM SHOT TOEBOARD FOR LEVEL PAD

- Cast aluminum designed for surface mount shot circles
- Compatible with circles 372, 373
- *Meets NFHS specifications*

364



SYNTHETIC PLUGS

- Keeps debris and standing water out of throwing circles
- Constructed of 3/8" thick rubber and made to fit snug inside depressed circles
- Plugs come in sections for easier handling

| | |
|-------|--------------------|
| 37001 | Shot Circle Plug |
| 37002 | Discus Circle Plug |



SHOWN: 368 Throw Circle (1)
3680 toeboard (1)
All items sold separately

INDOOR SHOT/WEIGHT THROW CIRCLE

- Constructed of 3/4" plywood with steel hinges and handles
- Foldaway handles for easy handling and storage
- Laminated weather proofed marine plywood toeboard (sold separately)
- Optional three piece 3/4" 7-ply birch plywood throwing surface (sold separately, not shown)
- *Meets NFHS, NCAA and World Athletics specifications*

| | |
|------|--------------------------------------|
| 368 | Indoor Shot/Weight Throw Circle |
| 3680 | Wood Shot Toeboard for Indoor Circle |
| 3681 | Shot Throwing Surface |

LET IT

FLY





CAGES

HAMMER CAGES



SAFETY.
CONVENIENCE.
LONGEVITY.



Gill hammer cages have exclusive features that protect athletes, officials, and spectators from errant throws in the hammer event. Combined with an industry best five-year warranty, Gill Athletics keeps your facility at the top of its class in safety and efficiency. Your facility deserves the best.

SAFETY PULLEY SYSTEM

Block and tackle pulley system lowers the net to safely remove 'stuck' implements from the nets without climbing.

FRONT DOOR CABLE DESIGN

With Gill's exclusive tensioning cable front door design your cage will increase athlete safety and efficiency in the event. No more bent front pole from errant throws, and decrease the likelihood of bounce backs from implements.

DOOR HINGE LOCK BOLT

Suggested from the top track designer in America, this unique feature keeps your front doors from tweaking and misaligning from the door hatch location.

REAR DOOR ACCESS

Netting System that keeps your athletes away from the throwing sector of the front cage while increasing the speed of repetitions.



Block & Tackle Safety Pulley System Shown

CUSTOMIZABLE CAGES

Pole Color (XX)



*To specify your color selection, use the two-digit number to replace XX in the item number.



CUSTOMIZABLE CAGES

See color charts on page 104 to replace the XX in the item numbers.



BLOCK & TACKLE SAFETY PULLEY SYSTEM

MAXIMUS™ HAMMER CAGE



▪ 5 Year Warranty

| | |
|-----------|---------------------------|
| 742130 | Cage |
| 742130CXX | Cage with Custom Color |
| 74213001 | Ground Sleeve Kit |
| 732103 | Optional Barrier Net (8') |

MAXIMUS™ DOUBLE RING HAMMER CAGE

▪ 5 Year Warranty

| | |
|-----------|---------------------------|
| 742135 | Cage |
| 742135CXX | Cage with Custom Color |
| 74213501 | Ground Sleeve Kit |
| 732108 | Optional Barrier Net (8') |



HAMMER CAGES




CUSTOMIZABLE CAGES

See color charts on page 104 to replace the XX in the item numbers.



BLOCK & TACKLE SAFETY PULLEY SYSTEM




REAR DOOR ACCESS


KEEPS YOUR ATHLETES AWAY FROM THE THROWING SECTOR OF THE FRONT CAGE WHILE INCREASING THE SPEED OF REPETITIONS.

NCAA HAMMER/DISCUS CAGES

- Available in single ring or double ring design
- Poles: 6063-T6 aluminum net poles
- Doors: Cages have 7m tall aluminum doors with galvanized steel door hinge poles. Tall Cages have 8m tall doors.
- Net: Weather treated nylon 6 net with 749 lb break strength
- Cage - Main net: 20' 6"/6.25m, Door net: 23'7m
- Tall Cage - Main net: 23'7m, Door net: 26' 3"/8m
- All cages include required cage door bracing.
- Ground sleeve kit sold separately
- **Meets NCAA Specifications**
- **5 Year Warranty**



SINGLE RING CAGES



DOUBLE RING CAGES

SINGLE RING CAGE

| | |
|-----------|---------------------------|
| 742110 | Cage |
| 742110CXX | Cage with Custom Color |
| 74211001 | Ground Sleeve Kit |
| 732103 | Optional Barrier Net (8') |

TALL SINGLE RING CAGE

| | |
|-----------|-----------------------------|
| 742120 | Tall Cage |
| 742120CXX | Tall Cage with Custom Color |
| 74212001 | Ground Sleeve Kit |
| 732103 | Optional Barrier Net (8') |

DOUBLE RING CAGE

| | |
|-----------|---------------------------|
| 742115 | Cage |
| 742115CXX | Cage with Custom Color |
| 74211501 | Ground Sleeve Kit |
| 732108 | Optional Barrier Net (8') |

TALL DOUBLE RING CAGE

| | |
|-----------|-----------------------------|
| 742125 | Tall Cage |
| 742125CXX | Tall Cage with Custom Color |
| 74212501 | Ground Sleeve Kit |
| 732108 | Optional Barrier Net (8') |



732310C23



On all Gill Cages
Call for Details.

COLORS





*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.

THOR 10 HAMMER/DISCUS CAGE

- Poles: (4) Combination of steel and aluminum to withstand up to 74mph winds
- Doors: (2) 10m x 2m swing arm doors
- Net: 1 3/4" square mesh woven poly cord with 771 lb break strength
- Main net height: 23'7m, Door net height: 32'10"/10m
- Net is secured by net rails across entire cage and 14 rope anchors
- 59" deep ground sleeves
- Meets NCAA and World Athletics specifications
- 5 Year Warranty

732310CXX Thor 10 Hammer/Discus Cage

73231001 Ground Sleeve and Net Anchor Kit





INTERNATIONAL DISCUS/HAMMER CAGE

- Poles: (8) 6063-T6 aluminum net poles
- Doors: (2) Galvanized steel door hinge poles and 10m tall aluminum moveable doors
- Net: Weather treated nylon 6 net with 340.7kg break strength
- Ground sleeve kit sold separately
- Meets NCAA specifications.
- 5 Year Warranty

742145 Cage

74214501 Ground Sleeve Kit

732218 Optional Barrier Net (8')



DISCUS CAGES



APOLLO DISCUS CAGE

- Poles: (3) Combination of steel and aluminum to withstand up to 62mph winds
- Net: 1 3/4" square mesh woven poly cord with 352 lb break strength
- Net height: 18'
- Net is secured by 14 hanging points and 8 rope anchors
- 36" deep ground sleeves
- *Meets NCAA and World Athletics Specifications*
- *5 Year Warranty*



732301CXX *Apollo Discus Cage*

732301009 *Ground Sleeve and Net Anchor Kit*

COLORS

22 23 25
ARCH GRAY ARCH BLACK ARCH WHITE

**To specify color with order, use the two-digit number of your color selection to replace XX in the item number.*



*On all Gill Cages
Call for Details.*





CUSTOMIZABLE CAGES

See color charts on page 104 to replace the XX in the item numbers.



732130

OPTIONAL BARRIER NET SHOWN



NCAA ALUMINUM DISCUS CAGE

- Poles: (8) 6063-T6 aluminum net poles
- 16' 7" Net: Weather treated nylon 6 net with 340 lb break strength
- Rear door access net standard
- Rear net support tubes prevent net sag
- 18" hinged net arms secure net at all eight poles
- 36" deep ground sleeves
- *Meets NCAA specifications*
- *5 Year Warranty*

732130 Cage

732130CXX Cage with Custom Color

732132 Optional Barrier Net (8')

NCAA PORTABLE DISCUS CAGE

- Designed for set up and removal as needed
- Poles: (8) 2 1/2" outside diameter 6063-T6 aluminum net poles
- 16' 7" Net: Weather treated nylon 6 net with 340 lb break strength
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- *Meets NCAA specifications*
- *5 Year Warranty*

732230 Cage

732230CXXYY Cage with Custom Color

Pole Color (XX) Vinyl Color (YY) See color chart on page 104

BRUTUS NCAA DISCUS CAGE

- For high wind areas that need extra strength discus cages
- Made of Hammer Cage strength 4" outside diameter aluminum poles
- *Meets NCAA specifications*
- *5 Year Warranty*

732150 Brutus Cage

732150CXX Brutus Cage, Custom Color

DISCUS CAGES




PRO-DOWN DISCUS CAGE

- Poles: (6) 2 3/8" outside diameter 12 gauge steel poles
- 10' 6" Net: Knotless weather treated nylon net with 180 lb break strength
- Five galvanized steel top rungs eliminate net sag
- *Meets NFHS specifications*
- *5 Year Warranty*

80401 Cage with Ground Sleeves

80402 Cage with Plates



DISCUS SECTOR NET

- Effective at stopping a discus from skipping outside of the sector
- 2' tall by 60' long 320 lb break strength discus net
- Held by 3/4" diameter steel net poles and ground stakes
- Polyethylene net spools included for convenient storage and handling

731135



OUTDOOR THROWING NET

- Get the maximum number of reps with the minimal amount of retrieval
- Provides the perfect set up for working on throwing technique for shot put, discus and javelin (weighted balls)
- Bottom of main net has a pocket to catch implements before they hit the ground, preventing damage and making retrieval easier
- Side nets offer additional errant throw protection
- Poles: 4" diameter, 1/8" wall, T6 aluminum tube in 40" deep ground sleeves
- Nets are 749 lb test weather treated knotted nylon
- Main net is 20' x 20'

731300



732150C03

COLOR OPTIONS AVAILABLE!

Transform Your Cages with Custom Powder Coat

CUSTOMIZABLE




**To specify color with order, use the two-digit number of your color selection to replace XX in the item number.*


HIGH SCHOOL DISCUS CAGES

- Aluminum poles: 2 7/8" outside diameter 6063-T6 (Ultimate-30ksi, Yield-25ksi) with rolled offset for safety
- Steel poles: 2 1/2" square A513 (Ultimate-42ksi, Yield-30ksi) with rolled offset for safety
- Nets: 180 lb break strength
- Net height: 13' 6"
- Meets NFHS specifications
- 5 Year Warranty

6 POLE DESIGN



7 POLE DESIGN



ALUMINUM CAGE

| | |
|---------|---|
| 8010 | 6-Pole Cage |
| 8010CXX | 6-Pole Cage, Custom Color |
| 80102 | Barrier Net |
| 8020 | 7-Pole Cage |
| 8020CXX | 7-Pole Cage, Custom Color |
| 80202A | Barrier Net |
| 8021 | 7-Pole Cage with Rear Door Access |
| 8021CXX | 7-Pole Cage with Rear Door Access, Custom Color |
| 80212 | Barrier Net with Rear Door Access |

STEEL CAGE

| | |
|-------|-------------|
| 8030 | 6-Pole Cage |
| 80302 | Barrier Net |

BRUTUS CAGE

- For high wind areas that need extra strength discus cages
- Made of Hammer Cage strength 4" outside diameter aluminum poles
- Meets NFHS specifications
- 5 Year Warranty

| | |
|---------|---|
| 9010 | 6 Pole High School Cage |
| 9010CXX | 6 Pole High School Cage with Custom Color |
| 9020 | 7 Pole High School Cage |
| 9020CXX | 7 Pole High School Cage with Custom Color |
| 9021 | 7 Pole High School Cage, Rear Door Access |
| 9021CXX | 7 Pole High School Cage, Rear Door Access, Custom Color |

DISCUS, SHOT, & INDOOR CAGES



HIGH SCHOOL PORTABLE DISCUS CAGE


- Designed for set up and removal as needed
- Poles: (6) 6063-T6 aluminum net poles
- 13' 6" Net: #504 knotless nylon netting with 180 lb break strength
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- **5 Year Warranty**

732220

Cage

732220CXXYY

Cage with Custom Color



NCAA PORTABLE INDOOR CAGE


- Designed for set up and removal as needed
- Poles: (5) 6063-T6 aluminum net poles
- 13' 2" Net: #42A knotless nylon netting with 561 lb break strength
- Doors: repositionable with wired front design for longer life
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- **Meets NCAA specifications**
- **5 Year Warranty**

732250

Cage

732250CXXYY

Cage with Custom Color



CUSTOMIZABLE

*To specify color with order, use the two-digit number of your color selection to replace XX and YY in the item number.

Pole Color (XX)



Vinyl Color (YY)




WORLD ATHLETICS ALUMINUM DISCUS CAGE

- Poles: (9) 6063-T6 aluminum net poles
- 6m Net: Weather treated nylon 6 net with 340 lb break strength
- Rear door access net standard
- Rear net support tubes prevent net sag
- 18" hinged net arms secure net at all poles
- **Meets NCAA and World Athletics Specifications**
- **5 Year Warranty**

732145

Cage



INTERNATIONAL PORTABLE DISCUS CAGE


- Designed for set up and removal as needed
- Poles: (9) 6063-T6 aluminum net poles
- 5.1m Net: Weather treated #42A knotless net with 340 lb break strength
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- **5 Year Warranty**


732240

Cage


732240CXXYY

Cage with Custom Color





SHOT CAGE



PORTABLE SHOT CAGE

SHOT CAGE

- Poles: (4) 6063-T6 aluminum or A513 steel
- 13' 6" Net: Weather treated nylon 6 net with 180 lb break strength
- 18" hinged net arms secure net at front two poles with ground stakes used at back poles
- **5 Year Warranty**

805 Steel Cage

8050 Aluminum Cage

8050CXX Aluminum Cage with Custom Color

PORTABLE SHOT CAGE


- Designed for set up and removal as needed
- Poles: (4) 6063-T6 aluminum net poles
- 13' 6" Net: #42A knotless nylon netting with 180 lb break strength
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- **5 Year Warranty**

732260 Cage

732260CXXYY Cage with Custom Color



On all Gill Cages
Call for Details.



PORTABLE DISCUS PLATFORM

- Wood platform with aluminum circle
- Constructed of 1/2" marine grade plywood with pressure treated 2' x 5' and 2' x 6' lumber
- Platform breaks down into eight pieces for storage space of 8' x 4'
- Weighs in excess of 400 lb
- Gray marine coat finish

3710



VERSACOM BOXES

CONNECTING IT ALL TOGETHER

The *VersaCom Box* provides a junction for electricity and cable hookups. This box can be put in virtually any location around performance areas of varying surfaces. The open bottom of the *VersaCom Box* provides adequate drainage and conduit entry, while the hand holes in the cover allow easy access.

- Divider plates in full size version, provided to help keep electrical equipment segregated
- Main box structure is made of 1/4" thick folded aluminum
- Lid is constructed of 1/4" aluminum plates for maximum support and durability

The *VersaCom Box - Synthetic Version* allows material to be bonded or poured onto the top of the lid to match the surrounding surface.

The *VersaCom Box - Turf Version* features a supplied aluminum top to allow artificial turf to be glued on the jobsite, and is tethered to the box. This top is reinforced with multiple aluminum plates for maximum strength and durability. Factory installed turf infill retainment brushes keep infill out of the box.



SOLD SEPARATELY

VERSACOM RISER

The *VersaCom Riser* has the same dimensions as a full-size *VersaCom Box*. The riser attaches to the bottom creating a box that is twice as deep.

F90010 *Versacom Riser*

| VERSACOM BOXES | | FULL SIZE 30" L x 18" W x 14" D | HALF SIZE 15" L x 18" W x 14" D |
|--------------------|------------------|------------------------------------|------------------------------------|
| SYNTHETIC VERSIONS | <i>Synthetic</i> | F910 | F930 |
| TURF VERSION | <i>Turf</i> | F960 | F970 |



OFFICIAL EQUIPMENT SUPPLIER TO THE
2022 TRACK & FIELD CHAMPIONSHIPS

PORTABLE TRACK SHELTER

Steel frame is mounted on swivel casters. 360 degree seating surrounds a center storage shelf. Roof frame is constructed of aluminum bracing with architectural gray powder coat. Canopy is tensioned with a one-piece vinyl wrap. Custom color and graphic application available on canopy top.

54240CXXSP Portable Track Shelter with Graphics



CUSTOMIZABLE

Vinyl



*Specify vinyl color with order, use the two-digit number of your color selection to replace XX in the item number.



PORTABLE PRESS TOWER

Multi-use tower can be used for coaching, filming, press and media. Non-skid decking. 5'-9" platform height. 4' x 10'-6" platform size with an overall size of 7' x 10'-6". Anodized aluminum bench with back moves forward and back. 16" pneumatic wheels— two locking and two swivel wheels. Optional soft enclosure for inclement weather.

- Weather Resistant Top Cover Available in Colors
- Heavy Duty Aluminum Construction
- 3 Year Warranty

542359XX Press Tower

542300XX Removable Side Curtain

54230000 Towing Kit

BALLSTOPS

10' - 40' TALL BALLSTOP SYSTEMS

- 10' use 2" Sch 40 2-3/8" aluminum tube-36# Netting
- 12', 15' and 20' use 4" diameter, 1/8" wall aluminum tube - #36 Netting
- 25' and 30' use 6" Sch 40 aluminum tube - #36 Netting
- 35' and 40' use 6" Sch 40 steel tube - #36 Netting
- All Poles 10'-40' have a vertical support cable for additional net support
- Ground sleeves included
- *All poles are powder coated in architectural black*
- *5 Year Warranty*

HERE FOR YOU!

CALL TODAY AND WE'LL HELP GET THE **BALLSTOP** SYSTEM THAT BEST FITS YOUR FACILITY.



*On all Gill Ballstops
Call for Details.*



BALLSTOP NET RELEASE CLIPS

Designed to drop the protective netting in high winds before any pole or hardware failure occurs.

- Marine Grade HDPE material
- Designed to break and drop nets in high winds, 20' and shorter or 25' and taller
- Sold in pack of 10 clips

739000 20' Ballstops and shorter

739001 25' Ballstops and taller



PORTABLE BALLSTOP SYSTEM

The Ballstop Systems were designed to be set up and removed as needed.

- 10' use 2" Sch 40 2-3/8" aluminum tube-36# Netting
- Poles have a vertical support cable for additional net support
- The portable system uses a platform base with wheels that is weighted down by four 5 gallon jugs (included)
- *All poles are now powder coated in architectural black.*
- *5 Year Warranty*



ALL NEW DISCUS!

Choose the best discus for every throw.



OFFICIAL TRACK & FIELD EQUIPMENT SUPPLIER

Find out more on pages 42-43



601 Mercury Drive
Champaign, IL 61822
USA



FREEDOM TO FOCUS ON YOUR ATHLETES



2022 TRACK+FIELD CATALOG

GILLATHLETICS.COM
601 MERCURY DRIVE | CHAMPAIGN, IL 61822

800.637.3090
SALES@GILLATHLETICS.COM

Prefer an E-Catalog instead? To unsubscribe from future mailings go to www.litaniaspports.com/unsubscribe