


EQUIPMENT COLLECTIO









Portables & Accessories

12 Goals

Indoor Backboards

Backboard LEDs

Outdoor Backboards

Wall Mount Backstops

Accessories

Facility Equipment

Outdoor Fixed Systems

Outdoor Adj. Height Systems

Training & Conditioning

Specialty Pads

44 Wall Pads

## THE STARTING LINEUP

Whether you're hosting conference championships or setting up extra shooting stations, Porter keeps your facility and budget in mind. From the arena-level 1835, to the high-performing and versatile 1135, to the thoughtfully designed 735 shooting station, Porter partners with you all season long to deliver a high-performance playing experience, smooth installation and set-up, and outstanding service and support. Building a successful program starts with equipment you can trust. **ALL PORTER** ...COME WITH: **BACKSTOPS ARE:** porter porter 735 1135



### *1835 PORTABLE BACKSTOPS*

### **MOTORIZED BACKSTOP OPTIONS**

1835108MCXXYY 10'8" (3.25m) Extension 1835080MCXXYY 8' (2.44m) Extension

### MANUAL BACKSTOP OPTIONS

1835108CXXYY 10'8" (3.25m) Extension 1835080CXXYY 8' (2.44m) Extension

#### **CUSTOMIZE**

1834CXX **Boom Pad** 

183830 Mast Mount Shot Clock Support 183850 Platform Mount Shot Clock Support 183860 Rear Shot Clock Support Page 20 **Perimeter Backboard Lights** Page 11 Replacement Pads

**Graphic Pad Set** Page 11 FITG00430 Floor Anchor Extension Bracket

See Page 10



#### Fach Portable Unit Includes:



Center-Strut Glass Backboard



Pro-Pad Bolt-On Backboard Padding



TFX Goal with Anti-Whip Net




Exclusive Self-Docking Anchor Trays (Patent No. 10,238,944)



Floor Anchors

#### 1835 Dimensions

	1835108	1835080		
Α	10'8"	8'		
В	6'8"	4'		
	IN STO	DRAGE		
(H)	7'3"	7'1"		
(L)	15'1"	13'10"		
(\A/)	6'4"	6'4"		



### Vinyl Colors: (xx)











Powder Coat Colors: (YY)



















### 1135 PORTABLE BACKSTOPS

### **BACKSTOP OPTIONS**

1135080CXXYY

Manual 8' (2.44m) Extension

1135080BCXXYY

Extra Ballast Manual 8' (2.44m) Extension \*Floor Anchors Not Required for Extra Ballast Backstops

**CUSTOMIZE** 

1134CXX **Boom Pad** 

113130

Mast Mount Shot Clock Support 113150 **Platform Mount Shot Clock Support** Perimeter Backboard Lights

See page 20 See page 11

Replacement Pads

See page 11 FITG00300

**Graphic Pad Set Locator Cup Kit** 





Each Portable Unit Includes:





Center-Strut Glass Backboard



Pro-Pad Bolt-On Backboard Padding




Torq-Flex Competition Goal with Anti-Whip Net




Floor Anchors

### 1135 Dimensions

	1135080
Α	8'
В	4'
	IN STORAGE
(LI)	CIOII
(H)	6'8"
(L)	13'7"





Vinyl Colors: (xx)















Powder Coat Colors: (YY)























### 735 PORTABLE BACKSTOPS

### **BACKSTOP OPTIONS**

735050CXXYY Manual 5' (1.52m) Extension

735050BCXXYY Extra Ballast Manual 5' (1.52m) Extension


\*Floor Anchors Not Required for Extra Ballast Backstops

#### **CUSTOMIZE**

007375 Shot Clock Support Perimeter Backboard Lights See page 20 See page 11 Replacement Pads See page 11 **Graphic Pad Set** FITG00300 **Locator Cup Kit** 

FITG0047X Floor Anchor Kit Options **Contact Porter** 





Integrated Plumbing and Levelling Features

Each Portable Unit Includes:



Center - Strut Glass Backboard



Pro-Pad Bolt-On Backboard Padding





Ultra-Breakaway Competition Goal with Anti-Whip Net



Floor Anchor Kit (Optional)

### 735 Dimensions







#### Powder Coat Colors: (YY)



### porter





Portable Shown With Optional Shot Clock Support



CUSTOM GRAPHICS AVAILABLE



New-and-improved design features make this portable a top choice for both competitive team practices and recreational play.

A unique tension spring assist folding mechanism concealed in the base provides instant and effortless height adjustments from storage position to 8' 9' or 10' goal heights. An improved anchoring method includes one tie-down threaded anchor at the rear position and two screw-type level jacks in the front for simplified setup. Updated frame and boom construction provides maximum durability.

Porter's Center-Strut direct goal-mount system withstands slam dunking and prevents glass backboards from shattering.

- SPRING OPERATED
- SCREW-TYPE LEVELING JACKS
- THREADED KNOB TIE-DOWN SYSTEM
- UPDATED FRAME AND BOOM
- 2" THICK FRONT PADDING
- 4 NON-MARKING SWIVEL CASTER WHEELS
- ADJUSTABLE TO 8',9', AND 10' GOAL HEIGHTS



porter



**DORTER** 

### **PORTABLE ACCESSORIES**



### 1835 Floor Anchor Extension Bracket

Optional tie down bracket recommended for portable floor with less than 4' from the edge of the floor to the rear of the portable. Includes bracket, chain, and anchor.

#### FITG00430



### Floating Floor Type Anchor

Two part system to allow movement and expansion of wood floor where flooring does not exceed  $3^{7}/s^{"}$  total thickness. Anchor installs after finished floor is in place by means of a double acting masonry anchor.  $5^{"}$  chrome or brass plated cover assembly consists of molded plastic recessed mounting flange, cork gasket and swivel type retainer pin. Specify extended shaft handwheel for use on floor mounted equipment.

00249000 00249200 HAND00001000 HAND00067000 Anchor w/ Chrome Cover Anchor w/ Brass Cover Handwheel w/Stud ½"-3½" Handwheel w/Stud ½"-2¼" Handwheel w/Stud ½"-3-34"







### **Sleeper Anchor**

Designed for use in sleeper floors where anchorage into both concrete slab and wood floor is desirable. Top plate is  $3\frac{1}{2}$ " diameter and is threaded to provide adjustment to floor surface.

00244000

### Portable Floor Type Anchor

Designed specifically for installation on a professional type portable wood flooring system. Anchor is identical to the 3½" diameter chrome plated top plate assembly as used on the No. 00242100 floor anchor with the addition of flat head machine screws and a heavy steel reinforcing plate which is mounted under the portable floor panels to properly distribute loading on the wood sections.

00242900

### **Expansion Anchor**

The industry's favorite. Ideal where there is at least 6" of concrete. Expansion shield provides super holding power. Anchor is  $1\frac{1}{2}$ " diameter minimizing metal surface on gym floor. Top portion of anchor may be removed for cleaning and washers may be added or removed to keep surface of anchor flush with floor.

00247100

### Thin Concrete Anchor

Designed for maximum holding power through thin channel lock wood or synthetic floors into concrete sub-floors of minimal thickness. Four double acting expansion anchors provide an ultimate pull-out load of 8,200 pounds when properly installed. Top plate is 3½" diameter and is polished and chrome plated.

00242100





# 180° BREAKAWAY & FLEX GOAL









meets requirements for NCAA NFHS



Designed for premier facilities who experience a volume of top-level talent. The Porter TFX Goal absorbs the impact from all directions reducing the shock into a player's hands. Typical arena rims have the ability to only either flex or breakaway. The TFX combines both technologies to provide desired flexibility that is within NBA rules and requirements.

#### 280180 \$993

- 180 DEGREE BREAKAWAY & FLEX GOAL
- BREAKAWAY RELEASE ADJUSTABLE FROM 180-250 LBS
- 5" x 4" TO 5" x 4 ½" MOUNT PATTERN
- RING CONSTRUCTED WITH 5%" ALLOY STEEL
- INCLUDES NET & MOUNTING HARDWARE
- TUBE TIE NET ATTACHMENT

# TORQFLEX®

ELITE



### Torq-Flex® Elite Goal

Designed for premier facilities that experience a volume of top-level talent. Porter's Torq-Flex Elite Goal reduces the impact into a player's hand from all directions. Unlike standard flex goals, Torq-Flex Elite flexes on all sides of the rim providing equal flexibility regardless of the approach.

#### 260180

- 180 Degree Flex Goal
- 5" x 4" to 5" x 4½" Mount Pattern
- Ring Constructed With 5/8" Alloy Steel
- Includes Net & Mounting Hardware
- **Tube Tie Net Attachment**







### **TORQ**FLEX°

COMPETITION



### Torq-Flex® Competition Goal

Robust design with 180 degree flex that is perfect for competition play in high school, college, and recreational facilities.

#### 240180

- 180 Degree Flex Goal
- 5" x 4" to 5" x  $4\frac{1}{2}$ " Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment





meets requirements for **NCAA NFHS** 

# POWRFLEX

ELITE



### **Powr-Flex Elite Goal**

Exceptional strength and performance are achieved by the unique concealed shock absorber mechanism.


Goal Centers 5" x 4" to 5" x 4½" 22302

Goal Centers 5" x 5"

#### 23302

- Flex Goal
- √ 5" x 4" to 5" x 4½" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment







COMPETITION



### **Powr-Flex Competition Goal**

An economical competition flex goal

Goal Centers 5" x 4" to 5" x 4½" 236154

Goal Centers 5" x 5"

- 5" x 4" to 5" x 4½" Mount Pattern
- 5" x 5" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment





meets requirements for NCAA NFHS

# ULTRA BREAKAWAY



### ULTRA BREAKAWAY

COMPETITION



### **Ultra Breakaway Competition Goal**

A true breakaway goal designed with a positive lock mechanism that releases with a 180 lb. static load

#### 236054

- Breakaway Goal
- 5" x 4" to 5" x 4½" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment





meets requirements for NCAA NFHS





### **Heavy-Duty Playground Goal**

This indestructible goal is the most rugged outdoor goal available with solid double 5/8" diameter rim design.

#### 00251H00

5" x 5" Mount Pattern

Includes Net & Mounting Hardware





### **Double Rim Playground Goal**

Heavy-duty, double rim construction makes this front-mount goal withstand rugged playground use.

#### 00202H00

5" x 5" Mount Pattern

Includes Net & Mounting Hardware





### **Super Goal**

Heavy-duty regulation front-mount goal has extra high-tensile strength steel and rugged 5/8" diagonal support bracing.

Goal Centers 5" x 4" to 5" x 41/2" 00225000 Goal Centers 5" x 5" 00235000

5" x 4" to 5" x 41/2" Mount Pattern

5" x 5" Mount Pattern

Includes Net & Mounting Hardware





### **Rear Mount Goal**



Heavy-duty, rear-mount goal with welded support brace makes this the top replacement goal for old style fan steel banks.

Goal Centers 35/8" x 3" 00210000

Includes Net & Mounting Hardware





### **Championship Goal**



Intended for residential use only, not for use on school/public playgrounds. Fits Championship/ U-Can-Slam residential systems.


Goal Centers 3" x 4" 09143000


Includes Net & Mounting Hardware





### INDOOR BACKBOARDS





Center - Strut Glass Backboard



236154 Powr-Flex Competition Goal

Pro-Pad Bolt-On Backboard Pad

### Center-Strut Rectangular Glass Backboard

This official size 72" x 42" backboard with three point attachment support frame is designed for use only on direct goal mount (Center-Strut) support structures. Brushed aluminum extrusions secure  $\frac{1}{2}$ " thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty when installed on Porter Center-Strut support systems. Backboard padding is not included but is recommended for player safety. Goal mount centers 5" x  $4\frac{1}{2}$ ".



208 72" x 42" Backboard 208L1 72" x 42" Backboard with LEDs

20810CXX Center-Strut Package

INCLUDED: 208 Backboard, 236154 Powr-Flex Competition Goal, Pro-Pad Backboard Pad





### **Pro-Strut Rectangular Glass Backboard**

72" x 42" or 72" x 48" backboard includes a vertical Center-Strut goal support and four corner attachment support frame. This design allows installation on wall-mount units, double drop overhead supported units or old style support system. Brushed aluminum extrusions secure  $\frac{1}{2}$ " thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty. Backboard padding is not included but is recommended for player safety. 204/204L1 goal mount centers are 5" x  $\frac{41}{2}$ ". 206 goal mount centers are 5" x 5".



204 72" x 42" Backboard

204L1 72" x 42" Backboard with LEDs

206 72" x 48" Backboard

20410CXX Pro-Strut Package

INCLUDED: 204 Backboard, 236154 Powr-Flex Competition Goal, Pro-Pad Backboard Pad



### **Pro-Strut Conversion Glass Backboard**

No additional support structure or hardware is needed to replace a standard fan shaped backboard with this rectangular glass backboard. The two vertical struts with fan shaped backboard mounting centers include all the necessary hardware. Brushed aluminum extrusions secure  $\frac{1}{2}$ " thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty. Backboard padding is not included but is recommended for player safety. 205A goal mount centers are 5" x  $4\frac{1}{2}$ " or 5" x 5". 2045439 goal mount centers are 5" x  $4\frac{1}{2}$ ".



205A 72" x 42" Backboard 2045439 54" x 39" Backboard


205A10CXX Pro-Strut Package

INCLUDED: 205A Backboard, 236154 Powr-Flex Competition Goal, Pro-Pad Backboard Pad





### **BACKBOARD LED KITS**



### For Use With Center-Strut Backboard

 820801
 LED light set with synchronizer
 820401
 LED light set with synchronizer

 820802
 LED light set with Daktronics cord
 820402
 LED light set with Daktronics cord

 820803
 LED light set with Nevco cord
 820403
 LED light set with Nevco cord



As the only gymnasium equipment provider on contract with Sourcewell (formerly NJPA), you can count on Porter to offer outstanding options for all your gymnasium equipment needs. For over 100 years, the game's been played on Porter, and now it's easier than ever to make a purchase.

Sourcewell (formerly NJPA) create national cooperative contract purchasing opportunities and solutions on behalf of its members which include all government, education and non-profit agencies nationwide. These cooperative contract purchasing opportunities present both time and money savings for users.

For Use With Pro-Strut Backboard



### **OUTDOOR BACKBOARDS**



### Fiberglass Backboards

The 54" x 39" fan or official size 72" x 42" rectangular backboards are molded from fiberglass. Perimeter flange and structural rib pattern are  $1\frac{1}{2}$ " deep for rigidity and superior rebound qualities. Official perimeter and target area are screened. Threaded inserts on fan backboard mounting centers allow mounting on any standard support structure. Additional holes are provided for attachment to Center-Strut support system. Goal mount centers 5" x  $4\frac{1}{2}$ " to 5" x 5". Backboard padding is not included but is recommended for player safety.

216 Rectangle Board 267 Fan Board





### **Aluminum Backboards**

This 54" x 39" backboard is made from cast aluminum with continuous reinforcing ribs on the backside. Perimeter flange and ribs are 1  $\frac{1}{4}$ " thick for maximum strength. White powder coat finish with official perimeter and target area screened in orange. Goal mount centers 5" x 5".

234A White/Orange Board





### Steel Backboards

72" x 42" backboards are designed to withstand rugged play and severe weather conditions. Heavy, 11 gauge steel face has ½" diameter perforations to minimize wind resistance. Official perimeter and target area are screened on solid steel. Unitized steel support frame has attachment holes on fan backboard mounting centers allowing installation on existing support structures with optional mounting kit. Goal mount centers 5" x 5". Backboard padding is not included but is recommended for player safety.

207 72" x 42" Board



### **WALL MOUNT BACKSTOPS**



### 219 Up-Fold Series

Backstop folds up with hoisting winch for compact storage of both framework and backboard. Special offset hinge fitting arrangement allows backstop to fold nearly flat against a wall. Backstop extension is available in any dimension from 4' to 12' from the wall.



### 220 Side-Fold Series

Backstop folds to side for economical, compact storage. This style is recommended where low ceiling height or obstructions prohibit other folding methods. Backstop is operational from the floor with a telescoping diagonal brace system with a special locking mechanism. Offset hinge fitting allows backstop to fold nearly flat against a wall. Extension is available in any dimension from 4' to 12' from the wall.



### CALL TODAY FOR PRICES

#### RECOMMENDED FOR ALL UP-FOLD WALL MOUNT BACKSTOPS:

10797120 Safety Strap Kit (For Unit Without Height Adjuster) 10797121 Safety Strap Kit (For Unit With Height Adjuster)





### 312 Stationary Series

Simple, rigid diagonally braced design supports backboard at any extension from .5' to 12' from the wall. Porter's Center-Strut backstops are designed with a direct-mount system which provides a structural mounting support plate directly behind the goal eliminating any strain on the backboard during aggressive play.







### **Column Mount Systems**

Designed for mounting a fan-shaped backboard and goal to an exposed straight or sloped column (maximum flange width of 15"). Center-Strut direct goal mount design eliminates any strain on the backboard during aggressive play. Unit includes extension frame with special attachment assemblies and mounting hardware only. Fan backboard and goal separately. Available with Center-Strut manual height adjustment feature which allows goal height settings from 8'-10'. We recommend column padding for player safety.

00310100 00311100 Fixed Height System Height Adjuster System

### **Outdoor Wall Mount System**

Fully welded heavy-duty steel frame is galvanized after fabrication for a finish that's durable enough to last a lifetime! Center-Strut direct goal mount design eliminates any strain on the backboard during aggressive play. Backstop extends 4' from the wall. Unit includes a 234A aluminum backboard and a 00251H00 heavy-duty playground goal with chain net to provide the utmost in durability. Wall mounting bolts and anchors not included.

01312400



### **ACCESSORIES**



### Pro-Pad Bolt-On Backboard Pads



Featuring self-tapping screws, the Pro-Pad is the easiest backboard pad in the industry to install. The improved 2-hole design is extremely durable and is manufactured with a tough molded urethane skin that is painted in the mold with a color matched urethane paint to provide the exterior with uniform colored appearance. Meets all competition requirements of the NBA, NCAA, NFHS and International requirements of FIBA. **Pads one backboard.** 

00326000	Gray	00326400	Maroon
00326100	Red	00326500	Orange
00326200	Royal Blue	00326600	Black
00326210	Navy Blue	00326700	Purple
00326300	Kelly Green	00326800	Yellow Gold
00326310	Dark Green	00326220	Light Blue



### **Adhesive Backboard Pads**

Pads molded from self-skinning polyurethane foam. Fast-setting adhesive installation. Available in gray only. **Pads one backboard.** 

227	For 2" Thick Backboards	!
229	For 19/16" Thick Backboards	1



### **Recreational Backboard Pads**

Pads molded from self-skinning type urethane foam for a tough, UV resistant exterior skin. Two pad sections are self aligning with interlocking joints and molded in an L-shape providing proper drainage for outdoor use. Bolt on installation using steel inserts and special self-drilling, self-tapping type hardware. For indoor or outdoor use. Available in black only. **Pads one backboard.** 

00324648	48" Wide Pad	
00324654	54" Wide Pad	
00324672	72" Wide Pad	





### Fair-Court® System

The Fair-Court rim testing system is designed to fairly and accurately measure the rebound performance of the rim and entire support system. This testing is essential in order to begin solving the problem of inconsistent rebound performance found in inferior or worn equipment, to minimize the home court advantage and to improve the integrity of the game of basketball.

System is furnished complete in a compact carrying case to properly transport and store the entire unit. Unit breaks down easily into three sections for compact storage.

ERTD2003NCAA







### Fan Backboard Mount Kit

Install Porter's fan-shaped backboards to existing indoor or outdoor support structures. Channel type adapters bolt to the cast-in threaded inserts on the backboard (located on 3  $^5/8$ " centers) and allow attachment to existing backboard extension with special internal sliding nuts. Adapts to existing fittings with a horizontal bolt hole spacing up to 7  $^{1}/4$ " centers.

00217000



Anti-Whip Net 12 Pack 09608012 Anti-Whip Net 09608000 Residential Nylon Net NETS00021000



### **Net Tube-Tie Cord**

Replacement nylon cord for our tube-tie basketball goal system. Includes hardware.

ROND00123100



### **Tamper Proof Goal Hardware**

Wards off the most determined theft or vandalism attempts! Set of four round head bolts with special high security nuts using a torque limiting breakaway head section combined with a free turning protective sleeve. For use on any Porter standard front-mount goal. No special tools are required for installation.

01218000



### **Chain Net**

Zinc-plated for maximum weather resistance and furnished with twelve, extra heavy-duty "S" hooks for attachment to any outdoor rim.

00161000

### **GYM ACCESSORIES**







### Seiko Table Top Scoreboard

Scores multiple sports and can be used as a stopwatch countdown timer or pacer. Backside control panel or wireless remote (included) operation. High visibility LED display. Programmable game timer counts up or down from 99:59 with scores for two teams up to 199. Buzzer when timer reaches zero, or can be manually controlled.

83201 Scoreboard 83203 Caster Stand 83204 Additional Remote 83202 Carry Bag

### Seiko Portable Shot Clock

Shot clock meets International Basketball regulations. Includes two display units, controller box, two connection cables and power cable. Features two re-settable preset times and high visibility LED digits at 9.84". Can be set from 1-99 seconds. Buzzer when countdown reaches zero. Small display in the control box.

83205 Shot Clock 83203 Caster Stand



### Floor Cover System

- Tough 19 oz Polyester-Reinforced Vinyl
- Meets NFPA 701, UL-214, and CA Fire Marshall Fire Requirements
- 7 Year Warranty Against Defects in Materials/Workmanship On Cover
- Passes ASTM E84: Class A

An economical way to use your gymnasium as a multi-use facility. Protects your floors and helps reduce maintenance and refinishing expenses. The Porter floor cover transport and storage cart provides a quick and easy method to install and remove floor covers over large areas, with only two people.

### 10' Standard Width Vinyl-Coated Floor Cover Fabric

Specify length and color when ordering. 120' max per roll.

92418XX 19 oz Vinyl

### Transport/Storage Carts

 2404
 4 Roller
 (max. 40' x 120' / 4,800 ft²)

 2406
 6 Roller
 (max. 60' x 120' / 7,200 ft²)

 2408
 8 Roller
 (max. 80' x 120' / 9,600 ft²)

 2410
 10 Roller
 (max. 100' x 120' / 12,000 ft²)

 2412
 12 Roller
 (max. 120' x 120' / 14,400 ft²)

#### Sold Separately

 02405000
 Power Winder

 924040XX
 Storage Rack Cover

 02406200
 Hand Held Tape Applicator

 02406300
 Walk Type Tape Applicator

02406112 Tape (12 rolls)





Non-Marking Locking Casters



Hook and Loop Attachment System



Optional Tape Applicators



Optional Storage Cover



Standard Hand Crank



Optional Power Winder

#### Vinvl Colors:

01	02	03	04	05
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE
06	08	09	10	11
YELLOW GOLD	TAN	GRAY	MAROON	PURPLE
12	13	14	15	
BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN	

**When Ordering:** Use the two-digit color number to replace XX in the item number.

## FACILITY EQUIPMENT



### **Electric Winch**

The (No. 712)  $^{3}4$  HP and the (No. 713) 1 HP equipment winch motors have been manufactured to Porter's well established requirements for quality and safety with improved operating speed. These newly designed motors continue the Porter reputation for durable, high-quality backstop winches in facilities all over the globe. The 712/713 motors come with many improvements and features including a 4" OD extended machined aluminum cable drum allowing 41 ft. of cable capacity on a single layer, an external belt tensioner for easier adjustments and maintenance, a cable tensioner to keep cable in place during slack conditions, and a 5-year limited warranty.

The 712/713 basketball backstop winches will operate with Porter's 3-position key switch, Powr-Touch® systems, or SportSonic® II wireless control system.



**5** YEAR LIMITED WARRANTY

712 713 3/4 HP Winch

3 1 HP Winch



### Saf-Strap Safety Lock

Any increase in cycle speed or tension, whether sudden or gradual, immediately activates the locking device. The device will lock in any state or cycle, in the event of an over-speed occurrence due to a malfunction of the hoisting apparatus.

Product is suspended from ceiling and attaches to backstop. Additional structure may be required.







### SportSonic® II

SportSonic® II Transmitter operates up to 99 pieces of equipment effortlessly via remote control. An excellent choice where maneuverability and convenience are desired while operating the gymnasium equipment. Reduces the need for costly wiring and key switches.

1 receiver per backstop is required.

SportSonic II Transmitter 12002100 Receiver Kit 12002200



### **Key Switch Control**

This control system provides separate up and down keys for safe equipment operation. Standard 4½" square flush mounting features a stainless steel cover plate.

1 key switch per backstop is required.

Key Switch Control XELE00791112 Replacement Up/Down Keys ELEC00088001

### **Advanced Installation Required**

Items on these two pages (28-29) may require advanced installation by a trained professional. Incorrect installation may result in product failure and/or warranty void. Installation and fees are customer responsibility. Contact your Porter dealer for additional information.





Electric Height Adjuster Shown



### **Center-Strut Height Adjusters**

A Porter exclusive. Available on the ceiling suspended backstop selection of your choice, along with the option to choose either manual or electric operation. Porter's Limited Lifetime Warranty offered on all Porter backboards installed with a Center-Strut height adjuster. The goal height is easily adjustable to any height from 8' to 10' to accommodate all age levels. Height settings are clearly visible from the floor for accurate adjustments. Electric height adjuster unit incorporates a compact motor to raise and lower the goal height electrically from 8' and 10'.



**1** YEAR LIMITED WARRANTY

Optional cordless drill unit allows for power operation of Manual Center-Strut Height Adjuster.

Choose Manual (hand-cranked) Height Adjuster or Powr-Stick (AC operated electric-cranked) Height Adjuster.

Manual Height Adjusters

00900506 00900211 00600506 00900259 XCRK90000302 REPL09009002 Single Drop For Rectangular Boards Single Drop For Fan Boards Dbl. Drop for Rect. Board Portable Drill Operation Hand Crank Replacement Rod Kit

(For post 1995 installations, for pre 1995 contact your Porter Dealer)

Powr-Stick Operated Electric Height Adjusters

00902506 00902211 00602506 00902000

Single Drop For Rectangular Boards Single Drop For Fan Boards Dbl. Drop for Rect. Board Powr-Stick Pole (1 Required)



00269000 WINH00048000

### **Electric Winch Operator**

Compact, heavy-duty unit to operate Porter's manual winch or any winch with a 3/4" square drive shaft. Sufficient power and torque to handle folding backstops up to a 25' attachment height. Double insulated with 50' power cord and two-prong plug. No grounding required. Complete with a durable storage case.

Electric Winch Operator Chuck



00700000 XCRK70000002 REPL10700000 XPAD2100260B

### **Manual Winch**

Compact winch with precisionmachined, hardened steel worm, forged bronze worm wheel and thrust ball bearing provides smooth, quiet operation and holds backstop in any position. Hand crank sold separately.

Manual Winch Hand Crank Gear Replacement Kit Wood Pad

### **GOOSENECK SYSTEMS**

USE THE MATRIX TO CHOOSE YOUR EXTENSION DISTANCE, POLE DIAMETER, BACKBOARD, AND GOAL



4' Extension 4½" Diameter Pole	00235000 Super Goal	00202H00 Double Rim	00251H00 Heavy-Duty	236H00 Powr-Flex Competition
267 Fan Fiberglass	17412	17413	17414	17415
234A Fan Aluminum	17432	17433	17434	17435



5' Extension 4½" Diameter Pole				
267 Fan Fiberglass	17512	17513	17514	17515
234A Fan Aluminum	17532	17533	17534	17535
216 72" x 42" Fiberglass	17582	17583	17584	17585

### **Super Duty System**

Provides the utmost in safety and strength during even the toughest play. California and Florida specifications require extended pole length for a 2' deeper footing.

00251H00	236H00
Heavy-Duty	Powr-Flex Competition

<b>6' Extension</b> 59/16" Diameter Pole							
267 Fan Fiberglass		17612	17613	17614	17615		
234A Fan Aluminum		17632	17633	17634	17635	176FLSD340	176FLSD350
207 72" x 42" Steel		17652	17653	17654	17655	176FLSD540	176FLSD550
205A 72" x 42" Glass		17662	17663	17664	17665	176FLSD640	176FLSD650
216 72" x 42" Fiberglass	W	17682	17683	17684	17685		



### **Custom Powder Coat**

When Ordering: Add "C" followed by the 2-digit color number to the end of the item number. Ex: 17634C12 (shown above)

O1

10 MAROON O2 ROYAL BLUE O3 RED O4 WHITE

O6 YELLOW GO

15

07 SILVER OLD GOLD

09 GRAY

### **VERTICAL POST SYSTEMS**

USE THE MATRIX TO CHOOSE YOUR EXTENSION DISTANCE, POLE DIAMETER, BACKBOARD, AND GOAL



### **Super Duty System**

Provides the utmost in safety and strength during even the toughest play. California and Florida specifications require extended pole length for a 2' deeper footing.

4' Extension 4½" Diameter Pole	00235000 Super Goal	00202H00 Double Rim	00251H00 Heavy-Duty	236H00 Powr-Flex Competition	00251H00 Heavy-Duty	236H00 Power-Flex Competition
267 Fan Fiberglass	16412	16413	16414	16415		
234A Fan Aluminum	16432	16433	16434	16435	164FLSD340	164FLSD350
216 72" x 42" Fiberglass	16482	16483	16484	16485		

6' Extension 59/ <sub>16</sub> " Diameter Pole				W		
267 Fan Fiberglass	16612	16613	16614	16615		
234A Fan Aluminum	16632	16633	16634	16635		
207 72" x 42" Steel	16652	16653	16654	16655	166FLSD540	166FLSD550
205A 72" x 42" Glass	16662	16663	16664	16665	166FLSD640	166FLSD650
216 72" x 42" Fiberglass	16682	16683	16684	16685		



Vertical Post Systems Are Also Available in Back-To-Back Configurations. Call For Pricing & Details.



### **Custom Powder Coat**

When Ordering: Add "C" followed by the 2-digit color number to the end of the item number. Ex: 16654C01 O1

10 MAROON












22

OLD GOLD



### ADJUSTABLE SYSTEMS



### Big Shot® Collegiate System

Features a 5" upright post anchored into the ground utilizing an anchor bolt system. The 60" x 36" glass backboard includes official white perimeter and target area markings silk screened on the backside to prevent wear. The system features 2.5' extension arms and can be set at any playing height from 7.5' to 10'. System is assembled using zinc plated hardware. Includes the flex goal, a moveable rim that protects players and equipment during slam-dunks with a concealed shock absorber.

Includes 60" x 36" glass backboard, goal, nylon net, post pad, backboard pad, &

Collegiate Package

Replacement 5" Pole Pad



# Big Shot® Pro System

Features a rugged 6" upright post anchored into the ground utilizing an anchor bolt system. The 72" x 42" clear-view backboard features  $\frac{1}{2}$ " glass and comes standard with edge padding. Official white perimeter and target area markings are silk screened on the backside to prevent wear. The extension arms offer 4' of clearance for player safety and allow the backboard to be set at any playing height from 5.5' to 10'. System is assembled using premium stainless steel hardware. Includes the Powr-Flex Competition goal, a moveable rim that protects players and equipment during slam-dunks with a concealed shock absorber.







porter

# **OUTDOOR SYSTEMS**



## **Heavy-Duty System**

Heavy-duty support structure provides tremendous strength and is designed to withstand the most rugged playing conditions. Backstop provides a 5' extension into the playing court for maximum safety. Available as a single post or a back-to-back system when a multiple court layout is desired. Unconditional Lifetime Warranty is provided on the most rugged outdoor goal available. Great system for regulation outdoor competitions.

Official size 72" x 42" perforated backboard is 11 gauge steel with a massive rear support framework. Backboard is screened with official perimeter and target area markings. Backboard, goal and pole have an extremely durable powder coated finish.

195580 Standard System 195582 Back-to-Back System

95758 Pole Pad 00324672 Backboard Pad





#### Shown in Navy Blue Powder Coa

# **Ultimate Outdoor System**

Turn any outdoor court into an official arena! Includes 6' vertical pole,  $72" \times 42"$  Center-Strut glass backboard, 240180 Torq-Flex Competition, and anti-whip net.

Pole pad and backboard pad not included but recommended for player safety.

16675CXX



Ultimate Outdoor Powder Coat Colors:



When Ordering: Use the 2-digit color number to replace XX in the item number.





# **Rock Solid System**

Built to withstand the elements and the occasional natural disaster! This custom model meets Florida's hurricane wind load standards and is as heavy duty as they come featuring an extra large schedule  $80~(4\frac{1}{2})$ " gooseneck pole.

Includes schedule 80 gooseneck pole, 234A aluminum fan backboard, 00251H00 heavy-duty playground goal, and chain net.

175340FL





#### **Championship System**

Rigid feel and authentic rebound characteristics make this unit the best value in home basket-ball systems. 4" square pole has extension arm and sway braces to enhance unit stability. The direct goal mount provides superior strength and rigidity to the 48" x 36" acrylic backboard.

Includes backboard system, goal, nylon net, & mounting hardware.

092320FG Syste 00324648 Back

System

Backboard Pad



#### **Court Stencil Kit**

Stencil kit provides ease of painting official court lines on asphalt or other surfaces in only minutes. Stencil sections are easily taped in place while paint is applied through the stencil holes using a roller provided with kit. Paint not included.

01209000



#### GTLL® 6' Pole Pads

**Lace-Up Pad:**  $1\frac{1}{2}$ " thick polyurethane foam pad is 6' tall and fits  $3\frac{1}{2}$ "  $-4\frac{1}{2}$ " pole diameters. 15 oz vinyl cover available in 14 colors. Lace closure.

000690XX Lace-Up Pad

000690XXSP Lace-Up Pad with Graphics

**Deluxe Pad:** 4" thick polyurethane foam pad is 6' tall and fits  $4\frac{1}{2}$ "-5%" pole diameters. 15 oz vinyl cover available in 14 colors. Hook and loop closure.

001870XX 001870XXSP Hook-And-Loop Closure Pad Hook-And-Loop Closure Pad with Graphics



# TRAINING & CONDITIONING



#### **Soft Plyoboxes**

Less intimidating than steel boxes for the developing athlete. Standard 28"x 28" blocks. 3" block is built with 2.2# density polyethylene foam, other sizes with 1.8# which provides stability, shock attenuation, and performance. Boxes are secured for stacking with industrial strength hook and loop fastener. Durable vinyl cover. All boxes are less than 28 lb. and have two reinforced handles for portability.

TA203 3" Box		TA218 18" B	
TA206	6" Box	TA224	24" Box
TA212	12" Box	TA225	Set of 5



Constructed of sturdy and durable 1" square steel tubing and anti-skid rubber top platform, steel plyoboxes are a great way for athletes to improve leg power, speed, and strength. Easily stack with tapered leg design.

(Mat not included).

TA3060	6" Box	TA330	30" Box
TA312	12" Box	TA336	36" Box
TA318	18" Box	TA342	42" Box
TA324	24" Box		

TA301 Set of 4

Includes 12", 18", 24", and 30" boxes

TA300 Set of 6

Includes 12", 18", 24", 30", 36" and 42"



# Vertec™ Jump Measuring Device

- Effective, easy-to-use jump training tool
- Measures from 6-12'
- Height scale and color coded vanes offer halfinch measurement for immediate feedback
- Handy, attachable rod to align or reset vanes

TA195






# **Agility Dots**

Easy to use dots ideal for hard surfaces like gymnasium floors. Create patterns for challenging footwork. Easy to see bright colors. Set of 6.


#### TA1694



# **Agility Poles**

Excellent for marking agility courses and drills. 5' tall poles force players to maintain optimum posture during exercises. New bases can be filled with sand for extra stability. Includes 4 bases and 4 poles.

TA1850



#### **Dot Drill Mat**

Every athlete can benefit by doing agility drills using this Dot Drill Mat. The Dot Drill Mat measures 3' x 4' x  $^3$ /s" with five integrated rubber dots.

#### TA1425



# **Agility Ladder**

Footwork training for advanced speed, balance, and coordination. Composed of 7'6" ladder sections to determine length. Easily connects with other ladders. Nylon webbing with durable flat poly slats. Includes carry bag.

TA1681 30' Ladder



#### Mini Bands

2" Wide x 13" Long Bands. Perfect for warmups, drills, and strengthening hip muscles. 10 bands per pack.

TA1741L Light Resistance
TA1741M Medium Resistance
TA1741H Heavy Resistance

# TRAINING & CONDITIONING



#### PowerMax® Rubber Medicine Balls

Synthetic rubber ball suitable for all sports. Perfect for bounce drills. Can be used indoor and outdoor. Color coded for easy weight identification.

TA106	Purple 1K (2.2 lb), 6.5" diameter
TA108	Yellow 2K (4.4 lb), 7.5" diameter
TA109	Green 3K (6.6 lb), 9.5" diameter
TA110	Red 4K (8.8 lb), 9.5" diameter
TA111	Blue 5K (11 lb), 10.5" diameter
TA112	Orange 6K (13.2 lb), 11" diameter
TA131	Gray 7K (15.4 lb), 11" diameter
TA132	Black 8K (17.6 lb), 12" diameter



# **Stability Balls**

Excellent for balance, abdominal work and stretching. Each ball is fabricated from the finest vinyl designed to support 500 lbs of weight. Ball size used according to athlete's height. Shipped deflated.

TA1805	55cm 5'-5'8"
TA1806	65cm 5'8"-6'2"
TA1807	75cm 6'2"+



# PowerMax® V2 Medicine Balls

All balls are 14" in diameter, impact absorbing, and moisture resistant with an 18 oz. flexible polyurethane shell textured for grip. The hand-sewn casing design and expert ball construction ensure that the implement remains dimensionally stable, balanced, and maintains the impact absorbing properties. One year warranty.

TA1362	6 lb
TA1363	8 lb
TA1364	<b>1</b> 0 lb
TA1365	12 lb
TA1366	14 lb
TA1367	<b>1</b> 6 lb
TA1368	18 lb
TA1369	20 lb




#### **Speed Ropes**

Speed ropes have a stainless steel cable encased in plastic for maximum speed. They feature ball bearings at handles and are fixed lengths. All ropes come with a carry bag for easy storage.

TA128	9' Speed Rope
TA1281	10' Speed Rope





US made 11 gauge steel frame sled features a space-saving design that is less than 7" high when folded, replaceable/removable runners for use on a variety surfaces, and quick release pins for fast set-up and breakdown. The versatile sled accommodates all sizes of athletes with adjustable width push posts (12-21"W x 32"H) and multiple push/pull options.

Sled holds up to 360lb on a 15" long x 2" diameter post that can fit four 45lb bumper plates or eight traditional steel 45lb plates. The sled can be used without the posts to provide different loading applications.

Sled includes leads and a harness.

TA155



#### **Power Pad**

Sprint, jump, hop and rehab, all within the confines of the low-impact, energy-absorbing Power Pad which magnifies the intensity of any upright exercise. 48"L x 48"W x 24"H

TA194



## **Step Hurdles**

Improves knee lift and step quickness. Use with forward and lateral drills. Constructed of durable PVC tubing. 18" width. Lightweight for easy carrying and storage.

TA167 6" Hurdle
TA166 12" Hurdle
TA16618 18" Hurdle
TA16624 24" Hurdle



#### **Reflex Ball**

Specially designed ball to improve reaction time and eyehand coordination. Non-marking rubber provides unpredictable bounce.

TA144 Reflex Ball



## **Therapy Roller**

Roll across the target area to relieve muscle soreness or tightness.

TA3620 Standard Foam Roller



## **Stretch Out Strap**

Eight 8" handles provide for a variety of stretches. Length: 62" Width: 4" Thickness: .5"

TA1781 62" Stretch Out Strap

# SPECIALTY PADS







DURA SAFE FIRE SAFE SUPER SAFE





# CONFIGURED COLUMN AND CORNER PADS

Pads configured to your specified dimensions for a custom fit on exposed wall corners or columns. Rigid backed pads are 2" polyethylene foam bonded to 7/16" wood board and covered in 19 oz vinyl. Sewn pads are 2" polyethylene foam covered in 15 oz vinyl. Available in 14 colors. 1" nailing margins on top and bottom for ease of installation. DuraSafe and SuperSafe pads meet ASTM F2440 impact protection. FireSafe and SuperSafe pads entire assembly is ASTM E-84 Class "A" fire rated and tested in accordance to meet IBC and NFPA 101 code requirement.

#### 2 Sided Pads

2'x6' or less; worksheet required

90216026XX	2' x 6' DuraSafe™ Sewn
90206026XX	2' x 6' DuraSafe™ Rigid Backed
90208026XX	2' x 6' Firesafe™ Rigid Backed
90207026XX	2' x 6' SuperSafe™ Rigid Backed

4'x8' or less; worksheet required

90216048XX	4' x 8' DuraSafe™ Sewn
90206048XX	4' x 8' DuraSafe™ Rigid Backed
90208048XX	4' x 8' Firesafe™ Rigid Backed
90207048XX	4' x 8' SuperSafe™ Rigid Backed

#### 3 Sided Pads

4'x8' or less; worksheet required

90316048XX	DuraSafe™ Sewn
90306048XX	DuraSafe™ Rigid Backed
90308048XX	FireSafe™ Rigid Backed
90307048XX	SuperSafe™ Rigid Backed



Wall and Panel Attachments



Wall and Channel Attachments

# **Wall Pad Mounting Clips**

An attractive, convenient alternative to permanently attaching wall pads that will provide your facility with a clean, neat appearance. The Z-Clip securely locks wall panels in place and allows worn pads to be easily removed for repair or replacement.

347100 347200 347300 Z-Clip Wall Attachment, 6' Z-Clip Panel Attachment, 1'10" Z-Clip Channel Attachment, 6'



#### "I" Beam Pad

6' tall pad with 2" polyethylene foam covered in 15 oz vinyl. Available in 14 colors. Attaches with hook and loop strips.

3560XX 6"-8" Wide Beams 3562XX 8"-10" Wide Beams 3563XX 10"-12" Wide Beams



#### **Molded Inserts**

The perfect solution when cutouts are required for electrical outlets and switches. Inserts fit through field cutouts and are stapled in place on the backside of the pad. Inserts are molded in a flame-retardant rubber and accommodate pad thickness of 2-3". Available in two sizes to fit single-gang and double-gang electrical boxes .

Patent No. 6,769,562

Grav

343001 Single-Gang Gray 344001 Double-Gang Gray

Graphite

343101 Single-Gang Graphite 344101 Double-Gang Graphite



# porter

#### **Wall Pad Sleeve**

Custom wall pad sleeve kits provide a finished appearance in wall pad installations when cutouts around large fixtures are necessary. Sleeve kits are easily installed through field cutouts in panels and are secured with staples on the backside of the pad. Sleeves are molded in a flameretardant rubber. One kit includes four corner pieces and two 4' long side rails. Side rails may be cut to size in field to fit custom cutout applications. Insert kit fits all 2" thick Porter wall pads. Patent No. US10392815B1

Gray

90343001



# Stage Pads

Pads configured to your specified dimensions for a custom fit. Panels are supplied in easily removable sections allowing easy set up and removal for stage activities or to access storage. Rigid-Backed pads are 2" polyurethane foam bonded to 7/16" wood board and covered with 19 oz vinyl. Sewn pads are polyethylene foam and are covered with 15 oz vinyl. Available in 14 stock colors.



960550XX Sewn Pad 960550XXSP Sewn Pad With Graphics

960560XX DuraSafe™ Rigid Backed Pad 960560XXSP DuraSafe™ Rigid Backed Pad With Graphics

960570XX SuperSafe™ Rigid Backed Pad
960570XXSP SuperSafe™ Rigid Backed Pad With Graphics

960575XX FireSafe™ Rigid Backed Pad

960575XXSP FireSafe™ Rigid Backed Pad With Graphics

#### Storage Strip

 $1\frac{1}{2}$ " wide rigid hook and loop strip is encased in a 4' long anodized aluminum strip for ease of mounting.

14444

#### Vinyl Colors:



When Ordering: Use the 2-digit color number to replace XX in the item number.

# **WALL PADS**







SAFE



SAFE



**GRAPHICS** 



# All Porter Wall Pads feature:



5 YEAR LIMITED WARRANTY

- Pads Available With ASTM F2440 Impact Protection And/Or ASTM NFPA 286 Certification
- Foam Bonded To 7/16" Oriented Strand Board (OSB)
- Entire Pad Covered In Heavy 19oz Vinyl
- Vinyl has a 100PSI Tensile Strength With Leather-like Finish
- Custom Graphic Printing And 14 Vinyl Colors Available
- Mildew And Rot Resistant
- Custom Sizes Available, Call For More Details

**Custom Graphics** Call For Pricing Add SP to end of item #





#### Vinyl Colors:

































When Ordering: Use the 2-digit color number to replace XX in the item number.



Give your court a true home team advantage with custom printed graphic wall pads! Simply provide your logo vector artwork and our design team works with you to create a stunning display.

PAD FEATURES

Custom Graphics Add SP to end of item # Call For Pricing





Stock Pads

5610XX

Meets or exceeds impact standards.

Configured Pads

9056128XX

9056138XX 9056148XX





Meets ASTM F2440 Impact Protection Standard

2" Foam (Each)  5601XX 2' x 6' (No Margins)  5600XX 2' x 6' (Nailing Margins)  560281XX 2' x 8' (No Margins)  560280XX 2' x 8' (Nailing Margins)		2" Foam (Each 9056026XX 9056028XX 9056038XX 9056048XX	2' x 6' or less 2' x 6' to 2' x 8' Custom 2' x 8' to 3' x 8' Custom 3' x 8' to 4' x 8' Custom
3" Foam (Each) <b>5611</b> XX	2' x 6' (No Margins)	3" Foam (Each	2' x 6' or less

Meets or exceeds fire codes.

2' x 6' to 2' x 8' Custom 2' x 8' to 3' x 8' Custom

3' x 8' to 4' x 8' Custom





Entire Pad Assembly is ASTM E-84 Class "A" Fire Rated

2' x 6' (Nailing Margins)

Tested in accordance with NFPA 286 to meet IBC and NFPA 101 code requirements

Stock Pads		Configured Pad	S
2" Foam (Each		2" Foam (Each)	
5751XX	2' x 6' (No Margins)	9057526XX	2' x 6' or less
5750XX	2' x 6' (Nailing Margins)	9057528XX	2' x 6' to 2' x 8' Custom
575281XX	2' x 8' (No Margins)	9057538XX	2' x 8' to 3' x 8' Custom
575280XX	2' X 8' (Nailing Margins)	9057548XX	3' x 8' to 4' x 8' Custom
3" Foam (Each	]	3" Foam (Each)	
5761XX	2' x 6' (No Margins)	9057626XX	2' x 6' or less
5760XX	2' x 6' (Nailing Margins)	9057628XX	2' x 6' to 2' x 8' Custom
		9057638XX	2' x 8' to 3' x 8' Custom
		9057648XX	3' x 8' to 4' x 8' Custom





# SuperSafe™ Pads

Meets or exceeds impact & fire codes.







- e Rated
- Tested in accordance with NFPA 286 to meet IBC and NFPA 101 code requirements



•	Weets ASTWIT 2440 Impact Protection Standard
•	Entire Pad Assembly is ASTM E-84 Class "A" Fire

Stock Pads 2" Foam (Each 5701XX 5700XX 570281XX 570280XX	2' x 6' (No Margins) 2' x 6' (Nailing Margins) 2' x 8' (No Margins) 2' x 8' (Nailing Margins)	Configured Pads 2" Foam (Each) 9057026XX 2' x 6' or less 9057028XX 2' x 6' to 2' x 8' Custom 9057038XX 2' x 8' to 3' x 8' Custom 9057048XX 3' x 8' to 4' x 8' Custom
3" Foam (Each <b>5721</b> XX <b>5720</b> XX	2' x 6' (No Margins) 2' x 6' (Nailing Margins)	3" Foam (Each) 9057226XX 2' x 6' or less 9057228XX 2' x 6' to 2' x 8' Custom 9057238XX 2' x 8' to 3' x 8' Custom 9057248XX 3' x 8' to 4' x 8' Custom





# 2 0 2 2 B A S K E T B A L L

# Porter



GOALS | BACKBOARDS | PORTABLES | WALL PADS

PORTERATHLETIC.COM 601 MERCURY DRIVE | CHAMPAIGN, IL 61822 888.277.7778
SALES@PORTERATHLETIC.COM