



EQUIPMENT COLLECTIO









Portables & Accessories

Goals

Indoor Backboards

Backboard LEDs

Outdoor Backboards

Wall Mount Backstops

Accessories

Facility Equipment

Outdoor Fixed Systems

Outdoor Adj. Height Systems

Training & Conditioning

Specialty Pads

Wall Pads

## THE STARTING LINEUP

Whether you're hosting conference championships or setting up extra shooting stations, Porter keeps your facility and budget in mind. From the arena-level 1835, to the high-performing and versatile 1135, to the thoughtfully designed 735 shooting station, Porter partners with you all season long to deliver a high-performance playing experience, smooth installation and set-up, and outstanding service and support. Building a successful program starts with equipment you can trust.





## 1835 PORTABLE BACKSTOPS

#### **MOTORIZED BACKSTOP OPTIONS**

1835108MCXXYY 10'8" (3.25m) Extension \$27.445 (ea) 1835080MCXXYY 8' (2.44m) Extension \$26,940 (ea)

#### MANUAL BACKSTOP OPTIONS

1835108CXXYY 10'8" (3.25m) Extension \$24,495 (ea) 1835080CXXYY 8' (2.44m) Extension \$23,740 (ea)

#### **CUSTOMIZE**

FITG00430

1834CXX **Boom Pad** \$318 183830 Mast Mount Shot Clock Support \$1,186 183850 **Platform Mount Shot Clock Support** \$1,290 183860 \$572 Rear Shot Clock Support Page 20 Perimeter Backboard Lights Page 11 Replacement Pads Graphic Pad Set Page 11

> Floor Anchor Extension Bracket \$645

See Page 10



#### Fach Portable Unit Includes:



Center-Strut Glass Backboard



Pro-Pad Bolt-On Backboard Padding



TFX Goal with Anti-Whip Net




Exclusive Self-Docking Anchor Trays (Patent No. 10,238,944)



Floor Anchors

#### 1835 Dimensions

	1835108	1835080			
Α	10'8"	8'			
В	6'8"	4'			
	IN STORAGE				
(H)	7'3"	7'1"			
(L)	15'1"	13'10"			
(\\\)	6'4"	6'4"			



#### Vinyl Colors: (xx)



























## 1135 PORTABLE BACKSTOPS

#### **BACKSTOP OPTIONS**

1135080CXXYY Manual 8' (2.44m) Extension \$14.685 (ea)

1135080BCXXYY Extra Ballast Manual 8' (2.44m) Extension

\*Floor Anchors Not Required for Extra Ballast Backstops

**CUSTOMIZE** 

FITG00300

1134CXX **Boom Pad** \$318 Mast Mount Shot Clock Support 113130 \$1,290 113150 **Platform Mount Shot Clock Support** \$1,290

See page 20 Perimeter Backboard Lights

Replacement Pads See page 11 See page 11 Graphic Pad Set

**Locator Cup Kit** \$722





Each Portable Unit Includes:



Pro-Pad Bolt-On Backboard Padding



**Exclusive Self-Docking Trays (Optional)** At additional Cost (Patent No. 10,238,944)

Integrated Plumbing and Levelling Features

Torq-Flex Competition Goal with Anti-Whip Net




Floor Anchors

1135 Dimensions

Center-Strut

Glass Backboard

	1135080
Α	8'
В	4'
	IN STORAGE
(H)	6'8"
(L)	13'7"
(W)	6'4"





Vinyl Colors: (xx)















Powder Coat Colors: (YY)











## 735 PORTABLE BACKSTOPS

#### **BACKSTOP OPTIONS**

735050CXXYY Manual 5' (1.52m) Extension \$12,135 (ea) 735050BCXXYY Extra Ballast Manual 5' (1.52m) Extension

**CUSTOMIZE** 

007375


**Shot Clock Support** \$1,025

\*Floor Anchors Not Required for Extra Ballast Backstops

Perimeter Backboard Lights See page 20 See page 11 Replacement Pads See page 11 **Graphic Pad Set** 

FITG00300 **Locator Cup Kit** \$722

FITG0047X Floor Anchor Kit Options **Contact Porter** 







Each Portable Unit Includes:



Center - Strut Glass Backboard



Pro-Pad Bolt-On Backboard Padding




Ultra-Breakaway Competition Goal with Anti-Whip Net



Floor Anchor Kit (Optional)

#### 735 Dimensions





Vinyl Colors: (xx)						
01	02	03	04	05		
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE		
06	08	09	10	11		
YELLOW GOLD	TAN	GRAY	MAROON	PURPLE		
12 BLACK	13	14 KELLY GREEN	15 DARK GREEN			
BLACK	NAVI BLUE	KELLI GREEN	DARK GREEN			

#### Danielan Cast Calana and

Powder Loat Loiors: (YY)					
01	02	03	04	05	
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE	
06	07	08	09	10	
YELLOW GOLD	SILVER	OLD GOLD	GRAY	MAROON	
11	12	13	14	15	
PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN	







Portable Shown With Optional Shot Clock Support



CUSTOM GRAPHICS AVAILABLE

735 SERIES

New-and-improved design features make this portable a top choice for both competitive team practices and recreational play.

A unique tension spring assist folding mechanism concealed in the base provides instant and effortless height adjustments from storage position to 8' 9' or 10' goal heights. An improved anchoring method includes one tie-down threaded anchor at the rear position and two screw-type level jacks in the front for simplified setup. Updated frame and boom construction provides maximum durability.

Porter's Center-Strut direct goal-mount system withstands slam dunking and prevents glass backboards from shattering.

- SPRING OPERATED
- SCREW-TYPE LEVELING JACKS
- THREADED KNOB TIE-DOWN SYSTEM
- UPDATED FRAME AND BOOM
- 2" THICK FRONT PADDING
- 4 NON-MARKING SWIVEL CASTER WHEELS
- ADJUSTABLE TO 8',9', AND 10' GOAL HEIGHTS



porter



## **PORTABLE ACCESSORIES**



#### 1835 Floor Anchor Extension Bracket

Optional tie down bracket recommended for portable floor with less than 4' from the edge of the floor to the rear of the portable. Includes bracket, chain, and anchor.

FITG00430 \$645



#### **Floating Floor Type Anchor**

Two part system to allow movement and expansion of wood floor where flooring does not exceed 3 \(^7/8\)" total thickness. Anchor installs after finished floor is in place by means of a double acting masonry anchor. 5" chrome or brass plated cover assembly consists of molded plastic recessed mounting flange, cork gasket and swivel type retainer pin. Specify extended shaft handwheel for use on floor mounted equipment.

 00249000
 Anchor w/ Chrome Cover
 \$305

 00249200
 Anchor w/ Brass Cover
 \$305

 HAND0001000
 Handwheel w/Stud ½"-3½"
 \$55

 HAND00027000
 Handwheel w/Stud ½"-2¼"
 \$31

 HAND00067000
 Handwheel w/Stud ½"-3¾"
 \$27







#### **Sleeper Anchor**

Designed for use in sleeper floors where anchorage into both concrete slab and wood floor is desirable. Top plate is  $3\frac{1}{2}$ " diameter and is threaded to provide adjustment to floor surface.

00244000 \$243

#### Portable Floor Type Anchor

Designed specifically for installation on a professional type portable wood flooring system. Anchor is identical to the 3½" diameter chrome plated top plate assembly as used on the No. 00242100 floor anchor with the addition of flat head machine screws and a heavy steel reinforcing plate which is mounted under the portable floor panels to properly distribute loading on the wood sections.

00242900 \$274

#### **Expansion Anchor**

The industry's favorite. Ideal where there is at least 6" of concrete. Expansion shield provides super holding power. Anchor is  $1\frac{1}{2}"$  diameter minimizing metal surface on gym floor. Top portion of anchor may be removed for cleaning and washers may be added or removed to keep surface of anchor flush with floor.

00247100 \$224

#### Thin Concrete Anchor

Designed for maximum holding power through thin channel lock wood or synthetic floors into concrete sub-floors of minimal thickness. Four double acting expansion anchors provide an ultimate pull-out load of 8,200 pounds when properly installed. Top plate is 3½" diameter and is polished and chrome plated.

00242100 \$184





# 180° BREAKAWAY & FLEX GOAL













Designed for premier facilities who experience a volume of top-level talent. The Porter TFX Goal absorbs the impact from all directions reducing the shock into a player's hands. Typical arena rims have the ability to only either flex or breakaway. The TFX combines both technologies to provide desired flexibility that is within NBA rules and requirements.

280180 \$1,205

- 180 DEGREE BREAKAWAY & FLEX GOAL
- BREAKAWAY RELEASE ADJUSTABLE FROM 180-250 LBS
- 5" x 4" TO 5" x 4 ½" MOUNT PATTERN
- RING CONSTRUCTED WITH 5%" ALLOY STEEL
- INCLUDES NET & MOUNTING HARDWARE
- TUBE TIE NET ATTACHMENT





meets requirements for FIBA NCAA NFHS

# TORQFLEX®

ELITE



## Torq-Flex® Elite Goal

Designed for premier facilities that experience a volume of top-level talent. Porter's Torq-Flex Elite Goal reduces the impact into a player's hand from all directions. Unlike standard flex goals, Torq-Flex Elite flexes on all sides of the rim providing equal flexibility regardless of the approach.

#### 260180

\$1,045

- 180 Degree Flex Goal
- 5" x 4" to 5" x 4½" Mount Pattern
- Ring Constructed With 5/8" Alloy Steel
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment













COMPETITION



#### Torq-Flex® Competition Goal

Robust design with 180 degree flex that is perfect for competition play in high school, college, and recreational facilities.

#### 240180

\$544

- 180 Degree Flex Goal
- 5" x 4" to 5" x 4½" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment



**5** YEAR LIMITED WARRANTY



meets requirements for NCAA NFHS

# POWRFLEX

ELITE



#### **Powr-Flex Elite Goal**

Exceptional strength and performance are achieved by the unique concealed shock absorber mechanism.

Goal Centers 5" x 4" to 5" x 41/2"


22302 \$652

Goal Centers 5" x 5"
23302 \$652

Flex Goal

- 5" x 4" to 5" x 4½" Mount Pattern
- √ 5" x 5" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment







COMPETITION



#### **Powr-Flex Competition Goal**

An economical competition flex goal

Goal Centers 5" x 4" to 5" x 4½" 236154 \$350

Goal Centers 5" x 5" 236H00 \$350

5" x 4" to 5" x 4½" Mount Pattern

5" x 5" Mount Pattern

Includes Net & Mounting Hardware

Tube Tie Net Attachment

5 YEAR LIMITED WARRANTY



meets requirements for NCAA NFHS

# ULTRA BREAKAWAY



## ULTRA BREAKAWAY

COMPETITION



#### **Ultra Breakaway Competition Goal**

A true breakaway goal designed with a positive lock mechanism that releases with a 180 lb. static load

236054

\$379

Breakaway Goal

5" x 4" to 5" x 4½" Mount Pattern

Includes Net & Mounting Hardware

Tube Tie Net Attachment





meets requirements for NCAA NFHS





#### **Heavy-Duty Playground Goal**

This indestructible goal is the most rugged outdoor goal available with solid double 5/8" diameter rim design.

00251H00 \$323

5" x 5" Mount Pattern



Includes Net & Mounting Hardware





#### **Double Rim Playground Goal**

Heavy-duty, double rim construction makes this front-mount goal withstand rugged playground use.

00202H00 \$235

5" x 5" Mount Pattern



Includes Net & Mounting Hardware



1 YEAR LIMITED WARRANTY



#### **Super Goal**

Heavy-duty regulation front-mount goal has extra high-tensile strength steel and rugged 5/8" diagonal support bracing.

Goal Centers 5" x 4" to 5" x 41/2" 00225000 \$152 Goal Centers 5" x 5" \$161

00235000

5" x 4" to 5" x 41/2" Mount Pattern

5" x 5" Mount Pattern

Includes Net & Mounting Hardware



**1** YEAR LIMITED WARRANTY



#### **Rear Mount Goal**



Heavy-duty, rear-mount goal with welded support brace makes this the top replacement goal for old style fan steel banks.

Goal Centers 35/8" x 3" 00210000

\$439





Includes Net & Mounting Hardware





## INDOOR BACKBOARDS





Center - Strut Glass Backboard





236154 Powr-Flex Competition Goal

Pro-Pad Bolt-On Backboard Pad

## Center-Strut™ Rectangular Glass Backboard

This official size 72" x 42" backboard with three point attachment support frame is designed for use only on direct goal mount (Center-Strut) support structures. Brushed aluminum extrusions secure  $\frac{1}{2}$ " thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty when installed on Porter Center-Strut support systems. Backboard padding is not included but is recommended for player safety. Goal mount centers 5" x  $4\frac{1}{2}$ ".



208 72" x 42" Backboard \$1,200 208L1 72" x 42" Backboard with LEDs \$1,620

-)—— 20810CXX Center-Strut Package

\$1,725

INCLUDED: 208 Backboard, 236154 Powr-Flex Competition Goal, Pro-Pad Backboard Pad





#### **Pro-Strut Rectangular Glass Backboard**

72" x 42" or 72" x 48" backboard includes a vertical Center-Strut goal support and four corner attachment support frame. This design allows installation on wall-mount units, double drop overhead supported units or old style support system. Brushed aluminum extrusions secure  $\frac{1}{2}$ " thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty. Backboard padding is not included but is recommended for player safety. 204/204L1 goal mount centers are 5" x  $\frac{41}{2}$ ". 206 goal mount centers are 5" x 5".



 204
 72" x 42" Backboard
 \$1,240

 204L1
 72" x 42" Backboard with LEDs
 \$1,595

 206
 72" x 48" Backboard
 \$1,395

20410CXX Pro-Strut Package \$1,770

INCLUDED: 204 Backboard, 236154 Powr-Flex Competition Goal, Pro-Pad Backboard Pad



#### **Pro-Strut Conversion Glass Backboard**

No additional support structure or hardware is needed to replace a standard fan shaped backboard with this rectangular glass backboard. The two vertical struts with fan shaped backboard mounting centers include all the necessary hardware. Brushed aluminum extrusions secure ½" thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty. Backboard padding is not included but is recommended for player safety goal mount centers are 5" x 4½" or 5" x 5".



205A 72" x 42" Backboard \$1,240


205A10CXX Pro-Strut Package \$1,770

 ${\it INCLUDED: 205A Backboard, 236154 Powr-Flex Competition Goal, Pro-Pad Backboard Pad}$ 





## **BACKBOARD LED KITS**



#### For Use With Center-Strut Backboard

820801	LED light set with synchronizer	\$997	820401	LED light set with synchronizer	\$997
820802	LED light set with Daktronics cord	\$563	820402	LED light set with Daktronics cord	\$563
820803	LED light set with Nevco cord	\$563	820403	LED light set with Nevco cord	\$563



As the only gymnasium equipment provider on contract with Sourcewell (formerly NJPA), you can count on Porter to offer outstanding options for all your gymnasium equipment needs. For over 100 years, the game's been played on Porter, and now it's easier than ever to make a purchase.

Sourcewell (formerly NJPA) create national cooperative contract purchasing opportunities and solutions on behalf of its members which include all government, education and non-profit agencies nationwide. These cooperative contract purchasing opportunities present both time and money savings for users.

For Use With Pro-Strut Backboard



## **OUTDOOR BACKBOARDS**



#### Fiberglass Backboards

The 54" x 39" fan or official size 72" x 42" rectangular backboards are molded from fiberglass. Perimeter flange and structural rib pattern are  $1\frac{1}{2}$ " deep for rigidity and superior rebound qualities. Official perimeter and target area are screened. Threaded inserts on fan backboard mounting centers allow mounting on any standard support structure. Additional holes are provided for attachment to Center-Strut support system. Goal mount centers 5" x  $4\frac{1}{2}$ " to 5" x 5". Backboard padding is not included but is recommended for player safety.

216 Rectangle Board \$1,055 267 Fan Board \$557





#### **Aluminum Backboards**

This 54" x 39" backboard is made from cast aluminum with continuous reinforcing ribs on the backside. Perimeter flange and ribs are 1  $\frac{1}{4}$ " thick for maximum strength. White powder coat finish with official perimeter and target area screened in orange. Goal mount centers 5" x 5".

234A White/Orange Board \$777





#### **Steel Backboards**

72" x 42" backboards are designed to withstand rugged play and severe weather conditions. Heavy, 11 gauge steel face has ¼" diameter perforations to minimize wind resistance. Official perimeter and target area are screened on solid steel. Unitized steel support frame has attachment holes on fan backboard mounting centers allowing installation on existing support structures with optional mounting kit. Goal mount centers 5" x 5". Backboard padding is not included but is recommended for player safety.

207 72" x 42" Board \$1,480



## **WALL MOUNT BACKSTOPS**



#### 219 Up-Fold Series

Backstop folds up with hoisting winch for compact storage of both framework and backboard. Special offset hinge fitting arrangement allows backstop to fold nearly flat against a wall. Backstop extension is available in any dimension from 4' to 12' from the wall.



#### 220 Side-Fold Series

Backstop folds to side for economical, compact storage. This style is recommended where low ceiling height or obstructions prohibit other folding methods. Backstop is operational from the floor with a telescoping diagonal brace system with a special locking mechanism. Offset hinge fitting allows backstop to fold nearly flat against a wall. Extension is available in any dimension from 4' to 12' from the wall.



## CALL TODAY FOR PRICES

#### RECOMMENDED FOR ALL UP-FOLD WALL MOUNT BACKSTOPS:

10797120 Safety Strap Kit (For Unit Without Height Adjuster) 10797121 Safety Strap Kit (For Unit With Height Adjuster)





#### 312 Stationary Series

Simple, rigid diagonally braced design supports backboard at any extension from .5' to 12' from the wall. Porter's Center-Strut backstops are designed with a direct-mount system which provides a structural mounting support plate directly behind the goal eliminating any strain on the backboard during aggressive play.







#### **Column Mount Systems**

Designed for mounting a fan-shaped backboard and goal to an exposed straight or sloped column (maximum flange width of 15"). Center-Strut direct goal mount design eliminates any strain on the backboard during aggressive play. Unit includes extension frame with special attachment assemblies and mounting hardware only. Fan backboard and goal separately. Available with Center-Strut manual height adjustment feature which allows goal height settings from 8'-10'. We recommend column padding for player safety.

00310100 00311100 Fixed Height System Height Adjuster System

#### **Outdoor Wall Mount System**

Fully welded heavy-duty steel frame is galvanized after fabrication for a finish that's durable enough to last a lifetime! Center-Strut direct goal mount design eliminates any strain on the backboard during aggressive play. Backstop extends 4' from the wall. Unit includes a 234A aluminum backboard and a 00251H00 heavy-duty playground goal with chain net to provide the utmost in durability. Wall mounting bolts and anchors not included.

01312400 \$1,513



## **ACCESSORIES**



#### Pro-Pad Bolt-On Backboard Pads

Featuring self-tapping screws, the Pro-Pad is the easiest backboard pad in the industry to install. The improved 2-hole design is extremely durable and is manufactured with a tough molded urethane skin that is painted in the mold with a color matched urethane paint to provide the exterior with uniform colored appearance. Meets all competition requirements of the NBA, NCAA, NFHS and International requirements of FIBA. **Pads one backboard.** 

00000000	0	¢070
00326000	Gray	\$273
00326100	Red	\$273
00326200	Royal Blue	\$273
00326210	Navy Blue	\$273
00326300	Kelly Green	\$273
00326310	Dark Green	\$273
00326400	Maroon	\$273
00326500	Orange	\$273
00326600	Black	\$273
00326700	Purple	\$273
00326800	Yellow Gold	\$273
00326220	Light Blue	\$273







#### Recreational Backhoard Pads

Pads molded from self-skinning type urethane foam for a tough, UV resistant exterior skin. Two pad sections are self aligning with interlocking joints and molded in an L-shape providing proper drainage for outdoor use. Bolt on installation using steel inserts and special self-drilling, self-tapping type hardware. For indoor or outdoor use. Available in black only. **Pads one backboard.** 

00324654	54" Wide Pad	\$234
00324672	72" Wide Pad	\$260





#### Fair-Court® System

The Fair-Court rim testing system is designed to fairly and accurately measure the rebound performance of the rim and entire support system. This testing is essential in order to begin solving the problem of inconsistent rebound performance found in inferior or worn equipment, to minimize the home court advantage and to improve the integrity of the game of basketball.

System is furnished complete in a compact carrying case to properly transport and store the entire unit. Unit breaks down easily into three sections for compact storage.

ERTD2003NCAA \$3,484







**Chain Net** 

Zinc-plated for maximum weather resistance and furnished with twelve, extra heavy-duty "S" hooks for attachment to any outdoor rim.

00161000 \$40 (ea)





#### **Net Tube-Tie Cord**

Replacement nylon cord for our tube-tie basketball goal system. Includes hardware.

ROND00123100 \$7.75



### **Tamper Proof Goal Hardware**

Wards off the most determined theft or vandalism attempts! Set of four round head bolts with special high security nuts using a torque limiting breakaway head section combined with a free turning protective sleeve. For use on any Porter standard front-mount goal. No special tools are required for installation.

01218000

\$59

## **GYM ACCESSORIES**







#### Seiko Table Top Scoreboard

Scores multiple sports and can be used as a stopwatch countdown timer or pacer. Backside control panel or wireless remote (included) operation. High visibility LED display. Programmable game timer counts up or down from 99:59 with scores for two teams up to 199. Buzzer when timer reaches zero, or can be manually controlled.

83201	Scoreboard	\$1,570
83203	Caster Stand	\$447
83204	Additional Remote	\$98
83202	Carry Bag	\$157

#### Seiko Portable Shot Clock

Shot clock meets International Basketball regulations. Includes two display units, controller box, two connection cables and power cable. Features two re-settable preset times and high visibility LED digits at 9.84". Can be set from 1-99 seconds. Buzzer when countdown reaches zero. Small display in the control box.

83205	Shot Clock	\$1,485
83203	Caster Stand	\$447



### Floor Cover System

- Tough 19 oz Polyester-Reinforced Vinyl
- Meets NFPA 701, UL-214, and CA Fire Marshall Fire Requirements
- 7 Year Warranty Against Defects in Materials/Workmanship On Cover
- Passes ASTM E84: Class A

An economical way to use your gymnasium as a multi-use facility. Protects your floors and helps reduce maintenance and refinishing expenses. The Porter floor cover transport and storage cart provides a quick and easy method to install and remove floor covers over large areas, with only two people.

#### 10' Standard Width Vinyl-Coated Floor Cover Fabric

Specify length and color when ordering. 120' max per roll. 92418XX 19 oz Vinyl

		•	•
Transport/S	Storage Carts		
2404	4 Roller	(max. 40' x 120' / 4,800 ft <sup>2</sup> )	\$2,158
2406	6 Roller	(max. 60' x 120' / 7,200 ft <sup>2</sup> )	\$2,605
2408	8 Roller	(max. 80' x 120' / 9,600 ft <sup>2</sup> )	\$3,156
2410	10 Roller	(max. 100' x 120' / 12,000 ft <sup>2</sup> )	\$3,744
2412	12 Roller	(max. 120' x 120' / 14,400 ft <sup>2</sup> )	\$4,311
	Sold Sepa	arately	






Non-Marking Locking Casters

Hook and Loop

Attachment System

\$20 / In ft









Standard Hand Crank



Optional Power Winder

#### Vinyl Colors:

01	02	03	04	05
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE
06	08	09	10	11
YELLOW GOLD	TAN	GRAY	MAROON	PURPLE
12	13	14	15	
BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN	

**When Ordering:** Use the two-digit color number to replace XX in the item number.



## FACILITY EQUIPMENT



#### **Electric Winch**

The (No. 712)  $^{3}4$  HP and the (No. 713) 1 HP equipment winch motors have been manufactured to Porter's well established requirements for quality and safety with improved operating speed. These newly designed motors continue the Porter reputation for durable, high-quality backstop winches in facilities all over the globe. The 712/713 motors come with many improvements and features including a 4" OD extended machined aluminum cable drum allowing 41 ft. of cable capacity on a single layer, an external belt tensioner for easier adjustments and maintenance, a cable tensioner to keep cable in place during slack conditions, and a 5-year limited warranty.

The 712/713 basketball backstop winches will operate with Porter's 3-position key switch, Powr-Touch® systems, or SportSonic® II wireless control system.



**5** YEAR LIMITED WARRANTY

712 713 34 HP Winch
1 HP Winch

3



#### Saf-Strap Safety Lock

Any increase in cycle speed or tension, whether sudden or gradual, immediately activates the locking device. The device will lock in any state or cycle, in the event of an over-speed occurrence due to a malfunction of the hoisting apparatus.

Product is suspended from ceiling and attaches to backstop. Additional structure may be required.







#### SportSonic® II

SportSonic® II Transmitter operates up to 99 pieces of equipment effortlessly via remote control. An excellent choice where maneuverability and convenience are desired while operating the gymnasium equipment. Reduces the need for costly wiring and key switches.

1 receiver per backstop is required.

SportSonic II Transmitter 12002100 Receiver Kit 12002200



#### **Key Switch Control**

This control system provides separate up and down keys for safe equipment operation. Standard  $4\frac{1}{2}$ " square flush mounting features a stainless steel cover plate.

1 key switch per backstop is required.

Key Switch Control XELE00791112 Replacement Up/Down Keys ELEC00088001

#### **Advanced Installation Required**

Items on these two pages (28-29) may require advanced installation by a trained professional. Incorrect installation may result in product failure and/or warranty void. Installation and fees are customer responsibility. Contact your Porter dealer for additional information.





Electric Height Adjuster Shown



#### **Center-Strut Height Adjusters**

A Porter exclusive. Available on the ceiling suspended backstop selection of your choice, along with the option to choose either manual or electric operation. Porter's Limited Lifetime Warranty offered on all Porter backboards installed with a Center-Strut height adjuster. The goal height is easily adjustable to any height from 8' to 10' to accommodate all age levels. Height settings are clearly visible from the floor for accurate adjustments. Electric height adjuster unit incorporates a compact motor to raise and lower the goal height electrically from 8' and 10'.



1 YEAR LIMITED WARRANTY

Optional cordless drill unit allows for power operation of Manual Center-Strut Height Adjuster.

Choose Manual (hand-cranked) Height Adjuster or Powr-Stick (AC operated electric-cranked) Height Adjuster.

Manual Height Adjusters

00900506 00900211 00600506 00900259 XCRK90000302 REPL09009002

Single Drop For Rectangular Boards Single Drop For Fan Boards Dbl. Drop for Rect. Board Portable Drill Operation Hand Crank Replacement Rod Kit

(For post 1995 installations, for pre 1995 contact your Porter Dealer)

Powr-Stick Operated Electric Height Adjusters

00902506 00902211 00602506 00902000 Single Drop For Rectangular Boards Single Drop For Fan Boards Dbl. Drop for Rect. Board Powr-Stick Pole (1 Required)



00269000 WINH00048000

#### **Electric Winch Operator**

Compact, heavy-duty unit to operate Porter's manual winch or any winch with a 3/4" square drive shaft. Sufficient power and torque to handle folding backstops up to a 25' attachment height. Double insulated with 50' power cord and two-prong plug. No grounding required. Complete with a durable storage case.

**Electric Winch Operator Chuck** 



00700000 XCRK70000002 REPL10700000 XPAD2100260B

#### **Manual Winch**

Compact winch with precisionmachined, hardened steel worm, forged bronze worm wheel and thrust ball bearing provides smooth, quiet operation and holds backstop in any position. Hand crank sold separately.

Manual Winch Hand Crank Gear Replacement Kit Wood Pad

## **GOOSENECK SYSTEMS**

USE THE MATRIX TO CHOOSE YOUR EXTENSION DISTANCE, POLE DIAMETER, BACKBOARD, AND GOAL



4' Extension 4½" Diameter Pole	00235000 Super Goal	00202H00 Double Rim	00251H00 Heavy-Duty	236H00 Powr-Flex Competition
267	\$1,102	\$1,131	\$1,211	\$1,330
Fan Fiberglass	17412	17413	17414	17415
234A	\$1,287	\$1,306	\$1,368	\$1,368
Fan Aluminum	17432	17433	17434	17435



5' Extension 4½" Diameter Pole				
267	\$1,444	\$1,473	\$1,563	\$1,667
Fan Fiberglass	17512	17513	17514	17515
234A Fan Aluminum	\$1,482 = 17532	\$1,520 <b>4</b> 17533	\$1,606 17534	\$1,720 17535
216	\$1,734	\$1,762	\$1,843	\$1,962
72" x 42" Fiberglass	17582	17583	17584	17585

#### **Super Duty System**

Provides the utmost in safety and strength during even the toughest play. California and Florida specifications require extended pole length for a 2' deeper footing.

00251H00	
<b>Heavy-Duty</b>	

236H00 Powr-Flex Competition

						Componition
6' Extension 5%16" Diameter Pole						
267 Fan Fiberglass	\$2,693 17612	\$2,769 17613	\$2,817 17614	\$2,945 17615		
234A Fan Aluminum	\$2,746 17632	\$2,765 17633	\$2,855 17634	\$2,969 17635	\$3,919 176FLSD340	\$3,952 176FLSD350
207 72" x 42" Steel	\$3,078 17652	\$3,097 17653	\$3,197 17654	\$3,311 17655	\$4,584 176FLSD540	\$4,631 176FLSD550
205A 72" x 42" Glass	\$2,988 17662	\$3,002 17663	\$3,092 17664	\$3,206 17665	\$4,085 176FLSD640	\$4,128 176FLSD650
216 72" x 42" Fiberglass	\$3,007 17682	\$3,045 17683	\$3,130 17684	\$3,235 17685		



## **VERTICAL POST SYSTEMS**

USE THE MATRIX TO CHOOSE YOUR EXTENSION DISTANCE, POLE DIAMETER, BACKBOARD, AND GOAL



#### **Super Duty System**

Provides the utmost in safety and strength during even the toughest play. California and Florida specifications require extended pole length for a 2' deeper footing.

4' Extension 4½" Diameter Pole	00235000 Super Goal	00202H00 Double Rim	00251H00 Heavy-Duty	236H00 Powr-Flex Competition	00251H00 Heavy-Duty	236H00 Power-Flex Competition
267 Fan Fiberglass	\$2,166 16412	\$2,261 16413	\$2,347 16414	\$2,404 16415		
234A Fan Aluminum	\$2,494 16432	\$2,579 16433	\$2,660 16434	\$2,731 16435	\$3,159 164FLSD340	\$3,458 164FLSD350
216 72" x 42" Fiberglass	\$2,603 16482	\$2,579 16483	\$2,660 16484	\$2,731 16485		

<b>6' Extension</b> 5% Diameter Pole						
267 Fan Fiberglass	\$2,228 16612	\$2,294 16613	\$2,356 16614	\$2,508 16615		
234A Fan Aluminum	\$2,594 16632	\$2,660 16633	\$2,731 16634	\$2,784 16635		
207 72" x 42" Steel	\$3,468 16652	\$3,482 16653	\$3,534 16654	\$3,482 16655	\$4,608 166FLSD540	\$4,660 166FLSD550
205A 72" x 42" Glass	\$2,722 16662	\$2,769 16663	\$2,841 16664	\$2,888 16665	\$4,232 166FLSD640	\$4,289 166FLSD650
216 72" x 42" Fiberglass	\$2,632 16682	\$2,693 16683	\$2,760 16684	\$2,812 16685		



Vertical Post Systems Are Also Available in Back-To-Back Configurations. Call For Pricing & Details.



## ADJUSTABLE SYSTEMS



### Big Shot® Collegiate System

Features a 5" upright post anchored into the ground utilizing an anchor bolt system. The 60" x 36" glass backboard includes official white perimeter and target area markings silk screened on the backside to prevent wear. The system features 2.5' extension arms and can be set at any playing height from 7.5' to 10'. System is assembled using zinc plated hardware. Includes the flex goal, a moveable rim that protects players and equipment during slam-dunks with a concealed shock absorber.

Includes 60" x 36" glass backboard, goal, nylon net, post pad, backboard pad, & mounting hardware.

9571	Collegiate Package	\$2,210

95705 Replacement Backboard Pad \$302 95708 Replacement 5" Pole Pad \$489




# Big Shot® Pro System

Features a rugged 6" upright post anchored into the ground utilizing an anchor bolt system. The 72" x 42" clear-view backboard features  $\frac{1}{2}$ " glass and comes standard with edge padding. Official white perimeter and target area markings are silk screened on the backside to prevent wear. The extension arms offer 4' of clearance for player safety and allow the backboard to be set at any playing height from 5.5' to 10'. System is assembled using premium stainless steel hardware. Includes the Powr-Flex Competition goal, a moveable rim that protects players and equipment during slam-dunks with a concealed shock absorber.

Includes 72" x 42" glass backboard, goal, nylon net, post pad, backboard pad, & mounting hardware.

9572 Pro Package \$3,205

95758 Replacement 6" Pole Pad \$558








porter

# **OUTDOOR SYSTEMS**



# **Heavy-Duty System**

Heavy-duty support structure provides tremendous strength and is designed to withstand the most rugged playing conditions. Backstop provides a 5' extension into the playing court for maximum safety. Available as a single post or a back-to-back system when a multiple court layout is desired. Unconditional Lifetime Warranty is provided on the most rugged outdoor goal available. Great system for regulation outdoor competitions.

Official size 72" x 42" perforated backboard is 11 gauge steel with a massive rear support framework. Backboard is screened with official perimeter and target area markings. Backboard, goal and pole have an extremely durable powder coated finish.

195580	Standard System	\$5,064
195582	Back-to-Back System	\$8,151
95758	Pole Pad	\$558
00324672	Backboard Pad	\$260





### Shown in Navy Blue Powder Coat.

# **Ultimate Outdoor System**

Turn any outdoor court into an official arena! Includes 6' vertical pole,  $72'' \times 42''$  Center-Strut glass backboard, 240180 Torq-Flex Competition, and anti-whip net.

Pole pad and backboard pad not included but recommended for player safety.

16675CXX \$3,653

10 YEAR LIMITED WARRANTY

Ultimate Outdoor Powder Coat Colors:



When Ordering: Use the 2-digit color number to replace XX in the item number.





# **Court Stencil Kit**

Stencil kit provides ease of painting official court lines on asphalt or other surfaces in only minutes. Stencil sections are easily taped in place while paint is applied through the stencil holes using a roller provided with kit. Paint not included.

01209000 \$69





# GILL® 6' Pole Pads

**Lace-Up Pad:**  $1\frac{1}{2}$ " thick polyurethane foam pad is 6' tall and fits  $3\frac{1}{2}$ "  $-4\frac{1}{2}$ " pole diameters. 15 oz vinyl cover available in 14 colors. Lace closure.

 000690XX
 Lace-Up Pad
 \$336

 000690XXSP
 Lace-Up Pad with Graphics
 \$399

**Deluxe Pad:** 4" thick polyurethane foam pad is 6' tall and fits  $4\frac{1}{2}$ "- 5%" pole diameters. 15 oz vinyl cover available in 14 colors. Hook and loop closure.

001870XXHook-And-Loop Closure Pad\$622001870XXSPHook-And-Loop Closure Pad with Graphics\$708



# TRAINING & CONDITIONING



# **Soft Plyoboxes**

Less intimidating than steel boxes for the developing athlete. Standard 28"x 28" blocks. 3" block is built with 2.2# density polyethylene foam, other sizes with 1.8# which provides stability, shock attenuation, and performance. Boxes are secured for stacking with industrial strength hook and loop fastener. Durable vinyl cover. All boxes are less than 28 lb. and have two reinforced handles for portability.

TA203	3" Box	\$187	TA218	18" Box	\$508
TA206	6" Box	\$253	TA224	24" Box	\$621
TA212	12" Box	\$363	TA225	Set of 5	\$1,872



Constructed of sturdy and durable 1" square steel tubing and anti-skid rubber top platform, steel plyoboxes are a great way for athletes to improve leg power, speed, and strength. Easily stack with tapered leg design.

(Mat not included).

TA3060	6" Box	\$80	TA330	30" Box	\$246
TA312	12" Box	<b>\$185</b>	TA336	36" Box	\$129
TA318	18" Box	\$207	TA342	42" Box	\$138
TA324	24" Box	\$227			

TA301 Set of 4 \$836 Includes 12", 18", 24", and 30" boxes

TA300 Set of 6 \$1,134 Includes 12", 18", 24", 30", 36" and 42"



# The PowerMax® Vertical Jump Trainer

The PowerMax® Vertical Jump Trainer is constructed of aluminum, providing a lightweight, reliable solution for any vertical training needs. Tip and Roll wheels provide easy transportation while the rubber adjustable feet offer a secure base that won't mar your floor. Foldable Weight Arms on both ends of the base allow for weights to be added for more stability. Colored vanes provide quick and easy measurement readings. Height ranges from 95" to a maximum height of 146"

TA205 \$702






# **Agility Ladder**

Footwork training for advanced speed, balance, and coordination. Composed of 7'6" ladder sections to determine length. Easily connects with other ladders. Nylon webbing with durable flat poly slats. Includes carry bag.


TA1681 30' Ladder \$146



# **Agility Poles**

Excellent for marking agility courses and drills. 5' tall poles force players to maintain optimum posture during exercises. New bases can be filled with sand for extra stability. Includes 4 bases and 4 poles.

TA1850 \$142



**Agility Dots** 

Easy to use dots ideal for hard surfaces like gymnasium floors. Create patterns for challenging footwork. Easy to see bright colors. Set of 6.

TA1694 \$45



# Mini Bands

2" Wide x 13" Long Bands. Perfect for warm-ups, drills, and strengthening hip muscles. 10 bands per pack.

TA1741L	Light Resistance	\$46
TA1741M	Medium Resistance	\$58
TA1741H	Heavy Resistance	\$63

# TRAINING & CONDITIONING



# PowerMax® Rubber Medicine Balls

Synthetic rubber ball suitable for all sports. Perfect for bounce drills. Can be used indoor and outdoor. Color coded for easy weight identification.

TA106	Purple 1K (2.2 lb), 6.5" diameter	\$42
TA108	Yellow 2K (4.4 lb), 7.5" diameter	\$51
TA109	Green 3K (6.6 lb), 9.5" diameter	\$59
TA110	Red 4K (8.8 lb), 9.5" diameter	\$71
TA111	Blue 5K (11 lb), 10.5" diameter	\$82
TA112	Orange 6K (13.2 lb), 11" diameter	\$89
TA131	Gray 7K (15.4 lb), 11" diameter	\$107
TA132	Black 8K (17.6 lb), 12" diameter	\$125



# **Stability Balls**

Excellent for balance, abdominal work and stretching. Each ball is fabricated from the finest vinyl designed to support 500 lbs of weight. Ball size used according to athlete's height. Shipped deflated.

TA1805	55cm 5'-5'8"	\$57
TA1806	65cm 5'8"-6'2"	\$60
TA1807	75cm 6'2"+	\$68



# PowerMax® V2 Medicine Balls

All balls are 14" in diameter, impact absorbing, and moisture resistant with an 18 oz. flexible polyurethane shell textured for grip. The hand-sewn casing design and expert ball construction ensure that the implement remains dimensionally stable, balanced, and maintains the impact absorbing properties. One year warranty.

TA1362	6 lb	\$137
TA1363	8 lb	\$144
TA1364	10 lb	\$154
TA1365	12 lb	\$166
TA1366	14 lb	\$174
TA1367	16 lb	\$183
TA1368	18 lb	\$190
TA1369	20 lb	\$202




# **Speed Ropes**

Speed ropes have a stainless steel cable encased in plastic for maximum speed. They feature ball bearings at handles and are fixed lengths. All ropes come with a carry bag for easy storage.

TA128	9' Speed Rope	\$26
TA1281	10' Speed Rope	\$29





US made 11 gauge steel frame sled features a space-saving design that is less than 7" high when folded, replaceable/removable runners for use on a variety surfaces, and quick release pins for fast set-up and breakdown. The versatile sled accommodates all sizes of athletes with adjustable width push posts (12-21"W x 32"H) and multiple push/pull options.

Sled holds up to 360lb on a 15" long x 2" diameter post that can fit four 45lb bumper plates or eight traditional steel 45lb plates. The sled can be used without the posts to provide different loading applications.

Sled includes leads and a harness.


TA155 \$754



# **Power Pad**

Sprint, jump, hop and rehab, all within the confines of the low-impact, energy-absorbing Power Pad which magnifies the intensity of any upright exercise. 48"L x 48"W x 24"H


TA194 \$1,149



# **Step Hurdles**

Improves knee lift and step quickness. Use with forward and lateral drills. Constructed of durable PVC tubing. 18" width. Lightweight for easy carrying and storage.

TA167	6" Hurdle	\$22
TA166	12" Hurdle	\$23
TA16618	18" Hurdle	\$30
TA16624	24" Hurdle	\$35



# **Therapy Roller**

Roll across the target area to relieve muscle soreness or tightness.

TA3620 Standard Foam Roller \$50



# PowerMax® Stretch Strap

Eight 8" handles provide for a variety of stretches. Length: 62" Width: 4" Thickness: .5"

TA1781 62" PowerMax Stretch Strap \$9

# SPECIALTY PADS









FIRESAFE SI

SUPERSAFE







# CONFIGURED COLUMN AND CORNER PADS

Pads configured to your specified dimensions for a custom fit on exposed wall corners or columns. Rigid backed pads are 2" polyethylene foam bonded to 7/16" wood board and covered in 19 oz vinyl. Sewn pads are 2" polyethylene foam covered in 15 oz vinyl. Available in 14 colors. 1" nailing margins on top and bottom for ease of installation. DuraSafe and SuperSafe pads meet ASTM F2440 impact protection. FireSafe and SuperSafe pads entire assembly is ASTM E-84 Class "A" fire rated and tested in accordance to meet IBC and NFPA 101 code requirement.

### 2 Sided Pads

2'x6' or less; worksheet required

	•	
90216026XX	2' x 6' DuraSafe™ Sewn	\$378
90206026XX	2' x 6' DuraSafe™ Rigid Backed	\$233
90208026XX	2' x 6' Firesafe™ Rigid Backed	\$365
90207026XX	2' x 6' SuperSafe™ Rigid Backed	\$443

### 4'x8' or less; worksheet required

4' x 8' DuraSafe™ Sewn	\$541
4' x 8' DuraSafe™ Rigid Backed	\$383
4' x 8' Firesafe™ Rigid Backed	\$862
4' x 8' SuperSafe™ Rigid Backed	\$1,128
	4' x 8' DuraSafe™ Rigid Backed 4' x 8' Firesafe™ Rigid Backed

### 3 Sided Pads

4'x8' or less; worksheet required

90316048XX	DuraSafe™ Sewn	\$636
90306048XX	DuraSafe™ Rigid Backed	\$425
90308048XX	FireSafe™ Rigid Backed	\$889
90307048XX	SuperSafe™ Rigid Backed	\$1,071



# "I" Beam Pad

6' tall pad with 2" polyethylene foam covered in 15 oz vinyl. Available in 14 colors. Attaches with hook and loop strips.

3560XX	6"-8" Wide Beams	\$566
3562XX	8"-10" Wide Beams	\$620
3563XX	10"-12" Wide Beams	\$580



### **Molded Inserts**

The perfect solution when cutouts are required for electrical outlets and switches. Inserts fit through field cutouts and are stapled in place on the backside of the pad. Inserts are molded in a flame-retardant rubber and accommodate pad thickness of 2-3". Available in two sizes to fit single-gang and double-gang electrical boxes .

Patent No. 6,769,562

343001	Single-Gang Gray	\$30
344001	Double-Gang Gray	\$30
Graphite		
0.40404		+
343101	Single-Gang Graphite	\$30
344101	Double-Gang Graphite	\$30





# **Wall Pad Sleeve**

Custom wall pad sleeve kits provide a finished appearance in wall pad installations when cutouts around large fixtures are necessary. Sleeve kits are easily installed through field cutouts in panels and are secured with staples on the backside of the pad. Sleeves are molded in a flame-retardant rubber. One kit includes four corner pieces and two 4' long side rails. Side rails may be cut to size in field to fit custom cutout applications. Insert kit fits all 2" thick Porter wall pads. Patent No. US10392815B1

Gray

90343001 \$132



Sawn Pad

# **Stage Pads**

Pads configured to your specified dimensions for a custom fit. Panels are supplied in easily removable sections allowing easy set up and removal for stage activities or to access storage. Rigid-Backed pads are 2" polyurethane foam bonded to 7/16" wood board and covered with 19 oz vinyl. Sewn pads are polyethylene foam and are covered with 15 oz vinyl. Available in 14 stock colors.



\$454 (ea)

960550XXSP	Sewn Pad With Graphics	\$635 (ea)
960560XX	DuraSafe™ Rigid Backed Pad	\$342 (ea)
960560XXSP	DuraSafe™ Rigid Backed Pad With Graphics	\$496 (ea)
960570XX	SuperSafe™ Rigid Backed Pad	\$652 (ea)
960570XXSP	SuperSafe™ Rigid Backed Pad With Graphics	\$794 (ea)
960575XX	FireSafe™ Rigid Backed Pad	\$565 (ea)
960575XXSP	FireSafe™ Rigid Backed Pad With Graphics	\$718 (ea)

### Storage Strip

960550XX

 $1\frac{1}{2}$ " wide rigid hook and loop strip is encased in a 4' long anodized aluminum strip for ease of mounting.

14444 \$98 (ea)

# Vinyl Colors:



When Ordering: Use the 2-digit color number to replace XX in the item number.

# **WALL PADS**











Give your court a true home team advantage with custom printed graphic wall pads! Simply provide your logo vector artwork and our design team works with you to create a stunning display.



Custom Graphics Add SP to end of item # Call For Pricing



- Pads Available With ASTM F2440 Impact Protection And/Or ASTM NFPA 286 Certification
- Foam Bonded To 7/16" Oriented Strand Board (OSB)
- Vinyl has a 100PSI Tensile Strength With Leather-like Finish
- Entire Pad Covered In Heavy 19oz Vinyl
- Custom Graphic Printing And 14 Vinyl Colors Available
- Mildew And Rot Resistant
- Custom Sizes Available, Call For More Details



# **Wall Pad Mounting Clips**

An attractive, convenient alternative to permanently attaching wall pads that will provide your facility with a clean, neat appearance. The Z-Clip securely locks wall panels in place and allows worn pads to be easily removed for repair or replacement.

347100 347200 347300

Z-Clip Wall Attachment, 6' Z-Clip Panel Attachment, 1'10" Z-Clip Channel Attachment, 6'

\$20 \$9 \$49



**No Margins** 



Flat top and bottom

**Nailing Margins** 



1" added to top and bottom



Wall and Panel Attachments



Wall and Channel Attachments









# **DuraSafe™ Pads**

Meets or exceeds impact standards.





- Meets ASTM F2440 Impact Protection Standard
- Custom No Margin Pads require Z-clip attachments (additional pricing)

No Margin	Nailing Margin	2" Foam		No Margin	Nailing Margin	3" Foam	
5601XX	5600XX	2' x 6' Stock (ea.)	\$142	5611XX	5610XX	2' x 6' Stock (ea.)	\$215
9056026XX	9056026XX	Custom - 2' x 6' or less	\$225	9056126XX	9056126XX	Custom - 2' x 6' or less	\$226
560281XX	560280XX	2' x 8' Stock (ea.)	\$188	9056128XX	9056128XX	Custom - 2' x 8' or less	\$251
9056028XX	9056028XX	Custom - 2' x 8' or less	\$282	9056138XX	9056138XX	Custom - 3' x 8' or less	\$465
9056038XX	9056038XX	Custom - 3' x 8' or less	\$482	9056148XX	9056148XX	Custom - 4' x 8' or less	\$492
9056048XX	9056048XX	Custom - 4' x 8' or less	\$490				



# FireSafe<sup>™</sup> Pads

Meets or exceeds fire codes.



- Entire Pad Assembly is ASTM E-84 Class "A" Fire Rated
- Tested in accordance with NFPA 286 to meet IBC and NFPA 101 code requirements
- Custom No Margin Pads require Z-clip attachments (additional pricing)

No Margin	<b>Nailing Margin</b>	2" Foam		No Margin	Nailing Margin	3" Foam	
5751XX	5750XX	2' x 6' Stock (ea.)	\$266	5761XX	5760XX	2' x 6' Stock (ea.)	\$425
9057526XX	9057526XX	Custom - 2' x 6' or less	\$358	9057626XX	9057626XX	Custom - 2' x 6' or less	\$546
575281XX	575280XX	2' x 8' Stock (ea.)	\$338	9057628XX	9057628XX	Custom - 2' x 8' or less	\$565
9057528XX	9057528XX	Custom - 2' x 8' or less	\$457	9057638XX	9057638XX	Custom - 3' x 8' or less	\$855
9057538XX	9057538XX	Custom - 3' x 8' or less	\$761	9057648XX	9057648XX	Custom - 4' x 8' or less	\$1,012
9057548XX	9057548XX	Custom - 4' x 8' or less	\$886				



# SuperSafe<sup>™</sup> Pads

Meets or exceeds impact & fire codes.





- Meets ASTM F2440 Impact Protection Standard
- Entire Pad Assembly is ASTM E-84 Class "A" Fire Rated
- Tested in accordance with NFPA 286 to meet IBC and NFPA 101 code requirements
- Custom No Margin Pads require Z-clip attachments (additional pricing)

No Margin	Nailing Margin	2" Foam		No Margin	Nailing Margin	3" Foam	
5701XX	5700XX	2' x 6' Stock (ea.)	\$339	<b>5721</b> XX	5720XX	2' x 6' Stock (ea.)	\$542
9057026XX	9057026XX	Custom - 2' x 6' or less	\$392	9057226XX	9057226XX	Custom - 2' x 6' or less	\$664
570281XX	570280XX	2' x 8' Stock (ea.)	\$456	9057228XX	9057228XX	Custom - 2' x 8' or less	\$739
9057028XX	9057028XX	Custom - 2' x 8' or less	\$461	9057238XX	9057238XX	Custom - 3' x 8' or less	\$1,222
9057038XX	9057038XX	Custom - 3' x 8' or less	\$851	9057248XX	9057248XX	Custom - 4' x 8' or less	\$1,451
9057048XX	9057048XX	Custom - 4' x 8' or less	\$1,007		•		

# Vinyl Colors:







# 2 0 2 4 B A S K E T B A L L

# porter<sup>®</sup>



GOALS | BACKBOARDS | PORTABLES | WALL PADS

PORTERATHLETIC.COM

888.277.7778

601 MERCURY DRIVE | CHAMPAIGN, IL 61822

SALES@PORTERATHLETIC.COM