111



GILLATHLETICS.COM





CONTINUUM

₩ / / /

ATHLETICS

# QUALITY. COMMITMENT. INNOVATION.

€ ∅ 🕅



Since 1918, Gill Athletics<sup>®</sup> has empowered coaches with innovative equipment that develops track athletes and elevates the sport across the globe.





#### FACILITIES CHECKLIST

Make remembering what you need easier!

















2024 Litania Sports Graup, Inc, Gill Athletics, PowerMax, Pacer are all registered trademarks of Gill Athletics, Inc. Gill Essentials, Maximus, SafetyMax, AGX, Pacer One, PacerFXV, Pacer Composite, Continuum, Fusion, Carbon J, Hollowood Star, Orbiter, OTE, Tru-Flight, T2-Fiber, Tufmesh Plus, Duralife, are all trademarks of Gill Athletics, Inc. NCAA is a registered trademark of The National Collegiate Athletic Association.

# CHECK OUT OUR GREAT **NEW** PRODUCTS

8

#### 02 JUMPS

- 04 Landing Systems
- 07 Custom Pit Graphics
- 12 Standards
- 16 Box Collars, Base Pads & Platforms
- 18 Track Shelters & Pit Garages
- 20 Crossbars & Accessories
- 22 Vaulting Poles
- 30 Vault Accessories

#### **32** SPRINTS & HURDLES

- 34 Starting Blocks
- 38 Hurdles
- 42 Hurdle Accessories

#### 44 MEETS

- **46** Displays
  - 48 Measuring Devices & Cameras
  - 50 Starting Devices
  - 52 Track Accessories & Maintenance
  - 56 Cross Country & Portable Tents

#### 58 THROWS

- 60 Discus
- 64 Hammers & Shots
- 66 Throw Accessories
- 70 Javelins & Accessories
- 77 Implement Accessories

#### **78** TRAINING

- 80 Speed Development
- 83 Med Balls
- 84 Jump Training & Testing
- 88 Agility Training
- 90 Bodyweight Training
- 92 Weight Bars & Plates
- 94 Flexibility & Rehab

#### **96** FACILITIES

- 98 Hammer Cages
- 100 Discus Cages
- 102 High School Discus Cage
- 104 Portable Cages
- 106 Shot Cage & Accessories
- 108 Circles & Toeboards
- 110 Takeoff Boards & Curbing
- 112 Vault Boxes & VersaCom Boxes
- 114 Sand Pit Forms & Covers
- 116 Steeplechase
- 118 Raised Runways & Ballstops





# LANDING SYSTEMS

**For over 100 years,** Gill Athletics<sup>®</sup> has kept coaches focused on their athletes with equipment they can take for granted. Our pole vault and high jump landing systems are engineered by collegiate athletes, professionals, and coaches alike. Both the NCAA<sup>®</sup> and NFHS<sup>®</sup> have partnered with us as we join to support every athlete's competitive journey and aspiration.





#### SIDE CARABINER CONNECTION:

Top Pad is connected to base pads with carabiner side attachments, eliminating any obstruction on top of the pit. This exclusive attention to detail provides an obstruction-free landing area with athletes' safety in mind.



#### **OPTIMAL PIT ENTRY ANGLE:**

An ASTM approved vault box collar changes the slope of the tri-slant area when vaulting poles rotate. Gill's thoughtful pit entry design accounts for the box collar's effect by featuring a vaulter friendly angle.

#### New images if wanted









### GILL LANDING SYSTEMS FEATURES

Top Pads

**EDGE-TO-EDGE TOP PAD:** Aesthetic and functional design eliminates spike contact with base units and unevenness at the edge of the pit. This Gill exclusive feature will increase the life of your new pit and improve safety near the edges.

**TUFMESH PLUS™ CASING:** Using exclusive 17 x 11 1000 denier material increases the life of your top pad and stands up to repeated use better than any other landing system.

**2" DURALIFE™ FOAM:** Soft and durable foam creates confidence in every practice. Coaches can teach with assurance because of this industry leading design.

V-LOOP VINYL STRAP: Designed to evenly distribute the force from the athlete's landing, V-Loop straps eliminate tears compared to traditionally designed pits that put undue stress on the seams.

**REVERSIBLE:** Extend the life of your pit, Gill's top pads are designed to use either side safely and easily.

Vinyl Base Units

**ALL-VINYL BASE:** Exclusive to Gill landing systems, this unique design keeps water out of your pit better than traditional mesh top units. To extend the life of your pit you keep water out of the foam. Gill's all-vinyl design gets results.

**COMPLETE INTERCHANGEABILITY:** Reversible sections for maximum interchangeability. This adds years to the life of your pit by maximizing the usage and size of the athlete's landing area.

**QUADRUPLE DURALIFE LAYER FOAM:** Athletes need to know they are landing safely and comfortably. Gill's new QUADRUPLE Duralife foam is 25% softer than others yet with firmness necessary for the safest landings.

**DUAL COATED VINYL:** Evenly distributed 1000 x 1000 denier polyester fabric is bonded on both sides with 18oz knife-coated PVC vinyl. This exclusive fabric design eliminates vinyl delamination seen in other pits after years of use. This creates the most durable casing that is lighter than the other pits.

**STITCHING:** Gill's entire landing system is stitched with the industry's strongest 210 bonded polyester thread. Simply put, your new Gill pit comes triple stitched with the toughest thread in the industry to hold up to high volume practices.

**GRIP STRIP FASTENING SYSTEM:** A pit is safest when constructed as an integrated system. Gill's Grip Strip Fastening System will keep your base sections functioning as one unit season after season.

**ECO-SMART COMPRESS PACKS:** Gill Athletics cares about the environment and your budget. All landing systems are expertly packed and shipped utilizing Compress-Pack shipping, reducing freight volume lowering fuel consumption and shipping costs. Pits restore to original size and shape minutes after unpacking.

**12 YEAR WARRANTY:** A long-term warranty is only as dependable as the company standing behind it. And after 100 years, you can count on Gill to stand behind your landing system for years to come. If any failure occurs in the first 12 years, under normal use and care, we will repair or replace the damaged part. Essentials line includes 5 year warranty.

**CUSTOM COLOR AND GRAPHICS:** Choose from over 100 unique vinyl casing and top pad color combinations offered at NO EXTRA CHARGE! Select your vinyl casing (xx) and top pad (yy) color combination. Add distinction with multi-color graphics on the top pad, weather cover, or both.

\*Features May Exclude Essentials Systems





**SEE IT ONLINE!** 

Visit GillAthletics.com and build your custom pit!

5







OFFICIAL PARTNER



POLE VAULT & HIGH JUMP LANDING SYSTEMS

# **CUSTOM PRINTING**

#### ULTIMATE CUSTOM PRINTING

Fully customizable Edge-To-Edge top pad printing and side panel casing graphics are available for **landing systems and weather covers.** With nearly limitless custom printing options, call today to learn more about the ultimate in customization. 3 Year limited warranty on all custom printed graphics.

\*Excludes Essentials Systems

As shown: EDGE-TO-EDGE custom 100% Top Pad Graphic, and PV Side Panel Graphic options.



0

GIL

()



Top Pads & Covers



### GILL LANDING SYSTEMS PRINTING

Add logo, school name, or edge-to-edge design to any landing system top pad, side panel or weather cover. Multi-color graphic is screen printed in dimensioned areas shown below. Custom graphic selections are printed on same color mesh as top pad, eliminating the white box. *Vector artwork must be provided. \*Features Exclude Essentials Systems* 

| 0 | SQUARE:        | Coaches      | : Box Graphic - 60" x 60"          | Top Paus & covers    |
|---|----------------|--------------|------------------------------------|----------------------|
|   | 1001           | 9451         | Landing System Graphic             |                      |
|   | 1              | 9452         | Weather Cover Top                  |                      |
| 0 | OVERSIZED:     | Oversize     | ed Coaches Box Graphic - 90" x110" |                      |
|   |                | 9454         | Landing System Graphic             |                      |
|   |                | 9455         | Weather Cover Top                  |                      |
| 0 | HORIZONTAL:    | Horizon      | tal Graphic - 55" x 240"           |                      |
|   | ,,             | 9552         | Landing System Graphic             |                      |
|   | !              | 9557         | Weather Cover Top                  |                      |
| 0 |                | 9553<br>9558 | Weather Cover Top                  | al graphics)         |
| 0 | EDGE-TO-EDGE:  | Custom       | 100% Top Pad Graphic               |                      |
|   |                | 9554         | PV Landing System Graphic          |                      |
|   | <u>þ. n. í</u> | 9559         | PV Weather Cover Top               |                      |
|   | ()             | 9554         | HJ Landing System Graphic          |                      |
|   | <u>\</u> 2     | 9559         | HJ Weather Cover Top               |                      |
| 0 | PV SIDE PANEL: | Side Pa      | nel Graphic - 14" x 156"           | - Vinyl Base & Sides |
|   | ,,             | 9456         | Landing System Graphic             |                      |
|   | kd             | 9457         | Weather Cover Side Panel           |                      |
| 0 | HJ SIDE PANEL: | Side Pa      | nel Graphic - 9" x 108"            |                      |



56 Landing System Graphic57 Weather Cover Side Panel



To specify color with order, use the two-digit number of your color selection to replace XX & YY in the item number.

OFFICIAL TRACK & FIELD EQUIPMENT SUPPLIER

OFFICIAL PARTNER







SEE IT ONLINE!

*Visit GillAthletics.com and build your custom pit!* 





# POLE VAULT LANDING SYSTEMS







#### AGX M4 PV LANDING SYSTEM

- 21' 6" x 31' 2" x 32" // 6.55m x 9.50m x 0.81m
- 2" Top Pad
- 21' in back of the vault box
- Meets World Athletics, NCAA and NFHS specifications
- 12 year warranty

#### 66817CXXYY Landing System 😒

6681702CXX Weather Cover

CUSTOMIZE IT: MULTIPLE COLOR COMBINATIONS \*Custom Graphics available. See page 7.






On all Gill Landing Systems\* Call for Details.



**CUSTOMIZABLE SYSTEMS** See color charts on page 7 to replace the XX and YY in the item numbers.






#### ESSENTIALS<sup>™</sup> PV LANDING SYSTEM

- 19' 9" x 20'2" x 26" // 6.02m x 6.15m x 0.66m
- Skirted Mesh Top Holds Unit in Place
- Royal blue vinyl with gray skirted mesh top only
- Meets NFHS specifications
- 5 year warranty

| 653   | Landing System          |
|-------|-------------------------|
| 65302 | Weather Cover           |
| VP300 | Essentials PV Valuepack |

INCLUDED: Essentials PV System, Weather Cover, 7100 Essentials PV Standards, 61517CXX Base Pads, 526 PV Crossbar




#### **S1 PV LANDING SYSTEM**

- 20' x 20' 2.5" x 28" // 6.1m x 6.16m x 0.71m
- 2" Top Pad
- 16' 7" in back of the vault box
- Meets NFHS specifications
- 12 year warranty

| 65417CXXYY   | Landing System  |
|--------------|-----------------|
| 6541702CXX   | Weather Cover   |
| VP65417CXXYY | S1 PV Valuepack |

INCLUDED: S1 PV System, Weather Cover, 77100 S4 PV Standards, 61517CXX Base Pads, 526 PV Crossbar




#### **S4 PV LANDING SYSTEM**

- 21' 6" x 24' x 28" // 6.55m x 7.32m x 0.71m
- 2" Top Pad
- 16' 7" in back of the vault box
- Meets NFHS specifications
- 12 year warranty

| 65817CXXYY | Landing System |
|------------|----------------|
| 6581702CXX | Weather Cover  |

- VP65817CXXYY S4 PV Valuepack
- INCLUDED: S4 PV System, Weather Cover, 77100 S4 PV Standards, 61517CXX Base Pads, 526 PV Crossbar




#### **G1 PV LANDING SYSTEM**

- 20' x 21'11" x 32" // 6.10m x 6.68m x 0.81m
- 2" Top Pad
- 16' 7" in back of the vault box
- Meets NCAA and NFHS specifications
- 12 year warranty

| 66217CXXYY | Landing System |
|------------|----------------|
| 6621702CXX | Weather Cover  |

VP66217CXXYY G1 PV Valuepack

INCLUDED: G1 PV System, Weather Cover, 77200C12 G4 PV Standards, 61617CXX Base Pads, 526 PV Crossbar



#### **G4 PV LANDING SYSTEM**

- 21' 6" x 24' x 32" // 6.55m x 7.32m x 0.81m
- 2" Top Pad
- 16' 7" in back of the vault box
- Meets NCAA and NFHS specifications
- 12 year warranty

| 66317CXXYY | Landing System |
|------------|----------------|
| 6631702CXX | Weather Cover  |



#### **G6 PV LANDING SYSTEM**

- 21' 6" x 27' x 32" // 6.55m x 8.23m x 0.81m
- 2" Top Pad
- 19'7" in back of the vault box
- Meets Word Athletics, NCAA and NFHS specifications
- 12 year warranty

| 66517CXXYY | Landing System | 2 |
|------------|----------------|---|
| 6651702CXX | Weather Cover  |   |





## **HIGH JUMP LANDING SYSTEMS**













| <b>ESSENTIALS</b> <sup>TI</sup>     | M HJ LANDING SYSTEM  |                |
|-------------------------------------|--|----------------|
| ■ 16′ x 8′ x 24″ //                 | 7 4.88m x 2.44m x 0.61m  |                |
| <ul> <li>Skirted mesh to</li> </ul> | op holds unit in place   |                |
| <ul> <li>Royal blue viny</li> </ul> | l with gray skirted mesh top only  |                |
| <ul> <li>Meets NFHS sp</li> </ul>   | pecifications  |                |
| <ul> <li>5 year warrant</li> </ul>  | ty   | GILL           |
| 640A                                | Landing System   | C <sup>1</sup> |
| 640A02                              | Weather Cover  |                |
| VP405                               | Essentials HJ Valuepack  |                |
|                                     | ials HJ System, Weather Cover, 700 Essentrials<br>dards, 525 HJ Crossbar |                |
| S1 HJ LANDIN                        | NG SYSTEM  |                |
| ■ 16′6″ x 8′ x 26′                  | ″∥ 5.03m x 2.44m x 0.66m   |                |
| <ul> <li>2" Top pad</li> </ul>      |  |                |
| <ul> <li>Meets NFHS sp</li> </ul>   | pecifications  |                |
| ■ 12 year warrai                    | nty  |                |
| 64117CXXYY                          | Landing System   | GILL           |
| 6411702CXX                          | Weather Cover  |                |
| VP64117CXXYY                        | 51 HJ Valuepack  |                |
| INCLUDED: S1 HJ Sy<br>HJ Stand      | ystem, Weather Cover, 78105 S4<br>dards, 525 HJ Crossbar                 |                |
| S4 HJ LANDIN                        |  |                |
|                                     | 26" // 5.03m x 3.05m x 0.66m   |                |
| <ul> <li>2" Top pad</li> </ul>      |  |                |
| <ul> <li>Added safety cu</li> </ul> | utout  |                |
|                                     | nd NFHS specifications   |                |
| <ul> <li>12 year warrai</li> </ul>  |  |                |
| 64217CXXYY                          | Landing System   | GILL           |
| 6421702CXX                          | Weather Cover  |                |
| VP64217CXXYY                        | S4 HJ Valuepack  |                |
| INCLUDED: S4 HJ S                   | ystem, Weather Cover, 78105  |                |
| S4 HJ Standards, 525                |  |                |
| G1 HJ LANDIN                        | NG SYSTEM  |                |
|                                     | // 5.49m x 3.05m x 0.66m   |                |
| <ul> <li>2" Top pad</li> </ul>      |  |                |
| <ul> <li>Added safety cu</li> </ul> | utout  |                |
|                                     | nd NFHS specifications   |                |
| ■ 12 year warrai                    |  |                |
| 64617CXXYY                          | Landing System   | GILL           |
| 6461702CXX                          | Weather Cover  |                |
| VP64617CXXYY                        | G1 HJ Valuepack  |                |
|                                     | ystem, Weather Cover, 78200C12 G4 HJ                                     |                |
|                                     | rds, 525 HJ Crossbar   |                |

OFFICIAL PARTNER



# POLE VAULT STANDARDS



OFFICIAL EQUIPMENT SUPPLIER TO THE NCAA TRACK & FTELD CHAMPTONSHTPS


#### AGX M4 **POLE VAULT STANDARDS**

- Dual hand crank system simplifies and speeds up height transitions
- Height range from 6' 6" to 21'
- Exclusive 2" safety pad increases safety of athletes and reduces vaulting pole damage
- Dual positional locking system; Practice Mode creates quick bar height changes while Competition Mode locks in peg height during jumps
- Internal measuring tape displays Metric and English units
- Quick hand crank crossbar depth adjustment from 0cm to 80cm
- Exclusive customizable offset width between pins from 4.30m-4.37m
- Steel base for stability during use and Easy-Port hinge technology for quicker location movement
- Strong aluminum profile increases aesthetics, functionality, and customization
- Customize 2" safety pad with choice of color and graphics
- Use the two-digit number of your vinyl color selection to replace XX in the item number
- Use the two-digit number of your powder coat color selection to replace YY in the item number
- Meets NFHS, NCAA, and World Athletics specifications
- 10 year warranty

#### 740110CXXYYSP 🛞













MANUAL DEPTH ADIUSTMENTS

#### AGX M2 **POLE VAULT STANDARDS**

- Includes high-end features from the AGX M4 Standard except with manual depth adjustments
- Height ranges 6'9" to 21'6"
- Meets NFHS, NCAA, and World Athletics specifications
- 10 year warranty

#### 77300CXXYYSP



#### Powder Coat





**BASE PADS** See page 16

N

0

° SED







#### **G4 POLE VAULT STANDARDS**

- Constructed of heavy duty aluminum uprights and risers with custom glide parts for smooth operation
- Weighted steel base includes leveling feet and wheels for easy mobility
- Clamping mechanism pulls upright and riser together to hold desired height
- Height adjustment: 10' 3" to 21' with adjustable height readout window display
- Reads both English and Metric measurements
- 55mm bar rest pins and 8 base anchors included
- Meets NFHS, NCAA, and World Athletics specifications, World Athletics certified
- 10 year warranty





- Constructed of heavy duty aluminum uprights and risers with custom glide parts for smooth operation
- Weighted steel base includes wheels for easy mobility
- Clamping mechanism pulls upright and riser together to hold desired height
- Height adjustment: 7' to 18'
- Reads both English and Metric measurements
- Meets NFHS and NCAA specifications
- 10 year warranty

77100

#### ESSENTIALS™ POLE VAULT STANDARDS

- Full steel tubing construction gives added strength
- Height adjustment: 6' to 16'
- Reads both English and Metric measurements
- Upright detaches from base rails for improved storage
- Wide stance base for added stability
- 75mm bar rest pins and 8 base anchors included
- Meets NFHS specifications
- 5 year warranty

#### 7100



OFFICIAL PARTNER



# HIGH JUMP STANDARDS



OFFICIAL EQUIPMENT SUPPLIER TO THE NCAA TRACK & FIELD CHAMPIONSHIPS

#### AGX M4 HIGH JUMP STANDARDS

- Simple height adjustments with unique thumb button and handle assist
- Choose your team's powder coat color for complete customization
- Customize exclusive 2" safety pad with choice of color and graphics
- High-visible English or Metric unit height indicator display for fans, coaches, and athletes
- Eye-level height indicator color coordinated with dual bar rest system
- Exclusive steel powder coated weighted base with wheels for increased stability and easy transportation
- Height range from 1' to 8' 3"
- Use the two-digit number of your vinyl color selection to replace XX in the item number
- Use the two-digit number of your powder coat color selection to replace YY in the item number
- Meets NFHS, NCAA, and World Athletics specifications
- 10 year warranty

#### 740120CXXYYSP 📀





NCA



#### **AGX M4 HIGH JUMP BASE PADS**

Specifically designed for AGX M4 High Jump Standards.

• Use the two-digit number of your vinyl color selection to replace XX in the item number

708CXX

#### Vinyl



Powder Coat











78200C02 Shown

#### **G4 HIGH JUMP STANDARDS**

- Constructed of heavy duty aluminum uprights and risers with custom glide parts for smooth operation
- Weighted steel base includes wheels for easy mobility and leveling feet
- Clamping mechanism pulls upright and riser together to hold desired height
- Height adjustment: 2'8" 8'4" with adjustable height readout window display
- Reads both English and Metric measurements.
- Meets NFHS, NCAA and World Athletics
   specifications
- 10 year warranty

78200CXX

۲

#### **S4 HIGH JUMP STANDARDS**

- Constructed of heavy duty aluminum uprights and risers with custom glide parts for smooth operation
- Weighted steel base includes wheels for easy mobility
- Clamping mechanism pulls upright and riser together to hold desired height
- Height adjustment: 2' 7'4"
- Reads both English and Metric measurements
- Meets NFHS and NCAA specifications
- 10 year warranty

78105

#### ESSENTIALS™ HIGH JUMP STANDARDS

- Square steel construction with durable black powder coat finish
- Weighted base includes wheels for easy mobility
- Height adjustment: 2' to 8'
- Reads both English and Metric measurements
- Meets NFHS and NCAA specifications
- 5 year warranty

700

HIGH JUMP STANDARD BASE PADS • Provides additional safety during high jump event

• 2" thick foam pad encased in

yellow vinyl

707



#### G4, S4, ESSENTIALS STANDARDS 15

# LANDING SYSTEM ACCESSORIES

xclusiv

PITSTOP



77

OFFICIAL EQUIPMENT SUPPLIER TO THE NCAA TRACK & FIELD CHAMPIONSHIPS

#### **PIT STOP**

2534

- 1/4" Powder coated steel plates
- 1/2" spikes on base secures the plate from shifting
- Pole Vault Pit Stop includes 2 base plates with a connector panel
- High Jump Pit Stop includes 1 base plate
- Compatible with any pole vault or high jump pit

| 2534 | Pole Vault |
|------|------------|
| 2535 | High Jump  |

VAULT PERIMETER PAD

733



#### SAFETYMAX+<sup>™</sup> VAULT BOX COLLAR

GILL

- Compatible with any style of landing system
- Spike Plate to reduce collar from slipping
- Complies with ASTM standard F2949
- Meets current NCAA and NFHS rules

| 719   | SafetyMax+ Vault Box Collar |
|-------|-----------------------------|
| 71904 | Spike Plate Kit             |



#### **FLAT BASE PADS**

• Fits 28" tall Gill systems and all standards with center-mounted uprights

61517CXX



#### LANDING SYSTEM TIE-DOWN KIT

Decrease the chances of pit 'flying' awayIncrease safety and security of your pits

| 7081 | With Concrete Anchors |  |
|------|-----------------------|--|
| 7082 | With Grass Anchors    |  |



• High school rule requires covering over all exposed hard surfaces surrounding the PV landing area

• 4' x 6' pad is 4-1/2" thick high density foam

#### **SLOPED BASE PADS**

• Fits 32" tall Gill systems and all standards with center-mounted uprights

۲

- Adjustable measurement scale on top of pad
- Meets World Athletics specifications

#### 61617CXX



#### **SLOPED AGX M2 BASE PADS**

• Specifically designed for 77300CXXYYSP AGX M2 Pole Vault Standards.

61817CXX



SLOPED AGX M4 BASE PADS • Specifically designed for 740110CXXYYSP AGX M4 Pole Vault Standards.

61717CXX







#### **ALUMINUM PIT CART**


- Deck of cart measures 5' x 10'
- Constructed of quality aluminum planking
- Pneumatic caster wheels have a 12" diameter for easy travel over smooth and rough surfaces
- Deck height is optimal 19"

#### 768

#### **WOOD DECK PIT CART**

- Deck of cart measures 4' x 8'
- Constructed of MDO exterior plywood for improved weather resistance
- Pneumatic caster wheels have a 12" diameter for easy travel over smooth and rough surfaces
- Deck height is 16"

#### 767





#### **PLATFORMS FOR LANDING SYSTEMS**

- Support PV and HJ pits above the ground to prevent water damage
- Corrosion resistant aluminum or corrosion resistant rubber construction
- Consist of individual, easy to carry and convenient to store pallets

#### Aluminum

| 733641 | Fits 64117 High Jump System            |
|--------|--|
| 733642 | Fits 64217 High Jump System            |
| 733644 | Fits 64417 High Jump System            |
| 733646 | Fits 64617 High Jump System            |
| 733648 | Fits 64817 High Jump System            |
| 733654 | Fits 65417 Pole Vault System           |
| 733662 | Fits 66217 Pole Vault System           |
| 733663 | Fits 66317 and 65817 Pole Vault System |
| 733665 | Fits 66517 Pole Vault System           |
| 733668 | Fits 66817 Pole Vault System           |

#### Rubber

| 734641 | Fits 64117 High Jump System            |
|--------|--|
| 734642 | Fits 64217 High Jump System            |
| 734644 | Fits 64417 High Jump System            |
| 734646 | Fits 64617 High Jump System            |
| 734648 | Fits 64817 High Jump System            |
| 734654 | Fits 65417 Pole Vault System           |
| 734662 | Fits 66217 Pole Vault System           |
| 734663 | Fits 66317 and 65817 Pole Vault System |
| 734665 | Fits 66517 Pole Vault System           |
| 734668 | Fits 66817 Pole Vault System           |



#### WATER SHED INSERT

- Guaranteed to increase the life of your HJ and PV pits
- Prevents water pooling on your pit which destroys your foam

709





# JUNIPS

## **SHELTERS & BENCHES**

#### **PORTABLE TRACK SHELTER** Steel frame is mounted on swivel casters. 360 degree seating surrounds a center storage shelf. Roof frame is constructed of aluminum bracing with architectural gray powder coat. Canopy is tensioned with a one-piece vinyl wrap. Custom color and graphic application available on canopy top. 54240CXXSP Portable Track Shelter with Graphics OFFICIAL EQUIPMENT SUPPLIER TO THE NCAA TRACK & FIELD CHAMPIONSHIPS Vinyl 09 10 11 12 13 GRAY MAROON PURPLE BLACK NAVY BLUE CUSTOMIZABLE 01 02 03 04 05 06 15 13, 08 WHITE ORANGE YELLOW GOLD KELLY DARK GREEN GREEN LIGHT BLUE ROYAL RED TAN

\*Specify powder coat color with order, use the two-digit number of your color selection to replace XX in the item number.



#### **ALUMINUM BENCHES**

#### PORTABLE BENCHES

| 72081    | 8' Bench, Aluminum Finish  |
|----------|----------------------------|
| 72081CXX | 8' Bench, Powder Coat      |
| 72161    | 16' Bench, Aluminum Finish |
| 72161CXX | 16' Bench, Powder Coat     |



#### **ALUMINUM BENCHES WITH BACKREST**

| POR | TABLE | BENCHES |  |
|-----|-------|---------|--|

| 73081    | 8' Bench, Aluminum Finish  |
|----------|----------------------------|
| 73081CXX | 8' Bench, Powder Coat      |
| 73161    | 16' Bench, Aluminum Finish |
| 73161CXX | 16' Bench, Powder Coat     |





## **PIT GARAGES**







#### **PIT GARAGES**

- Protect your PV or HJ investment from the elements
- Keep rain, snow, and vandals away
- Easily moves on and off position with the help of a few people
- Use the two-digit number of your color selection to replace XX in the item number

| 881018CXX      | 10' X 18' or Smaller High Jump Pits        |
|----------------|--|
| 881425CXX      | 14' X 28' or Smaller High Jump Pits        |
| 882120CXX      | 21' X 20' or Smaller Pole Vault Pits       |
| 883022CXX      | 30' X 22' or Smaller Pole Vault Pits       |
| GILLINSTALLHJG | High Jump Pit Garage Factory Installation  |
| GILLINSTALLPVG | Pole Vault Pit Garage Factory Installation |

• Snow Load Kits available for areas with inclement weather

















#### BEST SELLER!

#### **GILL<sup>®</sup> CROSSBARS**

- Features durable thick-walled pulltruded fiberglass rod
- Minimum sag
- Order s
- Meets

| r sets of three to help offset expensive shipping costs                     | 5263 | Pole Vault (3) 💿 |  |
|---|------|------------------|--|
| ts NFHS, NCAA and World Athletics specifications, World Athletics certified |      |                  |  |
|   |      |                  |  |
|   |      |                  |  |
|   |      |                  |  |

525

5253

526

High Jump

Pole Vault

High Jump (3)

۲

۲



#### **AGX™ COUNTERVAIL CROSSBARS**

- Includes high-end features of the AGX Crossbar with added Countervail™ Vibration Cancelling Technology
- Countervail strengthens the crossbar creating minimal sag
- Dampens 40% quicker than other crossbars
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| 535 | High Jump  |
|-----|------------|
| 536 | Pole Vault |












#### **3-PIECE CROSSBARS**

- Crossbar kit that ships by UPS instead of truck
- Reduced shipping charges
- Can be shipped UPS overnight
- Utilizes same durable thick-walled pulltruded fiberglass as Collegiate Crossbars
- Meets NFHS and NCAA specifications









#### **PV/HJ MEASURING SYSTEM**

- 59" tall aluminum measuring stick brings laser readout closer to eye level
- Use for both High Jump and Pole Vault events
- Simple to use: Utilize viewfinder to line up crossbar and press the button
- Measure in either English or Metric units
- Minimum measurement is 1.54m (5' ½"), No maximum measurement

E73708 Stick and Laser



#### **PUTTER UPPER**

- Simplest crossbar placer ever made
- Fits over the end of any vaulting pole

710390



#### **TELESCOPING CROSSBAR PLACER**

- Facilitate easy placement of crossbars at all heights
- Telescoping pole extends 6' to 12' in 6" increments
- Thumb mechanism allows for quick adjustment

950



#### **ELASTIC KROSSBAND**


- Training crossbar for PV and HJ
- Bright fluorescent orange elastic tubing
- 1" diameter foam sections

528



TEAMPACER.COM











TEAMPACER.COM

ONE

3

PACER



**ON EVERY PACER POLE** 



### AVAILABLE FOR ALL PACER FIBERGLASS POLES

A full-line of vaulting poles designed for every vaulter, allowing smooth transition from pole to pole no matter the length, weight, or model. The ONLY vaulting pole with a 1 Year warranty. **From novice to elite, Pacer has you covered.** 



24



The Pacer® ONE is a versatile, economical pole perfect for the beginning vaulter. Our design patterns create a "slow down" of the bend allowing more time to rotate into a vertical position. Available 9' to 13' in 10 lb increments, the Pacer ONE is sure to get your vaulters to the next level. 1 Year Warranty.

| ITEM # | TES                        |
|--------|----------------------------|
|        | 60                         |
| 527532 | 70                         |
| 527536 | 80                         |
| 527541 | 90                         |
|        | 527527<br>527532<br>527536 |

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
|        | 60 lb   | 21  |
|        | 70 lb   | 21  |
| 527536 | 80 lb   | 21  |
|        | 90 lb   | 21  |
| 527545 | 100 lb  | 21  |

| 1′   | ITEM # | TEST WT | TIP |
|------|--------|---------|-----|
|      |        | 80 lb   | 21  |
| 35M) | 533541 | 90 lb   | 21  |
|      | 533545 | 100 lb  | 21  |
|      | 533550 | 110 lb  | 21  |
|      |        | 120 lb  | 21  |
|      | 533559 | 130 lb  | 21  |
|      | 533563 | 140 lb  | 21  |
|      |        | 150 lb  | 21  |
|      |        |         |     |

ITEM #

TEST WT TIP 90 lb

100 lb

110 lb

120 lb

130 lb

140 lb

150 lb

21

21

21

21

21

21

21

10' (3.10M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
|        | 70 lb   | 21  |
| 531036 | 80 lb   | 21  |
| 531041 | 90 lb   | 21  |
| 531045 | 100 lb  | 21  |
| 531050 | 110 lb  | 21  |
| 531054 | 120 lb  | 21  |
| 531059 | 130 lb  | 21  |

| 10′6    | ITI |
|---------|-----|
|         |     |
| (3.20M) | 53  |
|         |     |

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
| 532532 | 70 lb   | 21  |
| 532536 | 80 lb   | 21  |
| 532541 | 90 lb   | 21  |
| 532545 | 100 lb  | 21  |
| 532550 | 110 lb  | 21  |
| 532554 | 120 lb  | 21  |
| 532559 | 130 lb  | 21  |
| 532563 | 140 lb  | 21  |
|        |         |     |

12' (3.66M)

11'6

(3.51M)

(3.

|        | 90 lb  | 21 |
|--------|--------|----|
|        | 100 lb | 21 |
| 536050 | 110 lb | 21 |
|        | 120 lb | 21 |
|        | 130 lb | 18 |
| 536063 | 140 lb | 18 |
| 536068 | 150 lb | 16 |
|        | 160 lb | 16 |

ITEM # TEST WT TIP



| 2'6    | ITEM # | TEST WT | TIP |
|--------|--------|---------|-----|
|        |        | 100 lb  | 21  |
| 3.81M) | 537550 | 110 lb  | 21  |
|        | 537554 | 120 lb  | 21  |
|        | 537559 | 130 lb  | 18  |
|        | 537563 | 140 lb  | 18  |
|        | 537568 | 150 lb  | 16  |
|        | 537573 | 160 lb  | 16  |
|        |        | 170 lb  | 16  |
|        |        |         |     |
| 13′    | ITEM # | TEST WT | TIP |
|        |        | 110 lb  | 18  |
| 3.96M) | 540054 | 120 lb  | 18  |
|        | 540059 | 130 lb  | 18  |
|        | 540063 | 140 lb  | 16  |
|        | 540068 | 150 lb  | 16  |

150 lb 16 160 lb 13 170 lb 13 180 lb 13

VAULTING POLES ARE NOT Guaranteed against breakage

INSPECT VAULTING POLES FOR Visible and concealed damage Before accepting delivery

#### **COMPETITION POLE TIPS**

Tough, durable polyurethane for a softer plant and long lasting performance.

700002, 700004, 700005, 700007, 700010,







TEAMPACER.COM



11'

(3.35M)

|  | ITEM # | TEST WT | TIP |
|--|--------|---------|-----|
|  |        | 80 lb   | 21  |
|  | 733539 | 85 lb   | 21  |
|  | 733541 | 90 lb   | 21  |
|  | 733543 | 95 lb   | 21  |
|  | 733545 | 100 lb  | 21  |
|  | 733547 | 105 lb  | 21  |
|  | 733550 | 110 lb  | 21  |
|  | 733552 | 115 lb  | 21  |
|  | 733554 | 120 lb  | 21  |
|  | 733557 | 125 lb  | 21  |
|  | 733559 | 130 lb  | 21  |
|  | 733561 | 135 lb  | 21  |
|  | 733563 | 140 lb  | 18  |
|  | 733566 | 145 lb  | 18  |
|  | 733568 | 150 lb  | 18  |

11'6 (3.51M)

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
|        | 85 lb   | 21  |
| 735041 | 90 lb   | 21  |
| 735043 | 95 lb   | 21  |
| 735045 | 100 lb  | 21  |
| 735047 | 105 lb  | 21  |
| 735050 | 110 lb  | 21  |
| 735052 | 115 lb  | 21  |
| 735054 | 120 lb  | 18  |
| 735057 | 125 lb  | 18  |
| 735059 | 130 lb  | 18  |
| 735061 | 135 lb  | 18  |
| 735063 | 140 lb  | 16  |
|        | 145 lb  | 16  |
| 735068 | 150 lb  | 16  |
|        |         |     |

| 12′                    | ITEM #   | TEST WT  | TIP  |
|------------------------|--|--|--|
|                        |  | 100 lb   | 21   |
| (3.66M)                | 736047   | 105 lb   | 21   |
|                        | 736050   | 110 lb   | 21   |
|                        | 736052   | 115 lb   | 21   |
|                        | 736054   | 120 lb   | 21   |
|                        | 736057   | 125 lb   | 21   |
|                        | 736059   | 130 lb   | 18   |
|                        | 736061   | 135 lb   | 18   |
|                        | 736063   | 140 lb   | 18   |
|                        | 736066   | 145 lb   | 18   |
|                        | 736068   | 150 lb   | 18   |
|                        | 736070   | 155 lb   | 18   |
|                        | 736073   | 160 lb   | 18   |
|                        |  |  |  |
| 12′6                   | ITEM #   | TEST WT  | TIP  |
| 12′6                   | ITEM #<br>737545   | <b>TEST WT</b><br>100 lb   | TIP<br>21  |
| <b>12′6</b><br>(3.81M) |  |  |  |
|                        |  | 100 lb   | 21   |
|                        | 737545<br>737547   | 100 lb<br>105 lb   | 21<br>21   |
|                        | 737545<br>737547   | 100 lb<br>105 lb<br>110 lb   | 21<br>21<br>21   |
|                        | 737545<br>737547<br>737550<br>737552                               | 100 lb<br>105 lb<br>110 lb<br>115 lb   | 21<br>21<br>21<br>18   |
|                        | 737545<br>737547<br>737550<br>737552                               | 100 lb<br>105 lb<br>110 lb<br>115 lb<br>120 lb   | 21<br>21<br>21<br>18<br>18   |
|                        | 737545<br>737547<br>737550<br>737552                               | 100 lb<br>105 lb<br>110 lb<br>115 lb<br>120 lb<br>125 lb   | 21<br>21<br>21<br>18<br>18<br>18   |
|                        | 737545<br>737547<br>737550<br>737552<br>737554<br>737557<br>737559 | 100 lb<br>105 lb<br>110 lb<br>115 lb<br>120 lb<br>125 lb<br>130 lb                               | 21<br>21<br>21<br>18<br>18<br>18<br>18<br>18                               |
|                        | 737545<br>737547<br>737550<br>737552<br>737554<br>737557<br>737559 | 100 lb<br>105 lb<br>110 lb<br>115 lb<br>120 lb<br>125 lb<br>130 lb<br>135 lb                     | 21<br>21<br>21<br>18<br>18<br>18<br>18<br>18<br>18<br>18                   |
|                        | 737545<br>737547<br>737550<br>737552<br>737554<br>737557<br>737559 | 100 lb<br>105 lb<br>110 lb<br>115 lb<br>120 lb<br>125 lb<br>130 lb<br>135 lb<br>140 lb           | 21<br>21<br>21<br>18<br>18<br>18<br>18<br>18<br>18<br>18<br>18<br>18<br>18 |
|                        | 737545<br>737547<br>737550<br>737552<br>737554<br>737557<br>737559 | 100 lb<br>105 lb<br>110 lb<br>115 lb<br>120 lb<br>125 lb<br>130 lb<br>135 lb<br>140 lb<br>145 lb | 21<br>21<br>21<br>18<br>18<br>18<br>18<br>18<br>18<br>18<br>18<br>16<br>16 |

12

| 13′     | ITEM # | TEST WT | TIP |
|---------|--------|---------|-----|
|         |        | 110 lb  | 18  |
| (3.96M) | 740052 | 115 lb  | 18  |
|         | 740054 | 120 lb  | 18  |
|         | 740057 | 125 lb  | 18  |
|         | 740059 | 130 lb  | 18  |
|         | 740061 | 135 lb  | 18  |
|         | 740063 | 140 lb  | 16  |
|         | 740066 | 145 lb  | 16  |
|         | 740068 | 150 lb  | 16  |
|         | 740070 | 155 lb  | 16  |
|         | 740073 | 160 lb  | 13  |
|         | 740075 | 165 lb  | 13  |
|         | 740077 | 170 lb  | 13  |
|         | 740080 | 175 lb  | 13  |
|         | 740082 | 180 lb  | 10  |
| 13'6    | ITEM # | TEST WT | TIP |
|         |        | 120 lb  | 16  |
| (4.11M) | 741557 | 125 lb  | 16  |
|         | 741559 | 130 lb  | 16  |
|         | 741561 | 135 lb  | 16  |
|         | 741563 | 140 lb  | 16  |
|         | 741566 | 145 lb  | 16  |

PACERFXV



165 lb

170 lb

16 16



13

13

13

10

10

10

150 lb

155 lb

160 lb 165 lb

170 lb

175 lb

180 lb



## THE PACER® ADVANTAGE

The Pacer® FXV vaulting pole is the flagship series of our Pacer line-up. With a design to perform well for all styles of jumpers, the lightweight s-glass is designed for smooth, consistent response as vaulters transition from pole to pole. The Pacer FXV is the perfect pole for greater heights and maximum PRs. Available 11' to 16'9" in 5lb increments. 1 Year Warranty.

(4.5

| 1   | <b>4</b> ′ |
|-----|------------|
| (4. | 27M)       |

|        | IESI WI | TIP |
|--------|---------|-----|
|        | 125 lb  | 16  |
| 742559 | 130 lb  | 16  |
| 742561 | 135 lb  | 13  |
| 742563 | 140 lb  | 13  |
| 742566 | 145 lb  | 13  |
| 742568 | 150 lb  | 13  |
| 742570 | 155 lb  | 13  |
|        | 160 lb  | 13  |
| 742575 | 165 lb  | 10  |
| 742577 | 170 lb  | 10  |
| 742580 | 175 lb  | 7   |
| 742582 | 180 lb  | 7   |
|        |         |     |

| 5′  | ITEM # | TEST WT | TIP |
|-----|--------|---------|-----|
|     | 746063 | 140 lb  | 10  |
| 7M) |        | 145 lb  | 10  |
|     | 746068 | 150 lb  | 10  |
|     | 746070 | 155 lb  | 10  |
|     |        | 160 lb  | 10  |
|     | 746075 | 165 lb  | 7   |
|     | 746077 | 170 lb  | 7   |
|     | 746080 | 175 lb  | 7   |
|     | 746082 | 180 lb  | 5   |
|     | 746084 | 185 lb  | 5   |
|     |        |         |     |

| 5'1   | ITEM # | TEST WT | TIP |
|-------|--------|---------|-----|
|       |        | 160 lb  | 10  |
| .90M) | 749075 | 165 lb  | 10  |
|       |        | 170 lb  | 7   |
|       | 749080 | 175 lb  | 7   |
|       | 749082 | 180 lb  | 5   |
|       |        | 185 lb  | 5   |
|       | 749086 | 190 lb  | 4   |
|       |        | 195 lb  | 4   |
|       | 749091 | 200 lb  | 4   |
|       |        |         |     |



| ITEM # | TEST WT | TIP |
|--------|---------|-----|
|        | 130 lb  | 13  |
| 744061 | 135 lb  | 13  |
| 744063 | 140 lb  | 10  |
| 744066 | 145 lb  | 10  |
| 744068 | 150 lb  | 10  |
| 744070 | 155 lb  | 10  |
| 744073 | 160 lb  | 10  |
| 744075 | 165 lb  | 10  |
|        | 170 lb  | 7   |
| 744080 | 175 lb  | 7   |
| 744082 | 180 lb  | 7   |
| 744084 | 185 lb  | 7   |

| 5'6    | ITEM # | TEST WT | TIP |
|--------|--------|---------|-----|
|        |        | 150 lb  | 10  |
| 4.72M) | 747070 | 155 lb  | 10  |
|        | 747073 | 160 lb  | 7   |
|        | 747075 | 165 lb  | 7   |
|        | 747077 | 170 lb  | 5   |
|        | 747080 | 175 lb  | 5   |
|        | 747082 | 180 lb  | 4   |
|        |        | 185 lb  | 4   |
|        |        | 190 lb  | 4   |
|        | 747088 | 195 lb  | 4   |

| 6'5     | ITEM # | TEST WT | TIP |
|---------|--------|---------|-----|
|         |        | 170 lb  | 7   |
| (5.01M) | 750080 | 175 lb  | 7   |
|         | 750082 | 180 lb  | 7   |
|         | 750084 | 185 lb  | 5   |
|         | 750086 | 190 lb  | 5   |
|         | 750088 | 195 lb  | 4   |
|         | 750091 | 200 lb  | 4   |
|         |        |         |     |

| 5'9   | ITEM # | TEST WT | TIP |
|-------|--------|---------|-----|
|       |        | 185 lb  | 5   |
| .11M) | 751086 | 190 lb  | 5   |
|       | 751088 | 195 lb  | 4   |
|       |        | 200 lb  | 4   |
|       | 751093 | 205 lb  | 4   |







TEAMPACER.COM

### 

6143

14'6

(4.42M)

| 13′     | ITEM # | TEST WT |
|---------|--------|---------|
|         |        | 110 lb  |
| (3.96M) | 340052 | 115 lb  |
|         | 340054 | 120 lb  |
|         |        | 125 lb  |
|         | 340059 | 130 lb  |
|         | 340061 | 135 lb  |
|         | 340063 | 140 lb  |
|         |        | 145 lb  |
|         | 340068 | 150 lb  |
|         | 340070 | 155 lb  |
|         |        |         |

| 110 lb | 21   |
|--------|--|
| 115 lb | 18   |
| 120 lb | 18   |
| 125 lb | 18   |
| 130 lb | 18   |
| 135 lb | 18   |
| 140 lb | 18   |
| 145 lb | 18   |
| 150 lb | 16   |
| 155 lb | 16   |
| 160 lb | 16   |
|        | 115 lb<br>120 lb<br>125 lb<br>130 lb<br>135 lb<br>140 lb<br>145 lb<br>150 lb<br>155 lb |

3

TIP

| 1 | 3    | <b>'</b> E |
|---|------|------------|
| ( | 4.11 | M)         |

222222

| 18 |
|----|
| 18 |
| 18 |
| 16 |
| 16 |
| 16 |
| 16 |
| 16 |
| 13 |
| 13 |
| 13 |
| 13 |
|    |

ITEM # TEST WT TIP

| 14′     | ITEM # | TEST WT | TIP |
|---------|--------|---------|-----|
|         |        | 125 lb  | 16  |
| (4.27M) | 342559 | 130 lb  | 16  |
|         | 342561 | 135 lb  | 16  |
|         | 342563 | 140 lb  | 16  |
|         | 342566 | 145 lb  | 16  |
|         | 342568 | 150 lb  | 13  |
|         | 342570 | 155 lb  | 13  |
|         |        | 160 lb  | 13  |
|         | 342575 | 165 lb  | 13  |
|         | 342577 | 170 lb  | 13  |
|         | 342580 | 175 lb  | 13  |
|         | 342582 | 180 lb  | 10  |

| 15′     | ITEM # | TEST WT | TIP |
|---------|--------|---------|-----|
|         |        | 140 lb  | 13  |
| (4.57M) | 346066 | 145 lb  | 10  |
|         | 346068 | 150 lb  | 10  |
|         | 346070 | 155 lb  | 10  |
|         | 346073 | 160 lb  | 10  |
|         | 346075 | 165 lb  | 10  |
|         | 346077 | 170 lb  | 10  |
|         |        | 175 lb  | 10  |
|         | 346082 | 180 lb  | 7   |
|         | 346084 | 185 lb  | 7   |
|         | 346086 | 190 lb  | 7   |
|         | 346088 | 195 lb  | 7   |

15'6

(4.72M)

PACER

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
|        | 130 lb  | 13  |
| 344061 | 135 lb  | 13  |
| 344063 | 140 lb  | 13  |
| 344066 | 145 lb  | 10  |
| 344068 | 150 lb  | 10  |
| 344070 | 155 lb  | 10  |
| 344073 | 160 lb  | 10  |
|        | 165 lb  | 10  |
| 344077 | 170 lb  | 10  |
| 344080 | 175 lb  | 10  |
| 344082 | 180 lb  | 10  |
| 344084 | 185 lb  | 10  |
| 344086 | 190 lb  | 7   |
| 344088 | 195 lb  | 7   |

| ITEM # | TEST WT | TIP |
|--------|---------|-----|
|        | 150 lb  | 10  |
| 347070 | 155 lb  | 10  |
| 347073 | 160 lb  | 10  |
| 347075 | 165 lb  | 10  |
|        | 170 lb  | 10  |
| 347080 | 175 lb  | 10  |
| 347082 | 180 lb  | 7   |
| 347084 | 185 lb  | 7   |
| 347086 | 190 lb  | 5   |
|        | 195 lb  | 5   |

514



PACER COMPOSITE VAULTING POLE



### THE PACER® ADVANTAGE

For advanced aggressive vaulters, the Pacer® COMPOSITE is the lightest pole on the market with increased tensile strength and superior energy return. The patent-pending design blends T2-Fiber™, S-Glass, and carbon fiber to create a robust and durable composite construction. The Pacer COMPOSITE is designed for vaulters to raise the bar. Available 13' to 16'9" in 5lb increments. 1 Year Warranty.

| 1  | <b>6'1</b> |
|----|------------|
| (4 | 4.90M)     |

| 10 | 160 lb |        |
|----|--------|--------|
| 10 | 165 lb |        |
| 10 | 170 lb | 349077 |
| 10 | 175 lb | 349080 |
| 7  | 180 lb | 349082 |
| 7  | 185 lb | 349084 |
| 5  | 190 lb | 349086 |
| 5  | 195 lb | 349088 |
| 5  | 200 lb | 349091 |

ITEM # TEST WT TIP

| 16′5    | ITEM # | TEST WT | TIP |
|---------|--------|---------|-----|
|         |        | 170 lb  | 10  |
| (5.01M) | 350080 | 175 lb  | 7   |
|         | 350082 | 180 lb  | 7   |
|         | 350084 | 185 lb  | 7   |
|         | 350086 | 190 lb  | 5   |
|         | 350088 | 195 lb  | 5   |
|         | 350091 | 200 lb  | 4   |
|         |        | 205 lb  | 4   |
|         | 350095 | 210 lb  | 4   |
|         |        |         |     |

| 6'9    | ITEM # | TEST WT | TIP |
|--------|--------|---------|-----|
|        | 351084 | 185 lb  | 5   |
| 5.11M) | 351086 | 190 lb  | 5   |
|        | 351088 | 195 lb  | 4   |
|        | 351091 | 200 lb  | 4   |
|        | 351093 | 205 lb  | 4   |
|        | 351095 | 210 lb  | 4   |
|        |        | 215 lb  | 2   |
|        |        |         |     |

VAULTING POLES ARE NOT Guaranteed against breakage INSPECT VAULTING POLES FOR Visible and concealed damage Before accepting delivery

#### **COMPETITION POLE TIPS**

Tough, durable polyurethane for a softer plant and long lasting performance.

700002, 700004, 700005, 700007, 700010, 700013, 700016, 700018, and 700021







# **POLE BAGS & ACCESSORIES**



#### **CUSTOM POLE BAG**

- Customize for your school's personality!
- Holds at least five vaulting poles
- Shoulder strap for ease of transportation
- Heavy duty vinyl and leather reinforced ends for long life
- Made to fit 6" corrugated drain tube (not included)
- Use the two-digit number of your vinyl color selection (Page 10) to replace the XX in the item number

#### 8008##CXX 10'-18' Custom Pole Bag

\*Use two-digit number of desired pole bag length to replace '##' in part number. 10'-18' lengths available.



#### VAULT TRAINER SYSTEM

**ESSENTIALS™ POLE BAG** 

- Holds at least five vaulting poles

Heavy duty polyester for long life

• Made to fit 6" corrugated drain tube (not included)

Maximum length is 15'

800801

- Unique device for beginner and intermediate vaulters
- Allows athlete to acclimate the body to positions occurring during peak vault height
- Strengthens muscle groups for effective push off
- Helps to coordinate grip and pole positions while rotating around pole for push off

TA190



#### ELITE POLE BAG

- Holds at least five vaulting poles
- · Heavy duty vinyl and leather reinforced ends for long life
- Adjustable from 14' 6" to 17' 6"
- Made to fit 6" corrugated drain tube (not included)

800802

#### POLE VAULT SWING UP RACK

- Designed to build strength and speed while mastering technique
- Stabilizes shoulders throughout the swing-up
- Keeps the core and shoulders engaged through full range of motion to full inversion and balance with no neck strain

700220

#### PERFECT PLANT SLIDING VAULT BOX

- Sliding vault box allows vaulters to perfect the run, plant, and take-off
- Pole carriage, run mechanics, tempo, and step placement are more effectively learned using this training tool
- Tip proof design has a built in handle, a zero mark molded into the side for placement accuracy
- Constructed of a high-impact thermoplastic

2531



#### PACER<sup>®</sup> GIZMO

- Practice vaulting while safely on the ground
- Allows athlete to mimic complex movements that occur in the air while firmly on your feet
- Three cord system to accommodate your specific level of strength and coordination
- Vault specific training device designed to take you to the next level

| 700231 | Small Grip |
|--------|------------|
|        |            |





30





#### **INTERNATIONAL POLE CART**

- Built to hold all the vaulting poles you own
- Made of sturdy steel with high end design
- Dual purposed wheels switch from swivel to locked position in a snap

#### 733180 Cart

735 Tow Bar Kit



#### **CHALK STAND**

- Store chalk during practice and competition
- Lightweight stand features a wide opening for hands, a pocket for extra chalk, and rungs for hanging accessories or resting vaulting poles

WE305 Chalk Stand

700250 1 lb Sports Chalk

#### **PORTABLE POLE RACK**

- Convenient way to store and protect your poles during meets and practice
- Free standing pole rack made of heavy duty steel with durable powder coat finish





### REPLACEMENT POLE VAULT WEIGHT LABEL

When ordering online you will receive an email requesting further information to complete this order

#### WT LABEL



#### **POLE PROTECTOR SLEEVE**

Slips on easily to provide maximum protection against damage caused by pole contact with the upper edges of the vault box.

700255



#### **GRRRIP PLUS LOTION**

• Scientifically forumlated mixture developed to enhance hand-grip up to 75% better

• Fluid mixes with natural skin oils to create a moisture barrier yet still

allows the skin to breathe • More convenient and cleaner than chalk

700253



#### **POLE VAULT GRIP TAPE**

- 1 ½″ width

| 700259 | White (15 yds) |
|--------|----------------|
| 700260 | Red            |
| 700261 | Maroon         |
| 700262 | Gold           |
| 700263 | Green          |
| 700264 | Royal          |
| 700265 | Purple         |
| 700266 | Black          |
| 700267 | Pink           |



#### GRAPHIC POLE VAULT GRIP TAPE

- 20 yard roll of adhesive design tape
- Camo/flag designs come in 2" width
- Jolly Roger design comes in 1" width

#### 700273 USA Flag

| 700271 | Pink Camo   |
|--------|-------------|
| 700272 | Winter Camo |
| 700274 | Jolly Roger |



#### NINJA ELITE POLE VAULT GRIP TAPE

- Lab-designed with thousands of gripping 'fingers'
- Grip lighter and hold tighter
- No additional substances needed (chalk, sticky spray, etc)
- Slip resistant, vibration dampening and easy release properties
- Water and oil resistant

**700281** 9' x 1"





APE

RECORDS APE MADE TO BE BROKEN



# FASTER STARTS THROUGH ADVANCED TECHNOLOGY



OFFICIAL EQUIPMENT SUPPLIER TO THE NCAA TRACK & FIELD CHAMPIONSHIPS

#### FUSION™ F10 STARTING BLOCK

30° 30°

- Exclusive 8" x 10" pedal allows full heel support for the best starts
- Precise and consistent foot placement is ensured using integrated pedal markings
- Angled spikes in base of pedals guarantee no slipping
- Built in handle allows for easy carriage between locations
- Pedals adjustable to 30°, 40°, 50°, 60°
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| 730183C02 | Royal Blue | ۲ |
|-----------|------------|---|
| 730183C03 | Red        | ۲ |
| 730183C05 | Orange     |   |
| 730183C12 | Black      | ٢ |
| 730183C15 | Dark Green | ۲ |

FUSION F10

THE FUSION DESIGN WAS BUILT WITH EVERY ASPECT OF THE SPRINT START IN MIND, AND THE RESULT IS THE BEST STARTING BLOCK IN EXISTENCE.



Adjust Fusion pedals to four different angles to fit your starting style.






34





#### FUSION F4, F8, & F10 PAT. NO. 6,929,585 & 7,156,775



#### MORE FUSION COLOR OPTIONS



## FUSION™ F8 STARTING BLOCK

- Exclusive 8" x 8" pedals designed for a more aggressive acceleration pattern
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| 730182C02 | Royal Blue |  |
|-----------|------------|--|
| 730182C03 | Red        |  |
| 730182C05 | Orange     |  |
| 730182C12 | Black      |  |
| 730182C15 | Dark Green |  |



#### FUSION™ F4 STARTING BLOCK • Standard 4" x 8" pedals

Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| 730181C02 | Royal Blue | ۲ |
|-----------|------------|---|
| 730181C03 | Red        |   |
| 730181C05 | Orange     |   |
| 730181C12 | Black      |   |
| 730181C15 | Dark Green |   |

MOYE™ PEDAL ADAPTER

Converts any Fusion block into a Moye style block



## **SPRINTS**

## **STARTING BLOCKS**



- Aircraft aluminum construction for maximal lifespan
- Pedals adjust to 45°, 55°, 65°, 75°
- Ruled decal in rail allows quick, easy, repeatable pedal set-up
- Includes ½" pyramid spikes for synthetic tracks
- Meets World Athletics, NCAA and NFHS specifications

| 41 | 10C02 | Royal Blue |
|----|-------|------------|
| 41 | IOCO3 | Red        |
| 41 | I0C12 | Black      |







#### **S2 STARTING BLOCK**

- Polished steel rail with cast aluminum pedals
- Pedals adjust to 45°, 55°, 65°, 75°

Meets NCAA and NFHS specifications

- Ruled decal in rail allows quick, easy, repeatable pedal set-up
- Includes ½" pyramid spikes for synthetic tracks

| 412C02 | Royal Blue |
|--------|------------|
| 412C03 | Red        |
| 412C12 | Black      |









#### **ESSENTIALS™ STARTING BLOCK**

- One piece, all steel construction with durable black powder coat finish
- Standard width pedals with rubber pads
- Change pedal positions with simple Spring Lock Adjustment
- Features built in spikes to eliminate slipping
- Meets NFHS specifications

416



#### **INDOOR STARTING BLOCK**

- No nails, pins or holes needed to hold in place
- Foot pressure on the flaps provide a non-slip start

417





#### GILL® TRANSPORTER STARTING BLOCK CART

- Holds up to 16 starting blocks; any style
- Large wheels make transportation easy
- Steel construction with durable black powder coat finish

9311

## GILL® INTERNATIONAL STARTING BLOCK CART

- Holds up to 10 starting blocks horizontally
- Handle is included for easy transport
- Includes a storage shelf for loose pedals and accessories
- Steel construction with durable, architectural gray powder coat finish





ESSENTIALS™ BLOCK CART

- Holds up to 10 starting blocks
- Steel construction with durable black powder coat finish



## HURDLES

## **CONTINUUM** THE WORLD'S FASTEST HURDLE IS ALSO THE WORLD'S SAFEST

#### CONTINUUM™ AUTOMATIC HURDLES

The Continuum<sup>™</sup> hurdle is designed to be the safest, fastest, and most unobtrusive hurdle that the rules will allow, all accomplished by placing the gateboard directly over the pivot point (tip-over-fulcrum).

- Internal leg weight from Continuum looping mechanism creates the most reliable, hassle-free automatic hurdle
- Robust C4 & C5 hurdle frames feature reinforced gusseted elbows for unparalleled strength
- $\scriptstyle \bullet$  Exclusive extrusion gatetubes allow for graphic customization C4 & C5 hurdles.
- C4 & C5 hurdles utilize a unique inner leg vertical height indicator for no-mistake height settings (30", 33", 36", 39", 42")
- Internalized weight mechanism of C4 & C5 hurdles creates whole-unit hurdle reducing maintenance and upkeep
- Meets NFHS, NCAA and World Athletics specifications
- 5 year warranty







#### CUSTOMIZABLE HURDLES See color charts on page 39 to replace

the XX in the item numbers.



#### **CONTINUUM™ C5 AUTOMATIC HURDLE**

| 1241CXX | 41″ | ۲         |
|---------|-----|-----------|
| 1247CXX | 47″ | •         |
|         |     |           |
|         |     |           |
|         | TCM | r pending |
| - PA    |     | I GIVET   |
|         |     |           |



Patent pending C5 Hurdle Quick-Step™ foot pedal allows for smooth continuous transitions between any height.

STEP INTO THE FUTURE **C5** 







| 1041CXX | 41″ | 2  |  |
|---------|-----|----|--|
| 1047CXX | 47″ | •  |  |
| Me      |     |    |  |
|         |     | 1. |  |
|         |     |    |  |

Patented C4 Hurdle dual hand trigger mechanism creates zero-click continuous transitions between any height.

#### **CUSTOM GATETUBES**

Available on Continuum C4/C5 hurdles.



Gatetubes available in a variety of bright and durable powder coat colors at no extra cost.

GILL

& SOUTH FLORIDA &



GILL

NCAA


GILL

Color Rendering Feature at GillAthletics.com

\*Replace XX in the item number with the two-digit number of your color selection.



#### CONTINUUM™ C3 AUTOMATIC HURDLE



🚔 TRACK & FIELD CHAMPIONSHIPS



C3 Hurdle thumb buttons allow for quick click setting and smooth hurdle height adjustments.



NCAA

GILL

GILL



## HURDLES





#### **CUSTOM GATEBOARDS**

#### **ULTIMATE CUSTOM GATEBOARD PRINTING**

Customize your hurdle boards with four color printing and show off your hurdles!

946 59 or Less Hurdles 60 or More Hurdles



#### **STANDARD CUSTOM GATEBOARD PRINTING**

Customize your hurdle boards with standard gateboard printing. Uppercase letters printed in single color.

94559 or Less Hurdles60 or More Hurdles



#### **REPLACEMENT BOARDS & PARTS**



visit us online: GillAthletics.com











Gatetubes available in a variety of bright and durable powder coat colors at no extra cost.



Color Rendering Feature at GillAthletics.com

\*Replace XX in the item number with the two-digit number of your color selection.



#### **G6 HURDLE**

- Constructed of thick extruded aircraft aluminum
- Manual weight adjustment to meet precise official pullover force at each height
- Aluminum powder coated gatetubes and Lexan<sup>®</sup> gateboard
- Easy stack design for better stacking and portability
- Adjustable heights: 30", 33", 36", 39", 42"
- Meets NFHS, NCAA and World Athletics
- specifications, World Athletics certified
- 5 year warranty

| 406CXX     | 41" Hurdle | ۲ |
|------------|------------|---|
| 40647CXX   | 47" Hurdle |   |
| 40635CXXSP | 35" Hurdle |   |



## HURDLES







PRO TIP:

Hurdles are packaged in two per box. Order in even numbers to improve shipping.

#### **GILL ESSENTIALS™ HURDLE**

- All aluminum construction
- Economical hurdle that meets official pullover resistance at all heights
- Rigid double-crossbar design ensures superior durability
- Lexan gateboard
- Adjustable heights: 27", 30", 33", 36", 39", 42"
- Meets NFHS specifications
- 1 year warranty
- Assembly required
- 401CXX 41" Hurdle

#### **S1 HURDLE**

- Strong all aluminum design
- Unmatched value for high school programs
- Aluminum powder coated gatetubes and Lexan<sup>®</sup> gateboard
- Adjustable heights: 30", 33", 36", 39", 42"
- Meets NFHS specifications
- 5 year warranty
- Assembly required
- 411CXX 41" Hurdle

#### **S2 HURDLE**

- Powder coated steel U-shaped single cross support design
- Single cross support allows for easy carriage and unhindered plyometric drills
- Aluminum powder coated gatetubes and Lexan<sup>®</sup> gateboard
- Adjustable heights: 30", 33", 36", 39", 42"
- Meets NFHS specifications
- 5 year warranty
- Assembly required

| 403CXX   | 41" Hurdle |
|----------|------------|
| 40335CXX | 35" Hurdle |

#### **HURDLE CART**

- Unique walk-in design
- Steel construction with durable black powder coat finish
- Large swivel casters for easy transportation
- Compatible with both rocker and 'L' shaped hurdles

| 4010 | 41" Hurdle Cart (Holds 8-10)  |
|------|-------------------------------|
| 4120 | 41" Hurdle Cart (Holds 18-20) |
| 4036 | 35″ Hurdle Cart (Holds 8-10)  |

#### **HURDLE PORTER**

- Easy convenient way to move 8-10 hurdles
- Steel construction with durable black powder coat finish
- Compatible with 'L' shaped hurdles only

```
4210 41" Hurdle Porter
```







#### FOAM HURDLE BOARD GUARD

• Easily attaches to hurdle for maximum protection against injury

Guard

403BG





#### BEST SELLER!

#### **S4 HURDLE**

- Best selling high school hurdle for elite programs
- Aluminum square tube construction
- Welded cross support design provides unrivalled durability
- ${\scriptstyle \bullet}$  Aluminum powder coated gatetubes and Lexan  $^{\ast}\,$  gateboard
- Gatetubes allow for GRAPHIC customization
- Adjustable heights: 30", 33", 36", 39", 42"
- Meets NFHS specifications
- 5 year warranty
- Ships assembled

#### 402CXX 41" S4 Hurdle

**402TCXXSP** *41" Hurdle with Gatetube Graphics* 



Easy stack design for better storage and portability



Gatetubes available in a variety of bright and durable powder coat colors at no extra cost.



GILL GILL

\*Replace XX in the item number with the two-digit number of your color selection.

Color Rendering Feature at GillAthletics.com

402TC02SP

CUSTOMIZABLE GATETUBES

#### GILL<sup>®</sup> FLIGHT HURDLE CART

- World's most convenient and efficient hurdle cart
- Four wheel design provides superior moveability compared to corner cutting three wheel designed carts
- Sturdy steel construction with durable black powder coat finish
- Efficiently supports up to 10 hurdles at a time

| 4630 | 41" Hurdle Cart |
|------|-----------------|
| 4631 | 47" Hurdle Cart |

#### **HURDLE CART WEATHER COVER**

| 733630CXX   | 41" Cart Weather Cover               |
|-------------|--------------------------------------|
| 733631CXX   | 47" Cart Weather Cover               |
| 733630CXXSP | 41" Cart Weather Cover with Graphics |
| 733631CXXSP | 47" Cart Weather Cover with Graphics |





\*Replace XX in the item number with the two-digit number of your vinyl color selection.









## **ELECTRONICS & INDICATORS**



OFFICIAL EQUIPMENT SUPPLIER TO THE NCAA TRACK & FIELD CHAMPIONSHIPS

#### **TIMER AND DISPLAY**

- Lightweight with rugged rubber bumpers for increased durability
- Countdown timer has various pre-programmed times
- Works as a display/4 digit performance indicator as well as timer
- Three brightness intervals adjust to your specific needs
- Also used as an elapsed time clock for CC, road races, and the track
- Countdown can be set for durations up to 99 minutes
- Anti-glare 6" x 3" digits
- Includes tripod, 120V adapter plug, and 12V internal battery
- External battery can be connected if needed
- Connect to Gill Ultrasonic Wind Gauge to display wind reading

| E49821  | Single Sided              |
|---------|---------------------------|
| E49822  | Double Sided              |
| E39820B | Optional External Battery |





#### **ULTRASONIC WIND GAUGE 2.0**

- Highly visible backlit display improved for officials accuracy
- Special cable from Lynx required for Lynx interface
- Includes tripod, AC adapter, and padded protective case
- World Athletics: ultrasonic wind gauges shall be used at all International Competitions (Rule 1.1 (a) through (h))

E49810

#### **COMPACT WIND GAUGE KIT**

- Displays Wind Reading in Meters Per Second
- Accuracy: +/- 0.010 m/s
- Meets NFHS, NCAA, and World Athletics specifications
- Includes tripod and carry case

E39815





#### 2 DIGIT ELECTRONIC DISPLAY

- Use as a PV standard indicator, wind reading indicator unit, or lap counter.
- 6" digits with 3 stage dimming feature
- Quality carry/storage case included
- Lap Counter Display Stand sold separately

#### E49872 2 Digit Electronic Display

728 Lap Counter Display Stand



#### **PERFORMANCE INDICATORS**

- 9" numerals
- Rotates 360° for visibility
- Aluminum construction with steel roll away base
- Powder coated black

| 79300 | 2 Digit Lap Counter with Bell            |
|-------|--|
| 79400 | 2 Digit Pole Vault Display               |
| 79100 | 4 Digit Scholastic Performance Indicator |
| 79200 | 5 Digit National Performance Indicator   |



#### LED SCROLLING DISPLAY

- Displays event standings, upcoming races and more
- Update information easily with provided software
- Software is designed to run in background when using Lynx, scrolls track event times/places as Lynx System files results
- Sixteen 4" tall characters maximum displayed at one time
- Power options: 120V power cord (included) or 12V battery (sold separately)
- Carrying case included

| E39860  | Scrolling Display |
|---------|-------------------|
| E39820B | 12V Battery       |



#### **GILL 9" DIGIT RACE CLOCKS**

- Six digit race clocks in 9" tall digits
- Count-up/count-down capability in seconds or hundredths of seconds
- Features end-mounted controls for direct operation
- Power options: 120V AC (included) or external 12V battery (sold separately)
- Optional carrying case available (sold separately)
- Tripod and remote control included

| E39862  | Race Clock              |
|---------|-------------------------|
| E39864  | Double-Sided Race Clock |
| E39858  | Carrying Case           |
| E39820B | 12V Battery             |





# MEETS

## **MEASURING DEVICES**



#### FIBERGLASS MEASURING TAPES

- Durable vinyl-coated fiberglass tape
- More flexible than cloth tapes and won't kink or break when twisted or stepped on
- Measures in both English and Metric
- C = closed reel; O = open reel

| 984 | 50' (15m)   | С |      |
|-----|-------------|---|------|
| 985 | 100′ (30m)  | 0 |      |
| 987 | 165′ (50m)  | 0 |      |
| 986 | 200' (60m)  | 0 |      |
| 988 | 300' (90m)  | 0 | \$61 |
| 989 | 330′ (100m) | 0 | \$67 |



#### **STEEL MEASURING TAPES**

- Coated with durable epoxy finish
- C = closed reel; O = open reel

| 980 | 50' (15m)   | С | \$33  |
|-----|-------------|---|-------|
| 981 | 100′ (30m)  | С | \$48  |
| 971 | 330′ (100m) | 0 | \$132 |

#### **MEASURING TAPE KIT**

| For all yo  | our measuring | needs, includes: |       |
|-------------|---------------|------------------|-------|
| • 988       | 300' (90m)    | (1)              |       |
| • 985       | 100' (30m)    | (2)              |       |
| <b>9</b> 84 | 50' (15m)     | (1)              |       |
| 982         | Measuring     | g Tape Kit       | \$118 |

#### TAPE STAKES

- Handy tool attaches to end of measuring tape for convenient use
- Used for all throwing and horizontal jumping events
- Set of 4

970 \$60/set





#### **SECTOR LINE MARKING TAPE**

- Makes sector setup quick and easy
- Rolls out using dispensing spool and secures to grass with ground staples
- Kit includes: 2 rolls of white tape, 2 dispensing spools, and 20 ground staples

| 865  | Complete Kit   |      | \$194 |
|------|----------------|------|-------|
| 8651 | Disț           | 1    | \$23  |
| 8652 | Staj           |      | \$19  |
| 8653 | 130 yds. White | Таре | \$60  |



After aligning the targeting laser with the landing, simply push a button on and read the measurement.

#### HORIZONTAL JUMPS LASER MEASURING SYSTEM

- Provides accurate measurements for both Long Jump and Triple Jump
- Leica Measuring Device reads both English and Metric units
- Constructed with a 6 meter aluminum rail and weig bases

E73740 \$4566







#### LASER DISTANCE MEASURING SYSTEM

- Accurate laser measuring device for throwing events
  - Center the mounted laser after each attempt and aim at the target

  - Fully compliant with NFHS, NCAA and World Athleti : ations



E737 \$4790



## EVERYTHING YOU NEED IN ONE SIMPLE PACKAGE

#### ETHERLYNX VISION" CAMERA PACKAGES BY LYNX

- All packages contain everything you need. Each package is a complete photofinish and timing solution for your track meets. All you add are the athletes and a computer!
- All systems can run on any Windows computer equipped with an Ethernet connection
- All systems include the new FinishLynx EASYALIGN™ technology that shows a full-frame video view of the finish line for fast and accurate camera placement
- All systems take full color pictures for easier athlete identification
- All systems use power-over-Ethernet, so no dedicated AC power is required at the camera location. A single Ethernet cable transfers all data AND provides camera power
- All packages include LYNXPAD Meet Management software - this integrates with multiple online meet entry websites, including Athletic.net
- \* Lynx Packages only available across North America
- \* FinishLynx Systems are licensed and cannot be returned.





#### LYNX COMPATIBLE PRODUCTS

| LED Scrolling Display | Page 47 |
|-----------------------|---------|
| Race Clock            | Page 47 |
| HALO                  | Page 50 |

## THE SCHOLASTIC SOLUTION

- (1) 5L510
   EtherLynx<sup>™</sup> Camera
- 600 Standard
   Frame Rate
- 2.8-10mm Manual Zoom Lens

#### **INCLUDES:**

All camera connections and power cables

Custom FinishLynx Carrying Case

Tech Support & 1-year renewable warranty

Camera Tripod and mounting hardware

FinishLynx Lite software with support for RadioLynx Wireless Start

E39905

## TIC THE BRONZE SOLUTION

(1) 5L500 Vision
 EtherLynx<sup>™</sup> Camera

## 1000 Standard Frame Rate

 8-48mm Manual Zoom lens

#### INCLUDES EVERYTHING FROM THE SCHOLASTIC SOLUTION, PLUS:

Full FinishLynx32 software with support for RadioLynx Wireless Start, Lynx Software Plug-in(s) Multiple FinishLynx Cameras, IdentiLynx 2-D video camera, scoreboard interface for display of running time & results, and wind gauge interface for automatic wind reading data import

F39906 \$8395

#### THE SILVER SOLUTION

- (1) 5L500 Vision
   EtherLynx<sup>™</sup> Camera
- 2000 Standard Frame Rate
- Motorized Zoom lens

#### INCLUDES EVERYTHING FROM THE BRONZE SOLUTION, PLUS:

Automatic capture & virtual photocell plug-in

High resolution (2000 fps) images

*Remote positioner (remote camera adjustment)* 

*Motorized lens (remote lens adjustment)* 

E39903

#### BEST SELLER!

THE GOLD

SOLUTION

(1) 5L500 Vision

2000 Standard

Frame Rate

EtherLynx™ Camera

Motorized Zoom lens

**INCLUDES EVERYTHING** 

**FROM THE SILVER** 

**SOLUTION, PLUS:** 

RadioLvnx Wireless

Power over Ethernet

9-digit alphanumeric

IdentiLynx full frame video

Start System

network switch

camera

scoreboard

F39901

## THE PLATINUM SOLUTION

- (2) 5L500 Vision
   EtherLynx<sup>™</sup> Cameras
- 2000 Standard Frame Rate
- Motorized Zoom lens

#### INCLUDES EVERYTHING FROM THE GOLD SOLUTION, WITH UPGRADED DISPLAY, PLUS:

A second 2000 fps 5L500 Vision EtherLynx™ camera (reverse angle/alternate finish line)

- Internal RadioLynx Receiver
- Video display Module (VDM) Portable LED Display

E39921

#### THE DIAMOND SOLUTION

- (2) 5L500 Vision EtherLynx™ Cameras
- 2000 Standard Frame Rate
- Motorized Zoom lens

#### INCLUDES EVERYTHING FROM THE PLATINUM SOLUTION WITH UPGRADED DISPLAY, PLUS:

LuxBoost Low-Light Capture

- Internal Camera Battery
- ResulTV software License
- Network COM Port Plug-in
- SeriaLynx with External Battery Pack
- Weather-Proof Wind Gauge
- Infield Video Display
- E39922

OFFICIAL PARTNER



## **MEETS**





Introducing the next generation of starting devices—the patent pending Gill Athletics® HALO Electronic Starter Device! Unlike traditional starting pistols that require costly blanks, the HALO® is an electronic system that can connect wirelessly to the Wireless Speaker System and produce both the traditional bang sound as well as an audible tone. Connect to the Multiple Speaker System to disperse sound above the decibel standard equally across the starting line. *Compatible with FinishLynx and Eagle Eye* 

E49710



#### **ALFA COMPETITION STARTING PISTOLS**

- Zinc-aluminum frame finished in rust resistant nickel
- High strength heat-treated steel parts promise trouble free usage
- Bright orange grips and barrel cap eliminate confusion with a firearm
- Rugged and reliable with swing out 6-round cylinder for easy load and unload
- Limited Lifetime warranty

| 425 | .22 Cal. Pistol |
|-----|-----------------|
| 426 | .32 Cal. Pistol |

#### **STARTING BLANKS**

| 42701 | .22 Cal. Crimped (100 rds.)     |
|-------|---------------------------------|
| 429   | .32 Cal. Gator Blanks (50 rds.) |
| 435   | .22 Cal Gator Blanks (100)      |
| 42801 | .32 Cal. Crimped (100 rds.)     |
| 39603 | Pyro Bright Shells (50 rds.)    |



0

#### **GILL® COMPETITION STARTING PISTOLS**

- Inexpensive yet durable starting pistols
- Feature free spinning cylinder necessitating to cock the hammer before firing
- Holds 8 rounds

#### 42510 .22 Cal.

42610 .32 Cal. (holds 5 rds.)

#### **OFFICIALS' FLAGS**

- Highly visible heavy duty nylon flag with plastic handle
- Flags measure 14" x 13"

730270 Red/White

730271 Yellow/White



HALO

#### **STARTERS SLEEVE**

1))

Highly visible from any part of the track. Bright orange with elastic at both ends for a sure fit.

423



#### 45W MEGAPHONE

45W Megaphone with range of up to 800 meters. Requires 10 "D" batteries (17 hours of use. Not included).







Back Panel

#### WIRELESS SPEAKER SYSTEM

The Wireless Starter System is the perfect companion to the HALO® Starting Device. Multiple Speaker System disperses sound above the decibel standard equally across the starting line.

#### E49720



## TIMEKEEPING FOR ANY SIZE EVENT

#### **ULTRAK L10 MULTI-LANE TIMER**

- Compatible with Hytek Meet Management Software
- Times races with up to 10 lanes
- Times road races with up to 8,000 participants
- Prints bib number, lane, place, and time
- Includes linkgate, eliminating tangled cords to L10
- Includes Windows interface and 2 rolls of paper
- 2 year warranty

#### 37932 8-Lane Timer

| 37934 | Extra Button      |
|-------|-------------------|
| 37935 | Paper Refills (3) |

#### **SEIKO S149 STOPWATCH WITH PRINTER**

- 300 dual split memory
- Saves multiple events into memory
- Large-sized 3 line display
- Auto start function
- Prints 13 digits per line at 1.5 per second
- Battery life indicator
- Includes 2 rolls of paper
- 3 year warranty
- 37801

OFFICIAL PARTNER

37805 Paper Refills (5)

| re |  |
|----|--|
|    |  |
|    |  |





#### **ROBIC SC-505W**

- Twelve (12) memory recall
- Lap, split or single event timing
- 1/100 second resolution to 24 hours
- 1 year full factory warranty

37603 Single 37604 Set of Six



#### **ULTRAK 310**

- Functions: start, stop, reset
- Measures 10 hours
- 3 year warranty

33106 Set of Six

#### BEST SELLER! **ULTRAK 495**

- 100 dual split recallable memory
- Measures up to 10 hours
- Continuous display of event time
- Allow for split in recall mode
- Water resistant
- 5 year warranty
- 37904 Black
- 37904Y Yellow

OFFICIAL TRACK & FIELD EQUIPMENT SUPPLIER

Stopwatch and Printer

# TRACK ACCESSORIES



#### **CONE MARKERS**

| V |
|---|
|   |

| F451   | 2″ | 999 | 12″ |  |
|--------|----|-----|-----|--|
| 975    | 4″ | 976 | 18″ |  |
| TA9756 | 6″ |     |     |  |





#### GILL<sup>®</sup> LANE MARKERS

Lightweight markers are easy to stack and carry

- Stable 3-sided design provides great visibility
- 28" tall with convenient hand hole for quick set up
- Custom graphics available

| 73090    | Lanes 1-8            |
|----------|----------------------|
| 73090SP  | Lanes 1-8, Custom    |
| 730909   | Lane 9 Only          |
| 730909SP | Lane 9 Only, Custom  |
| 730910   | Lane 10 Only         |
| 730910SP | Lane 10 Only, Custom |

#### LJ & TJ TAKE OFF BOARD MARKERS

- Guides athletes to the horizontal jumps take-off board
- Made of safe collapsible plastic material

#### 730310



#### **HORIZONTAL DISTANCE INDICATOR BOARDS**

- Visual gauge of jump distance
- Made of safe collapsible plastic material
- Lightweight for easy transportation and storage
- Custom graphics available for additional charge

| 0.1    |  |  |
|--------|--|--|
|        |  |  |
|        |  |  |
| BATONS |  |  |
|        |  |  |

| Individual |        | Set of 8 |          |
|------------|--------|----------|----------|
| 43101      | Gold   | 431018   | Gold     |
| 43102      | Orange | 431028   | Orange   |
| 43104      | Silver | 431048   | Silver   |
| 43105      | Red    | 431058   | Red      |
| 43106      | Purple | 431068   | Purple   |
| 43107      | Green  | 431078   | Green    |
| 43108      | Blue   | 431088   | Blue     |
| 43109      | Black  | 431098   | Black    |
|            |        | 430      | Assorted |







#### **GILL® DISTANCE MARKERS**

- Lightweight durable plastic material
- Stable 3-sided design provides 360 degree visibility
- 18" tall letters
- Custom graphics available\*

#### Individual Markers

#### Individual Markers with Graphics\*

| 730912 | 12m/39′ | 730930 | 30m/98'  |
|--------|---------|--------|----------|
| 730914 | 14m/46′ | 730940 | 40m/131' |
| 730916 | 16m/52' | 730950 | 50m/164' |
| 730918 | 18m/59' | 730960 | 60m/197' |
| 730920 | 20m/66' | 730970 | 70m/230' |
| 730922 | 22m/72′ | 730980 | 80m/262' |
| 730924 | 24m/79′ | 730990 | 90m/295' |

\*Add "SP" to end of part number. Example: 730912SP



#### SCHOLASTIC DISTANCE MARKERS

- Ultra light expanded vinyl material
- 13" x 16" with quick stack & light carry characteristics
- 11" letter height
- 941 Set of 13

#### Individual Markers

| <b>941030</b> <i>30'</i> | <b>941100</b> <i>100'</i> |
|--------------------------|---------------------------|
| <b>941035</b> <i>35'</i> | <b>941120</b> <i>120'</i> |
| <b>941040</b> 40'        | <b>941140</b> <i>140'</i> |
| <b>941045</b> 45'        | <b>941160</b> <i>160'</i> |
| <b>941050</b> 50'        | <b>941180</b> <i>180'</i> |
| <b>941055</b> <i>55'</i> | <b>941200</b> 200'        |
| <b>941060</b> 60'        |                           |







#### **TEAR TAG NUMBERS**

- Made of Tyvek<sup>®</sup> material for unsurpassed durability
- 7 ½" x 7 ½" numbers feature a 3 ½" numeral and 2" detachable tag

| 92300 | #001-100 |
|-------|----------|
| 92301 | #101-200 |
| 92302 | #201-300 |
| 92303 | #301-400 |
| 92304 | #401-500 |

#### **COMPETITOR'S NUMBERS**

- Made of 100 lb 'Tuff Tear' paper tag stock
- 5 ½″ x 8 ¼″

**SPIKE KIT** 

4 x 842 spikes

• 3 x 840 spikes

• 2 x 83602 spikes

• 2 x 83601 spikes

2 x 843 spikes

• 2 x 838 spikes

850

• 1 x 846 t-handle wrench

Storage case and 1500 spikes

Sets of 100

#### **Competitor's Numbers**

| 900 | #001-100 | 903 | #301-400  |
|-----|----------|-----|-----------|
| 901 | #101-200 | 904 | #401-500  |
| 902 | #201-300 | 909 | #901-1000 |



#### **CUSTOMIZED COMPETITOR'S NUMBERS**

- Feature your school name and/or event
- Made of Tyvek material for unsurpassed durability
- Sets of 100

#### **730400** 5½″x7½″

**STEELEX SPIKES** 

extended life

and removal

• Bags of 100

83500

83511

83512

83513

83514

Case hardened steel with blue coat

provides extreme durability and

Hex-base for easier installation

1/4" Spike Wrench

Spikes: 1/8"

Spikes: 3/16"

Spikes: 1/4"

Spikes: 3/8"

730410 7½″x7½″\* \* with Detachable Tag



## GILL Drake RELAYS.

**CUSTOMIZE IT!** Add SP to item number.

#### **INDIVIDUAL HIP NUMBERS**

\* Add SP to item number for customized Hip numbers

| Roll of 100     | \$15 | Customized Roll of 100 \$27 |     |                  |  |
|-----------------|------|-----------------------------|-----|------------------|--|
| <b>92101</b> #1 |      | 92107                       | #7  | <b>92113</b> #13 |  |
| <b>92102</b> #2 |      | 92108                       | #8  | <b>92114</b> #14 |  |
| <b>92103</b> #3 |      | 92109                       | #9  | <b>92115</b> #15 |  |
| <b>92104</b> #4 |      | 92110                       | #10 | <b>92116</b> #16 |  |
| <b>92105</b> #5 |      | 92111                       | #11 | <b>92117</b> #17 |  |
| <b>92106</b> #6 |      | 92112                       | #12 | 92118 #18        |  |

#### **HIP NUMBERS**

- Necessary for photo finish timing
- 3 ½" digit on a 4" x
- No-residue adhesive labels

| 921 | Hip Numbers 1-9 (25 of each) |
|-----|------------------------------|
| 921 | Hip Numbers 1-9 (25 of each) |

922 Hip Numbers 1-18 (25 of each)

#### **SAFETY PINS**

910 144 ct. 91010 1440 ct.



PYRAMID NEEDLE BLANK

#### SPIKES

Bags of 100, unless otherwise noted

| 842   | Pyramid: 1/4″        |
|-------|----------------------|
| 8401  | Needle: 1/8"         |
| 83601 | Needle: ³/16″        |
| 838   | Needle: 1/4 "        |
| 839   | Needle: 3/8 "        |
| 840   | Pyramid: 1/8"        |
| 83602 | Pyramid: ¾6″         |
| 841   | Pyramid: 1/2"        |
| 843   | Pyramid: ³⁄₀″        |
| 844   | Pyramid: ⁵⁄₀″        |
| 848   | Blanks               |
| 837   | Javelin: 1″ (20 ct.) |





#### **SPIKE WRENCHES**

| 845 | 3-Way    |
|-----|----------|
| 846 | T-Handle |

OFFICIAL PARTNER







## TRACK ACCESSORIES

GILL

Ι

N

I

S

NISH

#### **VICTORY PODIUM (8 PIECE SET)**

- Frame constructed with 2" x 2" aluminum tubing, powder coated flat black.
- 8 individual stands allow for quick storage
- Each stand has a 39" x 39" polyboard grip floor
- Podium face is wrapped with a 19oz vinyl for cascading customization across the front of all 8 stands

990CXXSP

GILL

#### VICTORY PODIUM CART

Steel construction with durable powder coat

an Breez

- 8" never-flat rubber casters for easy
- movement over rough terrainHolds all 8 Victory Podium stands



GILL





 Heavy duty steel with folded square bases

GILL

- Wheeled bases for easy mobility
- Big, bold letters for clear visibility

721

#### FINISH LINE TAPE

Lightweight and easy to break50 yd roll

974



#### **STARTER'S ROSTRUM**

- Provides starting official with enough height to view all lanes
- Stable design for safety
- 0 1





5115

#### **CAMERA MOUNT POLE**

Custom Height Settings

#### Durable powder coat finish

E39917 Portable

E39918 Ground Sleeve



#### **TIMERS AND JUDGES STAND**

- Holds 10 people seated or 20 standing
- Five rows of 48" long steps
- Rail support along back for safety
- Red enamel finish with galvanized seats, footrests and backrest
- Easy mobility provided by 8" diameter wheels on back









#### SAND PIT LEVELER

- 10' long steel leveler smooths the sand in one pass
- Two 40" long wired handles
- Adjustable guides glide the leveler across the pit
- Powder coated in architectual gray
- Fits Sand Pits up to 9'8" wide

#### 740



#### **TRACK ARMOR**

- 6' Wide x up to 100' in length
- Low profile 1/4" thickness
- Mats to be placed next to each other with minimal seam
- Weatherproof extruded vinyl backing is tough yet pliable and easy to roll up and store
- 100% recycled top cloth is durable, virtually stainproof, and very easy to maintain
- Heavy enough to stay put, yet light enough to move when needed
- Bright Red safety edging is glued and sewn on for extended safety and performance

#### 493670



#### **CROSSOVER ZONE®**

- Lighter and easier to handle than other 'conveyor belt rubber' systems
- Protects against steel tipped cleats, shoes and equipment wheels
- Rain drains through

| 493667 | 7.5' x 30' |  |
|--------|------------|--|
| 493668 | 7.5' x 40' |  |
| 493663 | 15' x 30'  |  |
| 493664 | 15' x 40'  |  |
| 493651 | 15' x 75'  |  |
| 493652 | 15' x 100' |  |
| 493653 | 15' x 125' |  |



#### **3-LANE TRACK GATE**

- Discourage joggers from using three inside lanes causing premature and uneven wear
- Easy lift and rotate to allow training on inside lanes
- Locks into place
- Includes ground sleeve
- See color charts page 12

| 8540     | 3-Lane Track Gate        |
|----------|--------------------------|
| 8540CXX  | 3-Lane Track Gate; color |
| 010970XX | Post Padding; Pair       |





#### **ROLLOUT RUNWAY**

- Install quickly over worn runway or create a runway where none exists
- No bonding necessary, but can be done if required
- Custom Length (25' minimum) (no returns)

| 49036 | 10mm x 36″ |
|-------|------------|
| 49048 | 10mm x 48″ |
| 49136 | 12mm x 36″ |
| 49148 | 12mm x 48″ |





#### **CROSS COUNTRY KIT**

Includes: 24 chute posts, 2-110' lengths of chute rope with pennants, 9 directional flags (3 red, 3 blue, 3 yellow) and 9 flag poles.

| 960  | Complete Kit                         |
|------|--------------------------------------|
| 961  | 4' Chute Post                        |
| 962  | Chute Rope and Pennants (110')       |
| 964  | Directional Flags Set (1 each color) |
| 9650 | Flag Pole, Red Flag<br>(Left Turn)   |
| 9660 | Flag Pole, Blue Flag<br>(Straight)   |
|      |                                      |

Flag Pole, Yellow Flag (Right Turn) 9670





#### **TURF CHUTE POST**

• 12 lb non-invasive chute posts are ideal for turf or golf course

#### 968 Turf Chute Post

962 Chute Rope and Pennants (110')

#### BEST SELLER!





#### **CC PACE WHEEL**

- Find your athlete's recent race/time trial in the 'Current Fitness' window and that's it!
- Pace wheel reveals aerobic base training pace, marathon race pace, lactate threshold pace, Vo2 max development intervals, and running economy repetitions









Tent graphic worksheet and vector graphics are all that is needed to show your team pride today!

#### **QUICK SHIP PORTABLE TENT-WITHOUT GRAPHICS**

- 10x10 size only; in-stock for Quick Ship in two canopy colors (black or white)
- Canopy available in White or Black; 600 denier polyester scuff resistant and waterproof finish.
- Commercial Grade Steel Frame with hammer tone finish.

| 955310B | 10'x10'Tent (Quick-Ship) - Black Only  |
|---------|--|
| 955310W | 10'x10' Tent (Quick-Ship) - White Only |

#### **PORTABLE TENT-WITHOUT GRAPHICS**

- Canopy available in 10 colors. 600 denier polyester scuff resistant and waterproof finish.
- Commercial Grade Steel Frame with hammer tone finish.

| 955210 | 10'x10' Tent   |
|--------|----------------|
| 955215 | 10'x15' Tent   |
| 955220 | 10' x 20' Tent |

#### **PORTABLE TENT WITH ONE-COLOR IMPRINT**

- Features one color custom imprint across canopy valance; 10"x100" print area
- Canopy available in 10 colors; 600 denier polyester scuff resistant and waterproof finish.
- Commercial Grade Steel Frame with hammer tone finish.

| 955310 | 10'x10' Tent - 1 Color Print |
|--------|------------------------------|
| 955315 | 10'x15' Tent - 1 Color Print |
| 955320 | 10'x20' Tent - 1 Color Print |

#### **PORTABLE EVENT TENTS**

- Commercial grade gray-blue steel frame
- 600 denier polyester canopy and walls are scuff resistant and waterproof finish.
- Water, UV light, and fire resistant
- Roller bag: 600 denier polyester with scuff resistant and waterproof finish
- Tent stake kit and dust coverbag included
- Sidewalls and roller bags sold separately



#### PREMIUM PORTABLE TENT WITH FULL-COLOR PRINTING

- Features full color digital dye sublimated print on all locations of canopy
- Canopy available in 10 colors; 600 denier polyester scuff resistant and waterproof finish.
- Premium Frame Industrial Grade Steel Frame with aluminum brush finish.

| 955410 | 10'X10' Tent - full color print |
|--------|---------------------------------|
| 955415 | 10'X15' Tent - full color print |
| 955420 | 10'X20' Tent -full color print  |

#### ACCESSORIES

| 9552SK | Stake Kit  |
|--------|--|
| 9552WB | Weight Bags (4) (Recommended)                    |
| 955209 | XL All-Terrain Wagon w/ Thermal Imprint included |

#### **SIDE WALL**

| 9552105 | 10' Solid Color Side Wall |
|---------|---------------------------|
| 9552155 | 15' Solid Color Side Wall |

#### **ROLLER BAG**

| 955210B | 10' Tent Heavy Duty Roller Carry Bag |
|---------|--------------------------------------|
| 955215B | 15' Tent Heavy Duty Roller Carry Bag |
| 955220B | 20' Tent Heavy Duty Roller Carry Bag |



TROW





## THROWS



#### **S-SERIES**

Gill Athletics'® new low- to mid-spin S-series feature exclusive, high-impact translucent side plates in three distinctive in-molding patterns.

- High quality steel rim
- Colorful, high-impact translucent side plates
- Meets NFHS, NCAA and World Athletics specifications



-

1.0

1.0 💽

S-SERIES

GILL

L



#### HOW TO CHOOSE



| STEP 1:<br>SELECT YOUR<br>COMPETITION<br>1.0K High School<br>1.6K High School<br>2.0K College Men<br>STEP 2:<br>SELECT YOUR<br>% RIM WEIGH | V WEIGHT<br>Girls/Women<br>Boys  | GJL                             | George Contraction of the second seco |  |  |  |
|--|--|---------------------------------|--|--|--|--|
| STEP 1:<br>DISCUS WEIGHT   | STEP 2:<br>% RIM WEIGHT  | 56                              | BEST SELLER!   | 57                                     |  | 58                                     |
| <b>1.0K</b><br>Womens  |  | LOW-SPIN<br>60% RIM WT<br>75810 |  | <b>MID-SPIN</b><br>75% RIM WT<br>77510 |  | <i>MID-SPIN</i><br>80% RIM WT<br>77810 |
| <b>1.6K</b><br>Boys  | au   | LOW-SPIN<br>61% RIM WT<br>76116 |  | MID-SPIN<br>75% RIM WT<br>77516        | <b>GIL</b> 0 5   | <i>MID-SPIN</i><br>80% RIM WT<br>78016 |
| <b>2.0K</b><br>Mens  |  | LOW-SPIN<br>67% RIM WT<br>76720 |  | <i>MID-SPIN</i><br>75% RIM WT<br>77520 |  | <i>MID-SPIN</i><br>80% RIM WT<br>78020 |
|  | 0  |                                 | 0  |  | S  |  |
| 31   | DOOR RUBBER DISC         Solid one-piece rubber cons         Won't scuff floors or walls         Meets NFHS specifications         11       1.0K         D8       1.6K         04       2.0K | truction                        | RUBBER DISCUS• Solid one-piece construction• Tough, durable rubber• Meets NFHS specifications3101.0K3071.6K3022.0K   |  | <b>RUBBER DISCUS + HAND</b> • Adjustable hand strap         • For training only         • Warning: Practice in a protection         81310       1.0K         81316       1.6K         81320       2.0K |  |



## THROWS



#### **G-SERIES**

Gill Athletics® high-moment G-series discus with high-spin rim offers throwers precisioncrafted, certified World Athletics discuses.

- High-spin steel alloy rim
- Meets NFHS, NCAA, and World Athletics specifications
- World Athletics certified



685

Guaranteed Legal Weight and Size

1.6

CARBON



#### **HOW TO CHOOSE**


**STEP 1:** SELECT YOUR OFFICIAL COMPETITION WEIGHT

High School Girls/Women
 High School Boys
 College Men

#### **STEP 2:**

SELECT YOUR DISCUS % RIM WEIGHT















OFFICIAL EQUIPMENT SUPPLIER TO THE NCAA TRACK & FIELD CHAMPIONSHIPS

#### **ORBITER™ - TUNGSTEN**

- Smaller diameter 100% tungsten-filled shell: 125mm for 20lb balls and 156mm for 35lb balls
- One-piece textured handle
- Exclusive lightweight ball-bearing swivel reduces torque and friction during rotation
- Kevlar weight bag
- Plastic injection NBR collar reduces damage potential and allows uninhibited rotation
- 1 year warranty

| 4959 | 20 lb |  |
|------|-------|--|
| 4958 | 35 lb |  |



Guaranteed Legal Weight and Size

#### ORBITER<sup>™</sup> - LEAD

- Plastic injection NBR collar reduces damage potential and allows uninhibited rotation
- Sewn strap bag made out of double layered seatbelt polyester material
- Textured handle is the widest the rules allow for increased throwing performance
- I year warranty

| 4947 | 12 lb |  |
|------|-------|--|
| 4948 | 16 lb |  |
| 4949 | 18 lb |  |
| 4950 | 20 lb |  |
| 4952 | 25 lb |  |
| 4954 | 30 lb |  |
| 4955 | 35 lb |  |
|      |       |  |







#### **TURNED IRON HAMMERS**

- Includes wire, handle and ball
- Meets NFHS, NCAA and World Athletics specifications

| 3693  | 3K (6.6 lb)   |
|-------|---------------|
| 36935 | 3.5K (7.7 lb) |
| 3694  | 4K (8.8 lb)   |
| 36945 | 4.5K (9.9 lb) |
| 3695  | 5K (11 lb)    |
| 3612  | 12 lb         |
| 3696  | 6K (13.2 lb)  |
| 3614  | 14 lb         |
| 3616  | 16 lb         |
| 3618  | 18 lb         |
| 3620  | 20 lb         |



#### TRAINING THROWING WEIGHTS

- Top quality turned iron
- Strong steel handle

|  | <b>3920</b> 20 lb |  |
|--|-------------------|--|
|--|-------------------|--|

| 3925 | 25 lb |  |
|------|-------|--|
| 3935 | 35 lb |  |

#### **PREMIUM HAMMER HANDLE** (ALUMINUM GRIP)

32019 Meets World Athletics Specifications

**PACER® STAINLESS** 

Includes wire, handle and ball

World Athletics specifications

😢 95mm

🙍 110mm

103mm

Meets NFHS, NCAA and

World Athletics Certified

**738940** 4K

738120 12 lb

738160 16 lb

**HAMMER WIRES** 

32200 32300

32370

32375

32380

32385

32390

32395

20" Wire

30" Wire

37" Wire 37 1/2" Wire

38" Wire

39" Wire

39 1⁄2" Wire

38 1/2" Wire

**STEEL HAMMERS** 

#### **USA HAMMER GLOVES**

- Designed to endure the toughest throwers
- Seamless outside finger designed for unobtrusive fit
- High quality genuine leather

| 31918 | Left  | Small   |
|-------|-------|---------|
| 31917 | Right | Small   |
| 31919 | Left  | Medium  |
| 31922 | Right | Medium  |
| 31920 | Left  | Large   |
| 31923 | Right | Large   |
| 31921 | Left  | X-Large |
| 31924 | Right | X-Large |









#### **PERFECT BALANCE SHOTS**

- Engineered with exacting specifications for balance
- 100% sweet spot design gives uncompromised throwing distance
- Turned iron material for maximum durability
- Meets NFHS, NCAA and World Athletics specifications

| 3894 | 4 <i>K</i> | ۲ | 108mm |
|------|------------|---|-------|
| 3812 | 12 lb      |   | 115mm |
| 3816 | 16 lb      | ۲ | 128mm |

#### OFFICIAL COMPETITION REFERENCE GUIDE



#### **PACER® STAINLESS STEEL SHOTS**

- Machine turned for precision shape and weight
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| 735940 | 4K      | 95mm  |
|--------|---------|-------|
| 735941 | 4K 💿    | 109mm |
| 735120 | 12 lb   | 103mm |
| 735160 | 16 lb   | 110mm |
| 735163 | 16 lb 😰 | 129mm |
|        |         |       |

High School Girls/Women: 4K High School Boys: 12 lb College Men: 16 lb

#### **BRASS SHOTS**

- Machine turned brass for unmatched design and feel
- Meets NFHS, NCAA and World Athletics specifications

| 3594 | 4 <i>K</i> | 95mm  |  |
|------|------------|-------|--|
| 3512 | 12 lb      | 103mm |  |
| 3516 | 16 lb      | 110mm |  |

#### TRAINING SHOTS

- Cast iron material for maximum durability
- Uniform size of diameter allows for ideal training
- Keep the same size diameter as you train with . variable weights

| TS10830 | ЗК    | 108mm |
|---------|-------|-------|
| TS10835 | 3.5K  | 108mm |
| TS10845 | 4.5K  | 108mm |
| TS10850 | 5K    | 108mm |
| TS11510 | 10 lb | 115mm |
| TS11511 | 11 lb | 115mm |
| TS11513 | 13 lb | 115mm |
| TS11514 | 14 lb | 115mm |

| TS11516 | 16 lb | 115mm |  |
|---------|-------|-------|--|
| TS12813 | 13 lb | 128mm |  |
| TS12814 | 14 lb | 128mm |  |
| TS12815 | 15 lb | 128mm |  |
| TS12817 | 17 lb | 128mm |  |
| TS12818 | 18 lb | 128mm |  |
| TS12820 | 20 lb | 128mm |  |
|         |       |       |  |



#### **INDOOR SOFTSHELL SHOTS**

- Polyvinyl plastic shell has softer feel for athlete preference
- Fine lead shot filled to exact weights • Meets NFHS, and World Athletics
- specifications, World Athletics certified I year warranty

| 3106 | 6 lb          | 101mm |
|------|---------------|-------|
| 3193 | 3K (6.6 lb)   | 101mm |
| 3108 | 8 lb          | 115mm |
| 3194 | 4K (8.8 lb) 💿 | 115mm |
| 3195 | 5K (11 lb)    | 125mm |
| 3112 | 12 lb         | 125mm |
| 3196 | 6K (13.2 lb)  | 139mm |
| 3114 | 14 lb         | 139mm |
| 3115 | 15 lb         | 139mm |
| 3116 | 16 lb 💿       | 139mm |
| 3118 | 18 lb         | 145mm |
|      |               |       |



#### **INDOOR HARDSHELL SHOTS**

- Polyethylene shell will last season after season
- Fine lead shot filled to exact weights • Meets NFHS, NCAA and World
- Athletics specifications, World Athletics certified

|  | 1 | year | warranty |
|--|---|------|----------|
|--|---|------|----------|

.

| 3206 | 6 lb          | 100mm |
|------|---------------|-------|
| 3293 | 3K (6.6 lb)   | 114mm |
| 3208 | 8 lb          | 114mm |
| 3294 | 4K (8.8 lb) 💿 | 114mm |
| 3210 | 10 lb         | 114mm |
| 3295 | 5K (11 lb)    | 125mm |
| 3212 | 12 lb         | 125mm |
| 3296 | 6K (13.2 lb)  | 138mm |
| 3214 | 14 lb         | 138mm |
| 3215 | 15 lb         | 138mm |
| 3216 | 16 lb 🎅       | 138mm |
| 3218 | 18 lb         | 144mm |

#### 144mm

#### **CAST IRON SHOTS**

- 4K and 12 lb shots guaranteed legal weight and size
- Meets NFHS, NCAA and World Athletics specifications

| 3306 | 6 lb         |
|------|--------------|
| 3393 | 3K (6.6 lb)  |
| 3308 | 8 lb         |
| 3394 | 4K (8.8 lb)  |
| 3310 | 10 lb        |
| 3395 | 5K (11 lb)   |
| 3312 | 12 lb        |
| 3396 | 6K (13.2 lb) |
| 3314 | 14 lb        |
| 3315 | 15 lb        |
| 3316 | 16 lb        |
| 3318 | 18 lb        |
|      |              |

20 lb

#### **TURNED SHOTS**

- Machine turned for precision shape and weight
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| 34941 | 4 <i>K</i> | 100mm |
|-------|------------|-------|
| 34944 | 4 <i>K</i> | 104mm |
| 34943 | 4K 📀       | 108mm |
| 34121 | 12 lb      | 108mm |
| 34122 | 12 lb      | 115mm |
| 34161 | 16 lb      | 120mm |
| 34162 | 16 lb      | 125mm |
| 34163 | 16 lb 💿    | 128mm |







# TRAINING & ACCESSORIES



#### BOYS' THROWS HIGH SCHOOL

| 307   | 1.6K Gill Rubber Discus (1)          | 310   |
|-------|--------------------------------------|-------|
| 77516 | 1.6K Gill S7 Discus (1)              | 77510 |
| 78016 | 1.6K Gill S8 Discus (1)              | 77810 |
| 76116 | 1.6K Gill S6 Discus (1)              | 75810 |
| 3312  | 12 lb Cast Iron Shot (1)             | 3394  |
| 34121 | 12 lb, 108mm Turned Iron<br>Shot (1) | 34941 |
| 931   | Shot/Discus Carriers (2)             | 931   |
| VP200 |                                      | VP100 |

#### GIRLS' THROWS HIGH SCHOOL/COLLEGE

| 310   | 1K Gill Rubber Discus (1)         |
|-------|-----------------------------------|
| 77510 | 1K Gill S7 Discus (1)             |
| 77810 | 1K Gill S8 Discus (1)             |
| 75810 | 1K Gill S6 Discus (1)             |
| 3394  | 4K Cast Iron Shot (1)             |
| 34941 | 4K, 100mm Turned Iron<br>Shot (1) |
| 931   | Shot/Discus Carriers (2)          |
|       |                                   |

 SCHOLASTIC SHOT CARRIER
 Heavy woven polyethylene rope with plastic handle
 Holds 1 shot put



#### **DISCUS CARRIER**

- High quality vinyl discus carrier
- Features a plastic handle and convenient shoulder strap
- Holds 2 discuses or shot puts

931



#### **TRAINING DISCUS**

- Customize your training with variable weight
- Easy and quick transition from weight to weight
  Not competition legal, for training only
- **812** 0.85K~1.20K

| 012 | 0.85K~1.20K |
|-----|-------------|
| 811 | 1.40К~1.80К |
| 810 | 1.75K~2.20K |



#### **2-SHOT CARRIER**

- Features a plastic handle and convenient shoulder strap
- Vinyl construction with snap top closure
- Holds 2 shot puts

929



#### DELUXE UNIVERSAL IMPLEMENT CARRIER

- Holds any of the three standard throwing implements
- Stores and protects: Shot Put (1), Discus (2), or Hammer (1)
- Great value to protect your throwing investment

9282



928

#### **ADD ON WEIGHT**

- Use for either hammer or indoor throwing weights
- Economical way to add variable weight to your training without buying more implements
- Adjustable from .5 lb to 2.5 lb

3603 Add on Weight

#### VALUEPACKS, TRAINING DISCUS & THROW CARRIERS





#### **INTERNATIONAL IMPLEMENT CARTS**

- HDPE liners keep each implement separated and protected
- 8" never-flat rubber casters for easy movement over rough terrain
- Steel construction with durable powder coat finish

| 733100 | Shot Cart (Holds 32)            |
|--------|---------------------------------|
| 733110 | Throwing Weight Cart (Holds 20) |
| 733200 | Discus Cart (Holds 28)          |
| 733210 | Hammer Cart (Holds 16)          |
| 733220 | Javelin Cart (Holds 24)         |
| 733230 | Combo Cart                      |





#### **IMPLEMENT CARTS**

- 9315 Javelin Cart (Holds 26)
- 9312 Discus/Shot/Hammer Combo Cart

#### **2K TURBO HAMMER**

- Teaches proper throwing mechanics and fundamentals
- Made of durable nylon with strong grip handle
- Ball made with high grade polyethylene rubber with gel filling and sharkskin surface
- Safe for both indoor and outdoor use

TA1185

#### **TRACK WAGON**

SHOTS THROWING WEIGHTS

DISCUS

HAMMERS

JAVELINS

733230 Shown.

- Conveniently haul a variety of track equipment
- Gates fold down for added convenience
- Large pneumatic tires for rugged terrain travel
- 500 lb capacity to haul even the heaviest of equipment
- 48" long x 24" wide x 12" deep x 25" tall
- 937 Track Wagon





#### **2K TURBO SHOT**

- Teaches proper throwing mechanics and fundamentals
- High grade polyethylene rubber with gel filling
- Sharkskin grip surface
- Non-marking materials
- Printed uni-grip hand guide for proper positioning

TA1184



## THROWS

## SHOT RETURN & STOPS



| 872        | Shot Put Return Buse Set       |
|------------|--------------------------------|
| 871        | Shot Put Return 10' Add-on Kit |
| 87103CXXSP | Optional Custom Banner         |



#### SOFT SHOT STOP

- Prevents implements from rolling past the throw sector
- Shock absorbing foam filled barriers wrapped in a 19oz customizable vinyl
- Non-slip material on bottom creates traction to keep barriers in place
- Hook and loop straps secures each barrier to each other and keeps barriers functioning as one unit
- Each barrier is 6' L x 23" W x 23" H

| 869CXX | Soft Shot Stop |  |
|--------|----------------|--|
|        |                |  |

869CXXSP

Soft Shot Stop with Graphics

| SECTOR LENGTH | # OF UNITS |
|---------------|------------|
| 16m / 52'     | 6          |
| 18m / 59'     | 7          |
| 20m / 66'     | 8          |
| 22m / 72'     | 8          |
| 24m / 79'     | 9          |





## OTEJAVELINS.com

OTE javelins are handcrafted in the USA, developed by master artisan, Dick Held. Dissatisfied with wooden javelins breaking after the first throw, he became inspired to build reusable, world-class javelins. Dick Held invented and perfected the modern aluminum javelin thrown today. It's that passion and performance potential upon which OTE javelin h<u>eritage stands</u>.

70



APEX 70 6.9 flex ٠ 2870H Universal 70m Universal 60m 7.1 flex ٠ 2860H

APEX 🗖 🖊

6.7 flex

6.7 flex



80m

80m

The OTE Apex series was developed by Dick Held alongside the 90m javelin using the same principles. Perfect for the intermediate athlete who wants a softer feel during the throw while developing a cleaner release. The Apex series allows for more forgiveness and protection from injury.

WORLD RECORD JAVELIN

| ) | his 98.48m world record back in 1996 – a record that still stands today. Invented and perfected by |
|---|--|
|   | Dick Held, the OTE 90 now sports a nostalgic look in honor of that legendary throw.                |
|   |  |



2885H

2885T

2890H

28901

Headwind

Tailwind

3001H

3001T

Handcrafted in the USA, the OTE 90 Competition is the same javelin Jan Železný threw to achieve

THE **ONLY** SINGLE-PIECE CARBON JAVELIN IN THE WORLD

100m

100m

4.4 flex

4.4 flex

Gill Athletics is privileged to continue our exclusive partnership with Countervail® to create the world's most technologically advanced javelin. The OTE Carbon 1 Countervail provides up to a 40% quicker damping rate which results in longer flights with minimal vibration and appears to "float" when thrown clean.

JE

CARBON FIBER TECHNOLOGY



Headwind

Tailwind



Headwind 90m 6.3 flex Tailwind 90m 6.3 flex







BEST SELLER!


Tru-Flight javelins offer unsurpassed value and quality for a budget-conscious program. Recommended for high school level competition. These javelins allow athletes to have more efficient practice sessions.

|              |                          | GILL                           | TRUFLIGHT                  |   |  |
|--------------|--------------------------|--------------------------------|----------------------------|---|--|
| 3508         | <mark>87</mark> Tru-Fli  | ght 70 U                       | niversal                   | 70m                                     |  |
|              |                          | GILL                           | TRAFLIGHT                  |   |  |
| 3508         | <mark>86</mark> Tru-Fli  | ght 60 U                       | niversal                   | 60m                                     |  |
|              | <sup>10</sup>            | Gill                           | TRUFLIGHT                  | - j - 18                                |  |
| 3508         | <mark>85</mark> Tru-Fli  |                                | niversal                   | 50m                                     |  |
|              |                          |                                |                            |   |  |
|              |                          |                                |                            |   |  |
| dic C<br>ort | ill Athletic             | s is proud to                  | be a North A               | nerican distributor of Nordic javelins. |  |
| ort          |                          |                                |                            |   |  |
| dic<br>ort   | 5ill Athletic<br>7961800 | s is proud to<br>Comet Alu 800 | be a North An<br>Universal | nerican distributor of Nordic javelins. |  |
| ort          |                          |                                |                            |   |  |
| ort          |                          |                                |                            |   |  |
| ert<br>(*)   | 7961800                  | Comet Alu 800                  | Universal                  | 11.4 flex                               |  |
| ert<br>(*)   | 7961800                  | Comet Alu 800                  | Universal                  | 11.4 flex                               |  |



**HEADWIND (H)** A headwind version of an OTE javelin describes a streamlined tip designed to help cut through the wind. This javelin tip, because of its small surface area, will have self-correcting characteristics when a thrower misses the point, adding valuable distance to a missed throw. The headwind version is ideal for 'power' throwers who lack perfect technique but make up for it with strength and torque.

**TAILWIND (T)** A tailwind version of an OTE javelin describes a thicker, more blunted tip that increases the surface area in front of the javelin. When a thrower hits the point with a tailwind version of an OTE javelin, it will mimic the old rules style javelins, with a beautiful floating flight and greater distances. This tailwind version is ideal for 'finesse' throwers who lack high outputs of power, yet throw at a high technical level.



TAILWIND (T) A tailwind version of an OTE javelin describes a thicker, more blunted tip that increases the surface area in front of the javelin. When a thrower hits the point with a tailwind version of an OTE javel will mimic the old rules style javelins, with a beautiful floating flight and greater distances. This tailwind is ideal for 'finesse' throwers who lack high outputs of power, yet throw at a high technical level.



HEADWIND (H) A headwindversion of an OTE javelin describes a streamlined tip designed to help cut through the wind. This javelin tip, because of its small surface area, will have self-correcting characteristics when a thrower misses the point, adding valuable distance to a missed throw. The headwind version is ideal for 'power' throwers who lack perfect technique but make up for it with strength and torque.



| APEX | 70 | 60 |  |
|------|----|----|--|
|      |    |    |  |

The OTE Apex series was developed by Dick Held alongside the 90m javelin using the same principles. Perfect for the intermediate athlete who wants a softer feel during the throw while developing a cleaner release. The Apex



2001H

2001T

2684H

2

72

Universal

50m

Headwind

Tailwind

80m

80m

5.4 flex

5.4 flex

APEX 50

7.2 flex



CARBON FIBER TECHNOLOGY

Gill Athletics is privileged to continue our exclusive partnership with Countervail® to create the world's most technologically advanced javelin. The OTE Carbon 1

with minimal vibration and appears to "float" when thrown clean.

THE **ONLY** SINGLE-PIECE CARBON JAVELIN IN THE WORLD

Countervail provides up to a 40% quicker damping rate which results in longer flights







Tru-Flight javelins offer unsurpassed value and quality for a budget-conscious program. Recommended for high school level competition. These javelins allow athletes to have more efficient practice sessions.



| 35065 | Tru-Flight 50 | Universal | 50m         |   |
|-------|---------------|-----------|-------------|---|
| 35064 | Tru-Flight 40 | Universal | <b>4</b> 0m | 1 |

| nor<br>Sp | dic Gill<br>ort | l Athletics is prou | ıd to be a N | orth American distributor | of Nordio | c javelins | 5. |  |  |
|-----------|-----------------|---------------------|--------------|---------------------------|-----------|------------|----|--|--|
| ۲         | 7961600         | Comet Alu 600       | Universal    | 12.1 flex                 |           |            |    |  |  |
| ۲         | 7925600         | Viking 600          | Universal    | 11.1 flex                 |           |            |    |  |  |
| ۲         | 7917600A        | Master Alu 600      | Universal    | 7.9 flex                  |           |            |    |  |  |
| ۲         | 7917601         | Diana NXS           | NXS          | 7.2 flex                  |           |            |    |  |  |
| ۲         | 7917602         | Diana NXB           | NXB          | 7.7 flex                  |           |            |    |  |  |

### **CHOOSE YOUR JAVELIN**

Use this chart for help on how to choose the best javelin.

| ABILITY  | BEGINNER -> ADVANCED      |
|----------|---------------------------|
| DISTANCE | <30M >80M                 |
| FLEX     | 12.6 (SOFT) 🔶 4.4 (STIFF) |
| RATING   | HIGH FLEX<br>LOW DIST.    |

#### STEP 1:

SELECT JAVELIN WEIGHT 600g women's, 800g men's, or rubber tipped javelin.

#### STEP 2:

#### CONSIDER ATHLETE ABILITY

BEGINNER: Consider a "softer" more forgiving rated javelin like Tru-Flight. EXPERIENCED: Consider a "medium" stiffness that suits throwing style. ADVANCED: Consider a "stiffer" less forgiving javelin that maximizes distance.



## THROWS

## **JAVELINS & ACCESSORIES**



#### 800G RUBBER TIPPED

|                        |        | 1.        | 072          | APE                   | x 70 M            |          |  |
|------------------------|--------|-----------|--------------|-----------------------|-------------------|----------|--|
| <b>J7</b>              |        | 2870R     | APEX70       |                       | 70m               | 6.9 flex |  |
|                        |        |           | OTE          | <b>—</b> AF           | PEX 30            |          |  |
|                        |        | 2860R     | APEX60       |                       | 60m               | 7.1 flex |  |
|                        |        |           | GILL         | TROFLIGHT             |                   |          |  |
| GILL TRU <b>FLIGHT</b> |        | 35186R    | Tru-Flight 6 |                       | 60                | 60m      |  |
| BEST SELLER!           | -      |           | GILL         | 172.4416HT            |                   | 3 B      |  |
|                        |        | 35185R    | Tru-Flight 5 |                       | 50                | 50m      |  |
| 600G RUBBER TIPPED     |        |           |              |                       |                   |          |  |
|                        |        |           |              |                       |                   |          |  |
| <b>Jie</b>             | 2690R  | APEX60    | di S         | 60m                   | 6.5 flex          |          |  |
|                        |        |           | 075          | APEX 3                | 7                 |          |  |
|                        | 2684R  | APEX50    |              | 50m                   | 7.2 flex          |          |  |
|                        |        |           | GILL         | 778. <b>441.66417</b> |                   |          |  |
| BEST SELLER!           | 35165R | Tru-Fligt |              | 501                   | n                 |          |  |
|                        | - U    |           | GILL         | TRACIONT              | Chinese and the s |          |  |
|                        | 35164R | Tru-Fligh | nt 40RT      | 401                   | m                 |          |  |

RUBBER TIPPED STATES:

ALABAMA, FLORIDA, IDAHO, NEW JERSEY, NORTH DAKOTA, SOUTH CAROLINA, SOUTH DAKOTA AND WASHINGTON



#### **POCKET JAVELIN**

- Replicates the feel of a competition javelin
- Aluminum shaft, rubber ends, and real grip cord
- Balance point that matches that of a competition javelin
- Designed for indoor and outdoor use

| 34620 | 600g 13" Pocket Javelin |
|-------|-------------------------|
| 34820 | 800g 13" Pocket Javelin |



74

NOCKEN BALLS

 Designed to give you the look and feel of a javelin while throwing indoors

| TA105  | 400g | <i>4</i> |
|--------|------|----------|
| TA100  | 600g |          |
| TA101  | 800g |          |
| TA1010 | 1K   |          |



| THROWING BALLS         |   |
|------------------------|---|
| Technique and arm spee | d |

training balls. For outdoor use.

| TA113 | 400g |
|-------|------|
| TA114 | 600g |
| TA115 | 800g |
| TA116 | 1K   |
| TA117 | 1.5K |
| TA118 | 2К   |

OUTDOOR



#### INDOOR THROWING BALLS

• Technique and arm speed training balls. For indoor use.

| TA102  | 500g |
|--------|------|
| TA103  | 600g |
| TA104  | 800g |
| TA1041 | 1K   |
| TA1042 | 1.6K |
| TA1043 | 2K   |





#### **PETRANOFF JAVELINS**

- Designed by former world record holder Tom Petranoff (99.72m)
- Advance from 300g to 800g model

| TA1193 | 300g Turbojav    |
|--------|------------------|
| TA1194 | 400g Turbojav    |
| TA1195 | 500g Long Tom    |
| TA1196 | 600g Long Tom    |
| TA1187 | 700g Turbo Spier |
| TA1188 | 800g Turbo Spier |



#### **INDOOR TRAINING JAVELINS**

- Air drag cones increase resistance to shorten throw for indoor facilities
- Aluminum shaft with rubber tip for maximum durability
- Close Out limited quantity available.

| TA1198 | 600g |  |
|--------|------|--|
| TA1199 | 800g |  |



#### **ALL SURFACE TRAINING JAVELINS**


- Designed for indoor, outdoor, and turf surfaces
- Get the balance and weight of a competition implement with a durable metal shaft and real grip cord
- Cost effective way to get more practice implements in your training inventory

| 34610 | 600g |
|-------|------|
| 34710 | 700g |
| 34810 | 800g |
| 34910 | 900g |

#### REAL GRIP CORD!







#### **JAVEE JAVELIN TRAINER**

- Excellent training aid to develop javelin specific strength, flexibility, range of motion
- Use for static and dynamic stretching and warm up routines
- Improve functional length limits for reduced chance of muscle and tendon injuries
- Variable resistance provided by three strong elastic cords
- Grip diameter specific to 600g and 800g sizes

| TA1820 | 600g |
|--------|------|
| TA1821 | 800g |





# THRUM5

## TRAINING & ACCESSORIES



#### PACER® ADJUSTABLE BAG

- Includes 4 protective tubes
- Holds 5-7 javelins (without tubing), 4 javelins (with tubing)
- Heavy duty Cordura nylon
- Universal fit adjusts to hold 600g and 800g javelins

#### 700803

#### HARDSHELL JAVELIN TUBE

- Holds five to seven javelins
- ABS plastic material gives peace of mind when transporting valuable javelins
- Universal fit adjusts between 600g and 800g javelins

700804



**NORDIC ELBOW BRACE** 

S, 7.5" - 9"

M, 8.5" - 12"

L, 11.5" - 14"

XL, 13.5" - 15"

1086392

1086383

1086384

1086395

## **IMPLEMENT ACCESSORIES & KITS**

#### **GILL® HAMMER LENGTH GAUGE**

- Aluminum gauge is constructed horizontally for ergonomic use
- Toggle Clamp pulls and straightens the wire for true length
- Hammer Read-Out Tool to precisely capture lengths
- 3-piece unit breaks down for convenient storage

93090







- Official-friendly design assures each implement meets specifications
- Laser cut stainless steel gauges for extreme accuracy and permanency
- High School gauges are 1/4" polycarbonate for durability and grip
- Labeled tabs on each gauge helps organize the process
- Self-contained unit packaged in one convenient case

| 93051 | High School Certification Kit<br>(1K, 1.6K discuses; 4K, 12 lb shot put)  |
|-------|---|
| 93066 | Javelin Certification Kit (all javelin competitions)  |
| 93075 | NCAA Certification Kit<br>(1K, 2K discuses; 4K, 16 lb shot put;<br>4K, 16 lb hammer; all javelin competitions)                          |
| 93080 | World Athletics Certification Kit<br>(1K, 1.5K, 1.75K, 2K discuses; 4K, 5K, 6K,<br>16 lb shot put and hammer; all javelin competitions) |
| 93085 | NCAA Indoor Implement Certification Kit   |



- **GILL® IMPLEMENT SCALES**
- Quickly, easily and accurately measure the weight of any track implement
- Works for javelin, discus, hammer, shot, and indoor weight
- Easy zero reset for calibration prior to weighing

Up to 15K/33 lb

Up to 20K/44 lb

Scale Ring

Read out in English or Metric system

| F | EEEE  |
|---|-------|
| 6 | 93021 |

93015



#### **ESSENTIALS™ IMPLEMENT SCALE**

- Large 55 lb capacity scale with 'easy press' buttons
- Includes digital auto calibration and full range tare/zero function
- Read out in English or Metric system

93010 Essentials™ Implement Scale

#### **INDOOR THROWING WEIGHT GAUGE**

- Easily check the length of indoor weight throw implements
- Adjustable knob assists in the quick calibration of the gauge before each use

93035

93015

93020

93021



- Large three square-inch writing surface
- Ample room to write athlete's name or number
- Extra strong pointed base for fast placement
- 7 ½" long
- 18 gauge steel

932W Marker 932W12 Markers (12)







# **SPEED DEVELOPMENT**



#### **RESISTANCE TETHER**

TA150

- Improve speed with resistance running
- Harness attaches to 10' long nylon web cord with handle
- Includes nylon cord and a 3" wide hook & loop closure belt adjustable to 42" waist, and carry bag



#### **DUAL RESISTANCE TETHER**

- One athlete runs while the other provides resistance
- Includes nylon strap attached to two 3" wide hook & loop closure belts adjustable to 42" waist, and carry bag

#### TA1521



#### **TIRE TETHER**


- Can be used to drag tires of different sizes for varied workouts
- Includes nylon strap and hardware to attach tire, 3" wide hook & loop closure belt adjustable to 42" waist, and carry bag. Tire not included.

#### TA1384



#### **DUAL SPEED TRAINER**

- Two-person assisted overspeed and resistance running kit
- Overspeed training provided to the rear athlete increases both stride length and frequency.
- Includes 20' latex tubing, two 3" wide hook and loop closure belts adjustable to 42" waist, and carry bag





#### **DYNAMIC TRAINER**

- Keeps resistance around the hips or torso
- 10' elastic tube is covered with nylon webbing, can stretch up to 30'

TA158



#### **POWERMAX® HIP FLEXOR**

- Strengthen hip flexors and upper quadriceps
- Offers resistance to muscle groups during any training session and maintains athlete's pure running form
- Up to three ¾ lb weight bars attached to thigh belts
- Includes thigh belts, six ¾ lb weight bars, 3" wide hook & loop closure belt adjustable to 42" waist, and carry bag

TA1511







#### **SPRINT START SLED**

- Unique design provides for clearance over and around virtually all starting blocks
- Includes sled, 11' leads, and 3" wide hook & loop closure belt adjustable up to 42" waist
- Olympic style weight plates may be added to increase resistance.
- Designed by University of Idaho head coach Tim Cawley

#### TA1541



#### **POWERMAX® SLED**

- Provides lower body resistance that develops speed and strength for all athletes in all sports.
- Add the desired weight to determine resistance. Load up to 200 lb. 15" tall post fits 4 Olympic bumper plates.
- Includes sled, 11' lead, 3" wide hook & loop closure belt adjustable to 42" waist, and instructions. Weights not included.
- TA154 Sled with Belt
- TA156 Sled with Shoulder Harness



#### **POWERMAX® PUSH/PULL SLED**

- The PowerMax Push/Pull Sled is great for versatility and adjustability in speed training.
- USA made 11 gauge steel frame sled
- Space-saving design that is less than 7" high when folded
- Replaceable/removable runners for use on a variety of surfaces
- Qu ick release pins for fast set-up and breakdown
- Adjustable width push posts (12-21" W x 32" H) and multiple push/pull options
- Sled weighs 45 lb (empty)
- Holds up to 300 lb, center post fits four 45 lb bumper plates
- Includes waist belt and harness
- Sled w/Belt + Harness TA155



#### FLYWEIGHT SPEED SLED

- Ideal sled to add incremental resistance to your athletes
- Easy storage
- Weighs less than 7 lb
- Includes waist belt, nylon leads, carabiners and sled

#### TA157



#### **POWERMAX® VARIABLE RESISTANCE CHUTE**

- The PowerMax VR Chute features a hook & loop closure baffle panel that can be opened or closed to achieve desired resistance.
- Open the baffle for reduced resistance or close to increase it.

| TA163M  | S/M  | Gray  |
|---------|------|-------|
| TA163XL | L/XL | Black |





# SPEED DEVELOPMENT



#### **BULLET BELT™ SYSTEM**

- For resistance to improve starting and acceleration mechanics
- Hook & loop closure for easy release giving a contrast workout from resistance to free running
- Adjustable belt

#### TA138



#### **STRIDE CHECKER**

- Improve stride length and frequency
- 30M long with segmented markings
- Usable on most surfaces
- Includes storage bag

TA1695



### POWERMAX® ACCELERATION LADDER

- Incrementally increase stride length and frequency
- Increasing stride spacing from 12" to 69"
- All red rungs, black sides, and a carry bag

 TA168
 37'6" X 20"



#### **POP BELT™**

- The Bullet Belt "Pop" release is the basic design in the Bullet Belt series
- Used to train explosive sport-specific skills

TA1383



#### POWERMAX<sup>®</sup> ANKLE-FLEX STRAPS

- Holds sprinter's foot flexed
  Improved ground attitue afficiency
- TA1485



#### BULLET BELT SPEED PULLEY

- This two-person over-speed trainer features a unique safety release if towed athlete cannot maintain pace.
- Comes with 30m of cord and a Bullet Belt universal web belt.

#### TA1381



#### **TC-TIMER SYSTEM**

The TC-Timer is a wireless timing device that enables athletes and coaches to measure time, speed, count repetitions, input test data and save it all in the TC-Timer memory.

- Sends radio transmissions up to 1,000 feet
- Accurate to the 100<sup>th</sup> of a second
- Equipped with 5 different radio frequencies allowing multiple systems to be used in the same area
- All components fit neatly into a small lumbar pack

| E38720 | TC Timer System           | \$2033 |
|--------|---------------------------|--------|
| E38721 | Pair, Additional TC Gates | \$1113 |

#### **BLACK BOX TIMING SYSTEM**

The Black Box system timing data is displayed on a smartphone instead of the TCi Timer using a BLE connection. Add up to 20 split beams for testing and custom applications.

#### E38711





#### **POWERMAX® V2 MED BALLS**

- 18 oz. flexible moisture resistant polyurethane shell textured for grip
- Hand-sewn casing design and expert ball construction
- Dimensionally stable, balanced, and maintains the
- impact absorbing properties

  One year warranty

| TA1362 | 6 lb  | Ø 14″ |  |
|--------|-------|-------|--|
| TA1363 | 8 lb  | Ø 14″ |  |
| TA1364 | 10 lb | Ø 14″ |  |
| TA1365 | 12 lb | Ø 14″ |  |
| TA1366 | 14 lb | Ø 14″ |  |
| TA1367 | 16 lb | Ø 14″ |  |
| TA1368 | 18 lb | Ø 14″ |  |
| TA1369 | 20 lb | Ø 14″ |  |



#### **POWERMAX® NON-BOUNCE MED BALLS**

• Material is made from durable PVC.

OFFICIAL PARTNER

| TA13204 | 4 lb  | Ø 9″    |
|---------|-------|---------|
| TA13206 | 6 lb  | Ø 9″    |
| TA13208 | 8 lb  | Ø 9"    |
| TA13210 | 10 lb | Ø 9″    |
| TA13215 | 15 lb | Ø 9″    |
| TA13220 | 20 lb | Ø 9″    |
| TA13225 | 25 lb | Ø 9″    |
| TA13230 | 30 lb | Ø 10 ¼″ |
| TA13240 | 40 lb | Ø 10 ¼″ |
| TA13250 | 50 lb | Ø 10 ¼″ |





#### **POWERMAX® RUBBER MED BALLS**

- Synthetic rubber balls suitable for all sports.
- Can be used indoor and outdoor.
- Color coded for easy weight identification.

| TA106 1K Purple Ø 6.5" TA111 5K Blue Ø 10.5" |  |
|--|--|
| TA108 2K Yellow Ø 7.5" TA112 6K Orange Ø 11" |  |
| TA109 3K Green Ø 9.5" TA131 7K White Ø 11.5" |  |
| TA110 4K Red Ø 9.5" TA132 8K Black Ø 12"     |  |



#### **POWERMAX® GRIP BALLS**

- Durable rubber shell with filler and comfortable built in rubber handle.
- Will not harm rubber floors. Balls are
   Ø 8" (diameter), grip is 1" x 1 ¼".

#### TA4002 2 lb

| TA4004 | 4 lb  |
|--------|-------|
| TA4006 | 6 lb  |
| TA4008 | 8 lb  |
| TA4010 | 10 lb |



#### **POWERMAX® SWING BALLS**

- For swinging, slamming, and rotation drills
- Rope:  $\frac{1}{3}$ " nylon with a 30" handle from stopper to end

| TA1332 | 2K Yellow | Ø 7.5″ |  |
|--------|-----------|--------|--|
| TA1333 | 3K Green  | Ø 9.5″ |  |
| TA1334 | 4K Red    | Ø 9.5″ |  |
| TA1335 | 5K Blue   | Ø 9.5″ |  |



#### DOUBLE-SIDED RACK

- Powder-coated steel rack holds up to 10 balls
- **TA1292** 63" x 22.5" x 9" (27 lb)



## JUMP TRAINING

#### THE POWERMAX® VERTICAL JUMP TRAINER

The PowerMax® Vertical Jump Trainer is constructed of aluminum, providing a lightweight, reliable solution for any vertical training needs. Tip and Roll wheels provide easy transportation while the rubber adjustable feet offer a secure base that won't mar your floor. Foldable Weight Arms on both ends of the base allow for weights to be added for more stability. Colored vanes provide quick and easy measurement readings. Height ranges from 95" to a maxiumum height of 146"

TA205







- ----







Puecies 27% / 1 Puecies 27% / 1 Puecies 27% / 15cn

WERMAX 24"/60cm

#### BEST SELLER!

Pawer AX 6"/15cm

#### **POWERMAX® SOFT PLYOBOXES**

- Standard 28" x 28" blocks
- 3" block is built with 2.2# density polyethylene foam, other sizes with 1.8# which provides stability, shock attenuation, and performance

Pawermax 12"/30cm

Pawer AK 18"/45cm

- Secured for stacking with industrial strength Velcro<sup>®</sup>
- Durable vinyl cover with two reinforced handles for portability
- Each box weighs less than 28 lb

| TA203 | 3" Soft Plyobox          |  |
|-------|--------------------------|--|
| TA206 | 6" Soft Plyobox          |  |
| TA212 | 12" Soft Plyobox         |  |
| TA218 | 18" Soft Plyobox         |  |
| TA224 | 24" Soft Plyobox         |  |
| TA225 | Set of 5, 1 of Each Size |  |

#### **POWERMAX® STEEL PLYOBOXES**

- 1" square steel tubing
- Plywood top platform with 10mm rubber surface
- Anti-skid rubber on base corners prevents slipping and protects floors
- Tapered design allows for stacking and stability

| TA3060 | 6" Plyobox                                      |
|--------|---|
| TA312  | 12" Plyobox                                     |
| TA318  | 18" Plyobox                                     |
| TA324  | 24" Plyobox                                     |
| TA330  | 30" Plyobox                                     |
| TA336  | 36" Plyobox                                     |
| TA342  | 42" Plyobox                                     |
| TA301  | 4pc. Plyobox Set<br>(12", 18", 24" & 30")       |
| TA300  | 6pc. Plyobox Set<br>(12" 18" 24" 30" 36" & 42") |


#### POWERMAX<sup>®</sup> ELECTRONIC VERTICAL JUMP TESTER

- $\bullet$  Measures from 7' to 12' in  $\ensuremath{\ensuremath{\mathcal{I}}}$  increments
- Light up dots on the height scale and digital display immediately show the exact jump height
- Data is downloadable to any computer
- Height decal offers quick "zero" marking
- Standing height measuring strip helps establish base height of reach prior to jump

#### TA199C12









Surface reduces stress of impact on joints and muscles during explosive training sessions.

**TA303** 

3'W x 6'L x ¼" thick

#### **POWERMAX® POWER PAD**

GILL SE


• Low-impact, energy absorbing foam pad • 48"L x 48"W x 24"H

TA194

#### **FLAT JUMP PLATFORM**

- Made of lightweight aluminum and covered with synthetic track material
- Easy to transport between practices
- Track spikes can be installed to ensure no slipping if needed
- Platform is 5" x 34" x 19"

#### TA198



#### **LAUNCH PAD**


- Allows for more jumps per session
- Steel construction with welded support braces
- Synthetic track material on jump surface
- Track spikes can be installed to ensure no slipping if needed

#### TA1921

#### **ARCHED JUMP BOX**

- Convex jumping box made of lightweight steel that is easy to carry to and from practices
- Covered in synthetic track material to simulate the same feelings as your track and runways
- 8" high in the middle by 30" wide and 47" long

#### TA193











#### **POWERMAX® VERSA-HURDLE**

- Built-in safety feature causes the hurdles to collapse upon impact
- Adjustable from 12" to 42"
- 18 gauge tube steel with durable gate board

| 100 | Hurdle           |
|-----|------------------|
| 101 | Versa-Hurdle Bag |



#### FOAM TRAINING HURDLE

- Ideal training hurdle made of forgiving foam
- Heavy enough to remain upright, yet light enough to be completely portable
- Durable vinyl covering allows for indoor and outdoor use
- Heights: 30", 33", 36", & 39"

409



#### **SMART HURDLE**

Smart Hurdles have a three point base for superior stability on all surfaces. Smart Hurdles are durable, lightweight, and easy to carry.

TA18544 21-36" Adjustable Hurdle TA18545 27-42" Adjustable Hurdle

#### **STEP HURDLES**

Constructed of durable, lightweight PVC tubing

| TA167   | 6" Hurdle  |  |
|---------|------------|--|
| TA166   | 12" Hurdle |  |
| TA16618 | 18" Hurdle |  |
| TA16624 | 24" Hurdle |  |
|         |            |  |



#### **POWERMAX® AGILITY ROCKER** HURDLES

Weighted base allows hurdles to rock back into the starting position. Colors may vary.

| TA1676  | 6" Hurdle  |
|---------|------------|
| TA1678  | 8" Hurdle  |
| TA16710 | 10" Hurdle |
| TA16712 | 12" Hurdle |





#### **VARIABLE HEIGHT STEP HURDLES**

The 2-in-1 hurdle can quickly and easily be adjusted to 2 heights (8"-12") and folds flat for storage.

| TA1662  | 2-in-1 Hurdles                      |
|---------|-------------------------------------|
| TA16601 | Mesh Carry Bag<br>(Holds 5 Hurdles) |






## AGILITY TRAINING

#### **POWERMAX® WEIGHT VEST**

- Holds soft double stitched ½ lb weights
- $\bullet$  Moveable shoulder straps 2  $\rlap{k}"$  wide with 5  $\rlap{k}"$  of adjustability
- Short vest fits up to a 40" chest/waist, 18" L x 16" W, long vest fits up to a 57" chest/waist, 23" L x 16" W

| TA1226 | Short 10 lb Vest       |
|--------|------------------------|
| TA1227 | Long 20 lb Vest        |
| TA1228 | 10 weight packs (5 lb) |








#### **POWERMAX® AGILITY LADDERS**

- 15' ladder comes in two 7' 6" sections with 10 slats total
- 30' ladder comes in four 7' 6" sections
- Easily connect with other ladders
- 20" wide with 18" between slats, not adjustable
- Includes 1 agility ladder & carry bag

```
TA1691 15' Agility Ladder
```

```
TA1681 30' Agility Ladder
```



#### **POWERMAX® WEB LADDER**

- Sewn nylon ladder is 16' L x 18" W
- Slats every 18"
- Includes storage bag and 4 ground stakes

**POWERMAX® SAND BAG SET** 

• Five strategically placed padded handles

(sand not included)

TA12241

• Leak proof inner bags hold 20 lb of sand securely

Inner bags are pre-marked for easy measurement

• Set includes inner and outer bags, holds up to 80 lbs

РашекМак

#### TA1696



**POWERMAX® AGILITY DOMES** 

- Multicolored domes are ideal to mark an agility course
- Durable impact resistant polyethylene
- Includes 40 domes (10 in each color) and storage rack

#### TA1852



POWERMAX® ADJUSTABLE ANKLE WEIGHTS

- Made of stretchable neoprene
  - Adjustable weight up to 5lb total
  - 21" x 5.25" x 1/2"







#### **SPEED ROPES**

- Stainless steel cable encased in plastic
- Ball bearing in handles for quick turnover
- Fixed length
- Includes carry bag for easy storage
- Padded handles for comfort

| TA128  | 9' Speed Rope  |
|--------|----------------|
| TA1281 | 10' Speed Rope |

#### **BEGINNER SPEED ROPES**

• These PVC ropes feature lightweight plastic handles and high-spin swivels

| TA1271 | 7' (Green)   |  |
|--------|--------------|--|
| TA1272 | 8' (Blue)    |  |
| TA1273 | 9' (Red)     |  |
| TA1274 | 10' (Yellow) |  |



#### **AGILITY POLES**

- 5' tall poles force athletes to maintain posture
- Includes 4 bases and 4 poles
- Add sand or water to base for additional stability

TA1850



#### **AGILITY RINGS**

- Create patterns to challenge footwork or set a pattern of acceleration
- Can be used on a variety of surfaces, ideal on textured surfaces

TA1693 Set of 12



#### **AGILITY DOTS**

- Dots are easy to store and transport
- Easy to see bright colors

TA1694 Set of 6



# BODYWEIGHT TRAINING

|          |                              |                     | Ĩ                        |                      |                        |
|----------|------------------------------|---------------------|--------------------------|----------------------|------------------------|
|          | Vinyl Boot End<br>Collegiate | Knotted End<br>Hemp | Vinyl Boot End<br>Dacron | Ball Knotted<br>Hemp | Boot Knotted<br>Dacron |
| 16' Long | 00199016                     | 00113160            | 00118160                 | 00115160             | 00119160               |
| 20' Long | 00199020                     | 00113200            | 00118200                 | 00115200             | 00119200               |
| 24' Long | 00199024                     | 00113240            | 00118240                 | 00115240             | 00119240               |



#### **HEMP CLIMBING ROPES**

This 1-½" rope contains 12-18% mineral oil lubricant by weight for long life and is securely attached within a heavy-duty steel fitting for years of durability. Optional rubber knots anchored every 12". Collegiate ropes are finished with a vinyl boot.

#### ROPE ATTACHMENT METHODS



**3½" OD PIPE CLAMP** XCLP97001002



**SOFT DACRON ROPES** 

better than cotton. Hypoallergenic.

#### ROPE ACCESSORIES

Soft Dacron ropes are ideal for elementary physical education programs. The

no-twist spun Dacron material is easier on hands than hemp ropes and will wear

TAMBOURINE

3/8" lacquered plywood tambourine restricts climbing height. Clamp permits fast removal & easy adjustment.

00198000



#### STAPLE PLATE

10340000For Wood Beams10341000For Concrete Beams



#### **ROPE HOIST**

Hoist is complete with wall brackets, ceiling attachment, heavy-duty cord and weight. Installs easily, ready to use.

00104000



#### **STEEL I-BEAM CLAMP**

 10100100
 Fits ≤8" Beams

 10100200
 Fits ≤17" Beams



#### SAFETY GUARD

Safety guard prevents the rope from falling if a part fails or wears out.

00110000



90







#### MULTI-STATION WALL-MOUNTED CHINNING BARS

- 10' long chinning bar with three stations
- Mounts 16" away from the wall
- 1" solid steel diameter grip with a durable zinc plated finish

00196013 10' 3 Piece Steel Chinning Bar

#### BEST SELLER!

#### **POWERMAX® WALL-MOUNTED** CHINNING BAR

- 50" wide by 21" tall with 1" grip diameter
- Bar is 22" away from wall/ceiling
- 48" mounting centers
- Black powder coat finish
- Hardware n · · · · · ?d



#### **ADJUSTABLE CHINNING BAR**

- 1" Grip diameter
- Bar is 22" away from wall
- 48" Mounting centers
- Black powder coat finish
- Hardware not included

#### 00197100







#### **PEG BOARD CLIMBERS**

- 1½" Thick gloss finished hardwood
- Rectangle has 11 holes spaced on 10" centers. Holes are arranged in 2 rows with staggered alignment
- Square has 16 holes spaced on 7½" centers in a 4  $\times$  4 grid pattern
- Two ø1½" x 6½" wood pegs included
- Mount directly to the wall or use optional mounting brackets
- Hardware not included

| 00188  | Rectangle 15" x 60"     |
|--------|-------------------------|
| 00189  | Square 30" x 30"        |
| 001881 | Pair, Mounting Brackets |
| 001891 | Pair, Wood Pegs         |



# **WEIGHT BARS & PLATES**

ALL items at close out prices while supplies last.

CLEARANCE!

#### **CAMBERED SQUAT BAR**

- This bar allows squats to be done in a more vertical posture, producing intensified quadriceps involvement.
- Cambered end design relieves much of the lower back stress normally associated with a back squat.

• All steel design with padded shoulder harness.

#### WT129

#### **CARBON STEEL HYBRID WEIGHTLIFTING BAR**

- 79" Carbon steel bar
- 33 lb weight
- 25mm grip diameter
- 400 lb weight rating

#### WT1216

#### **PRO BAR WRAP PAD**

- Protects shoulders and back during lifting exercises
- Black nylon cover with high quality foam insert
- 14" Long

#### WE310







ALL items at close out prices while supplies last.

**CLEARANCE!** 

SOLID RUBBER BUMPER PLATES

Bumper plates are the ideal tools for any lift from a standing position. Designed to impact the ground without creating damage to the floor, these new plates are thinner for those who wish to lift larger loads.

- 100% Rubber plates with solid steel insert
- Fit any olympic-style bar
- Colored plates feature colors to help
   guide weight selection
- Plates are sold in pairs
- Standard plate size 18" diameter



# **FLEXIBILITY & REHAB**



#### **POWERMAX® STRENGTH BANDS**

- Resistance determined by thickness & width
- 41" long, seamless latex rubber
- Layered construction helps prevent breakage
- Sold individually

| TA17110 | XX-Light 35 lb Resistance, .5", Red    |
|---------|--|
| TA17160 | X-Light 50 lb Resistance, .75", Orange |
| TA17170 | Light 65 lb Resistance, 1", Violet     |
| TA17120 | Medium 80 lb Resistance, 1.7", Blue    |
| TA17130 | Heavy 150 lb Resistance, 2", Green     |
| TA17140 | X-Heavy 175 lb Resistance, 3", Black   |
| TA17150 | Super 200 lb Resistance, 4", Yellow    |



#### **POWERMAX® MINI BANDS**

| <ul> <li>Great tool for intrinsic must a 2" wide x 13</li> </ul> | scles       | , hip muscles, ( | and small |
|--|-------------|------------------|-----------|
| TA1741L  | 10 Light Bo | ands (Red)       |           |
| TA1741M  | 10 Medium   | n Bands (Gray,   | )         |
| TA1741H  | 10 Heavy F  | Bands (Black)    |           |

#### **POWERMAX® STABILITY BALLS**

- Excellent for balance, abdominal work, and stretching
- Fabricated from durable vinyl, supports 500 lb
- Ships Deflated

| TA1805 | 55 cm Ball (5' - 5' 8")   |
|--------|---------------------------|
| TA1806 | 65 cm Ball (5' 8"-6' 2" ) |
| TA1807 | 75 cm Ball (6' 2"+)       |



### POWERMA PNF stretchin Eight 8" Hand 62" Length x TA1781

#### **POWERMAX STRETCH-STRAP**

• PNF stretching without a partner

- Eight 8" Handles allow a variety of stretches
- 62" Length x 4" Width x .5" Thickness



#### **STRETCHRITE™**

- Increase tension by changing grip position
- Change or isolate the stretch by rotating foot inward or outword

TA1780



#### **5" MASSAGE BALL**

Helps eliminate muscle knots, tension, and tightness

Paweamax

- Multi-directional roll to pinpoint specific muscles
- Two layer design with firm interior and soft exterior

2


TA1841



#### POWERMAX<sup>®</sup> FOAM ROLLER

- For advanced balance exercises or pressure massage
- Constructed of high density foam
- 6" Diameter x 36" Length

TA3620 ;



#### **BOSU® BALANCE TRAINER**

- Fitness / health professional version
- Includes program manual, training video, & free pump

TA1790



- Soft, durable foam with textured surface
- Roll-up for portability and storage
- 24" Width x 70" Length x .125" Height

#### TA304









#### Gill hammer and discus cages are engineered

to protect athletes, officials, and spectators from errant throws during event competition and practices. Combined with an industry best five-year warranty, Gill Athletics partners with you to keep your facility at the top of its class.



## SAFETY. INGENUITY. LONGEVITY.

#### **CUSTOMIZABLE CAGES**



\*To specify your color selection, use the two-digit number to replace XX in the item number.







#### **ALL NEW!**

#### **COLISEUM HAMMER/DISCUS CAGE**

| 753100CXXSP | Single or Double Ring |
|-------------|-----------------------|
| 75310092    | Ground Sleeve Package |

#### **3-POLE SUPER STRUCTURE**

- Improved sightlines for athletes, coaches, judges and spectators
- Decreased upright post damage from high winds
- Reduced installation costs from 3-pole design and retractable door net system





#### **SLIDING NET DOORS**

- Eliminates heavy metal door frames, reducing implement damage and dangerous wind sail
- Retractable sliding door net closure system secured by overhead magnet plate and ground anchor key below
- Competition setup is quicker and easier





Upper Magnet Plates

Ground Anchor Key

#### SINGLE-OPERATOR U-NET FRAME AND WINCH

- Remove hard to reach implements and get back to the completion with ease
- Lower or raise the u-net frame in under 5 minutes with self-provided drill tool
- Exclusive winch and cable routing design engineered for single-person operation without needing heavy equipment





Winch and cable designed for single-person operation

ONLY THE GILL COLISEUM OFFERS SINGLE OR DOUBLE RING

EVERY FACILITY DESERVES TO BE ITS BEST.

SINGLE OR DOUBLE RING SETUP



in the Manhall

## HAMMER CAGES







KEEPS YOUR ATHLETES AWAY FROM THE THROWING SECTOR OF THE FRONT CAGE WHILE INCREASING THE SPEED OF REPETITIONS.

On all Gill Cages

Call for Details.

Cage with Custom Color

Optional Barrier Net (8')


Ground Sleeve Kit



- Available in single ring or double ring design
- Poles: 6063-T6 aluminum net poles
- Doors: Cages have 7m tall aluminum doors with galvanized steel door hinge poles.
- Net: Weather treated nylon 6 net with 749 lb break strength
- Cage Main net: 20' 6"/6.25m, Door net: 23'/7m
- All cages include required cage door bracing.
- Ground sleeve kit sold separately
- Meets NCAA Specifications
- 5 Year Warranty


#### SINGLE RING CAGE

| 742110    | Cage                   |
|-----------|------------------------|
| 742110CXX | Cage with Custom Color |
|           |                        |
| 74211001  | Ground Sleeve Kit      |



SINGLE RING CAGES

100



DOUBLE RING CAGES

10-X

DOUBLE RING CAGE

Cage


742115

742115CXX

74211501

732108

100










#### NCAA ALUMINUM DISCUS CAGE

- Poles: (8) 6063-T6 aluminum net poles
- 16' 7" Net: Weather treated nylon 6 net with 340 lb break strength
- Rear door access net standard
- Rear net support tubes prevent net sag
- 18" hinged net arms secure net at all eight poles
- 36" deep ground sleeves
- Meets NCAA specifications
- 5 Year Warranty

| 732130    | Cage                      |
|-----------|---------------------------|
| 732130CXX | Cage with Custom Color    |
| 732132    | Optional Barrier Net (8') |







\*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.




#### **BRUTUS NCAA DISCUS CAGE**

- For high wind areas that need extra strength discus cages
- Made of Hammer Cage strength 4" outside diameter aluminum poles
- Meets NCAA specifications
- 5 Year Warranty

OFFICIAL PARTNER


| 732150    | Brutus Cage      |       |
|-----------|------------------|-------|
| 732150CXX | Brutus Cage with | Custo |

Brutus Cage with Custom Color



#### **WORLD ATHLETICS ALUMINUM DISCUS CAGE**


- Poles: (9) 6063-T6 aluminum net poles
- 6m Net: Weather treated nylon 6 net with 340 lb break strength
- Rear door access net standard
- Rear net support tubes prevent net sag
- 18" hinged net arms secure net at all poles
- Meets NCAA and World Athletics Specifications
- 5 Year Warranty
- 732145 Cage





# FACILITIES


### HIGH SCHOOL DISCUS CAGES



REAR DOOR ACCESS




On all Gill Cages Call for Details.



**6 POLE DESIGN** 

8010



#### STEEL

- Steel poles: 2 <sup>1</sup>/<sub>2</sub>" square A513 (Ultimate-42ksi, Yield-30ksi) with rolled offset for safety
- Nets: 180 lb break strength
- Net height: 13' 6"
- Meets NFHS specifications
- 5 Year Warranty

#### ALUMINUM

- Aluminum poles: 2 %" outside diameter 6063-T6 (Ultimate-30ksi, Yield-25ksi) with rolled offset for safety
- Nets: 180 lb break strength
- Net height: 13' 6"
- Meets NFHS specifications
- 5 Year Warranty

#### BRUTUS

- For high wind areas that need extra strength discus cages
- Made of Hammer Cage strength 4" outside diameter aluminum poles
- Meets NFHS specifications
- 5 Year Warranty

|              | EL          | Cage                      | 8030    |
|--------------|-------------|---------------------------|---------|
| STEEL        | STE         | Barrier Net               | 80302   |
| ER!          | Σ           | Cage                      | 8010    |
| BEST SELLER! | ALUMINUM    | Cage with<br>Custom Color | 8010CXX |
| BEST         | Barrier Net | 80102                     |         |
|              | 10          | Cage                      | 9010    |
|              | BRUTUS      | Cage with<br>Custom Color | 9010CXX |
|              |             | Barrier Net               | 90102   |

|          | 7 POLE DES                                    | SIGN    |
|----------|---|---------|
|          | Cage  | 8020    |
|          | Cage with<br>Custom Color                     | 8020CXX |
| MUNI     | Barrier Net                                   | 80202A  |
| ALUMINUN | Cage with<br>Rear Door Access                 | 8021    |
|          | Cage with<br>Rear Door Access<br>Custom Color | 8021CXX |
|          | Barrier Net with<br>Rear Door Access          | 80212   |
|          | Cage  | 9020    |
| SUI      | Cage with<br>Custom Color                     | 9020CXX |
| BRUTUS   | Cage with<br>Rear Door Access                 | 9021    |
|          | Cage with<br>Rear Door Access<br>Custom Color | 9021CXX |







COLOR OPTIONS AVAILABLE!

Show Your School Pride with Custom Powder Coating






\*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.



#### **PRO-DOWN DISCUS CAGE**

- Poles: (6) 2 3/8" outside diameter 12 gauge steel poles
- 10' 6" Net: Knotless weather treated nylon net with 180 lb break strength
- Five galvanized steel top rungs eliminate net sag
- Meets NFHS specifications
- 5 Year Warranty

80401 Cage with Ground Sleeves







# FAGILITIES

### PORTABLE CAGES



#### HIGH SCHOOL PORTABLE DISCUS CAGE


- Designed for set up and removal as needed
- Poles: (6) 6063-T6 aluminum net poles
- 13' 6" Net: #504 knotless nylon netting with 180 lb break strength
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- 5 Year Warranty

| 732220      | Cage                   |
|-------------|------------------------|
| 732220CXXYY | Cage with Custom Color |

#### **CUSTOMIZABLE**

\*To specify color with order, use the two-digit number of your color selection to replace XX and YY in the item number.






#### INTERNATIONAL PORTABLE DISCUS CAGE

- Designed for set up and removal as needed
  Poles: (9) 6063-T6 aluminum net poles
- 5.1m Net: Weather treated #42A knotless net with 340 lb break strength
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- 5 Year Warranty

732240 Cage

732240CXXYY Cage with Custom Color





104





#### NCAA PORTABLE INDOOR CAGE


- Designed for set up and removal as needed
- Poles: (5) 6063-T6 aluminum net poles
- 13' 2" Net: #42A knotless nylon netting with 561 lb break strength
- Doors: repositionable with wired front design for longer life
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- Meets NCAA specifications
- ∎ 5 Year Warranty

| 732250      | Cage                   |
|-------------|------------------------|
| 732250CXXYY | Cage with Custom Color |




- Designed for set up and removal as needed
- $\bullet$  Poles: (8) 2  $\,{}^{\prime\prime}\!\!\!/_2{}^{\prime\prime}$  outside diameter 6063-T6 aluminum net poles
- 16' 7" Net: Weather treated nylon 6 net with 340 lb break strength
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- Meets NCAA specifications
- 5 Year Warranty

OFFICIAL PARTNER 732230CXXYY Cage with Custom Color









On all Gill Cages Call for Details.


#### PORTABLE SHOT CAGE

- Designed for set up and removal as needed
- Poles: (4) 6063-T6 aluminum net poles
- 13' 6" Net: #42A knotless nylon netting with 180 lb break strength
- Base: A500 Grade B steel equipped with wheels. To be weighted with sand or water filled jugs.
- 5 gallon jugs with gray vinyl covers included. Covers available in other colors or with custom graphics for an additional charge.
- ∎ 5 Year Warranty

#### 732260 Cage

732260CXXYY Cage with Custom Color





<sup>732230</sup> Cage

# FACILITIES

### **SHOT CAGE & ACCESSORIES**




#### SHOT CAGE

- Poles: (4) 6063-T6 aluminum or A513 steel
- $\scriptstyle \bullet$  13' 6" Net: Weather treated nylon 6 net with 180 lb break strength
- 18" hinged net arms secure net at front two poles with ground
- stakes used at back poles
- 5 Year Warranty

SHOT CAGE

| 805     | Steel Cage                      |
|---------|---------------------------------|
| 8050    | Aluminum Cage                   |
| 8050CXX | Aluminum Cage with Custom Color |











#### **DISCUS SECTOR NET**

- Effective at stopping a discus from skipping outside of the sector
- 2' tall by 60' long 320 lb break strength discus net
- Polyethylene net spools included for convenient storage and handling

#### 731135




#### **OUTDOOR THROWING NET**

- Get the maximum number of reps with the minimal amount of retrieval
- Provides the perfect set up for working on throwing technique for shot put, discus and javelin (weighted balls)
- Bottom of main net has a pocket to catch implements before they hit the ground, preventing damage and making retrieval easier
- Side nets offer additional errant throw protection
- Nets are 749 lb test weather treated knotted nylon
- Main net is 20' x 20'

#### 731300



On all Gill Cages Call for Details.




#### **PORTABLE DISCUS PLATFORM**

- Wood platform with aluminum circle
- Constructed of  $\, \rlap{l}{}_2{}''$  marine grade plywood with pressure treated 2' x 5' and 2' x 6' lumber
- Platform breaks down into eight pieces for storage space of 8' x 4'
- Weighs in excess of 400 lb
- Gray marine coat finish



# **CIRCLES & TOEBOARDS**

#### BEST SELLER! **ALUMINUM CIRCLES ALUMINUM CIRCLES WITH 2" ANGLE PROFILE** ■ Four sections of 1" x ¾" extruded aluminum angle • Two sections of 2" x 2" extruded aluminum angle Designed to be cast into concrete • Designed to be cast into concrete Discus circle can also be mounted to surface • Compatible with toeboards 358, 363 Compatible with toeboards 358, 363 Meets NFHS, NCAA and World Athletics specifications Meets NFHS, NCAA and World Athletics specifications 374 Shot/Hammer Circle Shot/Hammer Circle 369 375 Discus Circle 370 Discus Circle



#### BEST SELLER!

#### **POWDER COATED STEEL SHOT CIRCLE**

- $\bullet$  Four sections of  ${}^{1\!\!/}_{4}{}''$  x 1  ${}^{1\!\!/}_{2}{}''$  flat powder coated steel
- Designed to be mounted on top of concrete surface
- Anchor bolts included
- Compatible with toeboards 359, 364
- Meets NFHS specifications

#### 373

108



- Converts a discus ring into a hammer ring
- 7 interlocking sections of white PVC plastic
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

3622 7 Piece System 💿

DISCUS, HAMMER & SHOT CIRCLES





#### **ALUMINUM CIRCLES WITH CROSS BRACING**

- Two sections of 1/4" x 3" extruded aluminum with welded bracing
- Bolt together to maintain form during in-ground installation
- Hardware included
- Compatible with toeboards 358, 363
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

| 366    | Shot/Hammer Circle        | ۲ |
|--------|---------------------------|---|
| 366C04 | Shot/Hammer Circle; White | ۲ |
| 367    | Discus Circle             | 3 |
| 367C04 | Discus Circle; White      | ۲ |



- Four sections of 2" x 3" aluminum angle
- Bolt together form for in-ground installation
- Aluminum exterior bracing creates a strong frame
- Center open for smooth concrete pour and crack-resistant finish
- Inner circle is 1/4" x 3" flat aluminum bar
- Compatible with toeboards 358, 363
- Meets NFHS, NCAA and World Athletics specifications

| 3741 | Shot/Hammer Circle Form |
|------|-------------------------|
|      |                         |

3751 Discus Circle Form



#### SYNTHETIC SHOT TOEBOARD FOR DEPRESSED PAD

- Molded low density polyethylene designed for ¾" depressed surface
- Compatible with circles 366, 369, 374, 3741
- Meets NFHS, NCAA and World Athletics specifications

358

#### SYNTHETIC SHOT TOEBOARD FOR LEVEL PAD

- Molded low density polyethylene designed for surface mount shot circles
- Compatible with circles 372, 373
- Meets NFHS specifications

359

#### **ALUMINUM SHOT TOEBOARD** FOR DEPRESSED PAD

- $\bullet$  Cast aluminum designed for a  $^{3\!\!/}_{4}{}''$ depressed surface
- Compatible with circles 366, 369, 374, 3741
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

363

#### **ALUMINUM SHOT TOEBOARD** FOR LEVEL PAD

- Cast aluminum designed for surface mount shot circles
- Compatible with circles 372, 373
- Meets NFHS specifications

364



#### SYNTHETIC PLUGS

- Keeps debris and standing water out of throwing circles
- Constructed of <sup>3</sup>/<sub>4</sub>" thick rubber and made to fit snug inside depressed circles
- Plugs come in sections for easier handling

| 37001 | Shot Circle Plug   |
|-------|--------------------|
| 37002 | Discus Circle Plug |



#### **INDOOR SHOT/WEIGHT THROW CIRCLE**


- $\bullet$  Constructed of  $\ensuremath{\mathscr{Y}}_4{}''$  plywood with steel hinges and handles
- Foldaway handles for easy handling and storage
- Laminated weather proofed marine plywood toeboard (sold separately)
- Optional three piece ¾" 7-ply birch plywood throwing surface (sold separately, not shown)
- Meets NFHS, NCAA and World Athletics specifications

| 368  | Indoor Shot/Weight Throw Circle      |
|------|--------------------------------------|
| 3680 | Wood Shot Toeboard for Indoor Circle |
| 3681 | Shot Throwing Surface                |









## FAGILIIIES

## **TAKE-OFF BOARDS & CURBING**

## PREPARE FOR TAKE-OFF WITH GILL BOARDS

#### **ADJUSTABLE TAKE-OFF BOARD SYSTEMS**

With the Gill Adjustable Take-Off Board Systems you get ease of installation, ease of use and dependable peak performance.

Gill Take-Off Board systems are the easiest and fastest boards to install in the market. *Complete system* comes with installation tray, adjustable folded aluminum base, reversible long lasting take-off board and foul board, and functional blanking lid ready to accept track surfacing.

- 8" take-off board and 4" foul board creates 12" system
- Exclusive easy-adjust leveling system for both horizontal and vertical axis
- Composite for longer lifespan
- Composite boards made of Polyboard<sup>®</sup>, an environmentally friendly, waterproof material that will not split or crack while offering jumpers great grip
- Meets NFHS, NCAA and World Athletics specifications

| 43505   | System with NCAA foul board               |
|---------|---|
| 43515   | System with World Athletic foul board     |
| 43525   | System with 12" Take-Off Board            |
| P435007 | Replacement 4" NCAA Foul Board            |
| P435107 | Replacement 4" World Athletics Foul Board |
| P435005 | Replacement 8" Take-Off Board             |
| P435205 | Replacement 12" Take-Off Board            |
| 439     | 1 lb Plasticine Brick - Yellow            |
|         |   |

#### ADJUSTABLE 8" TAKE-OFF BOARD SYSTEMS

- Complete system: Installation tray, aluminum leveling board and reversible take-off board
- Composite for longer lifespan
- Composite boards made of Polyboard<sup>®</sup>, an environmentally friendly, waterproof material that will not split or crack while offering jumpers great grip
- Blanking lid sold separately
- Meets NFHS and NCAA specifications

| BEST S | ELLER!                                     |  |  |  |
|--------|--|--|--|--|
| 444S   | Complete Standard 8" Take-Off Board System |  |  |  |
| 44405  | Replacement Take-Off Board                 |  |  |  |
| 44421  | Blanking Lid Assembly                      |  |  |  |



#### **INTERNATIONAL TRACK CURBING**

851A

- Heavy gauge aluminum design features upscale fluted dome-shaped top
- Curbing sections are notched at one end to allow easy drop in or removal of section
- Curbing supported by  $\frac{1}{2}$ " tall ribbed feet for unencumbered drainage
- Optional pin kit available to keep curbing from shifting on track
- Permanent installation includes two anchor pins for every 20' section
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

#### **NON-PERMANENT INSTALLATION CURBING**

| 851A | Plain          | <b>2</b> |
|------|----------------|----------|
| 852P | Powder Coated  | ۲        |
| 851P | Base Pins (12) | ۲        |

#### **PERMANENT INSTALLATION CURBING**

| 853A | Plain         | ۲ |
|------|---------------|---|
| 854P | Powder Coated |   |



#### **CUSTOMIZABLE**



\*Gray and Black powder coat available in Gloss or Flat



#### **19.5" TAKE-OFF BOARD SYSTEM**

- Complete System: Installation tray, aluminum base board, and reversible take-off board
- Composite for longer lifespan
- Composite boards made of Polyboard<sup>®</sup>, an environmentally friendly, waterproof material that will not split or crack while offering jumpers great grip
- Meets NFHS specifications

| 441TS | Complete HS System                 |  |
|-------|------------------------------------|--|
| 44105 | Replacement 19 1/2" Take-Off Board |  |



#### **CONVERSION BOARD**

- $\bullet$  Convert a Gill 19  $\%^{\prime\prime}$  take-off board system to an 8" system
- Includes 8" composite take-off board, black vultrak, and baseboard

441C



## FACILITIES

## VAULT BOXES

#### BEST SELLER!

#### **ALUMINUM VAULT BOX**

- Welded aluminum construction
- Reinforced backstop for prolonged life
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

502 📀

#### ALUMINUM VAULT BOX LID

- Compatible with all Gill vault boxes
- ${\scriptstyle \bullet}$  Reinforced with two  ${\scriptstyle 1\!\!/_2}{\scriptstyle \prime \prime}$  angled vertical supports to prevent sagging
- $\bullet$  50201: Recessed design to accomodate  $\mathcal{V}_{\!2}{}''$  (12mm) track surface
- 50202: Flush design with no added track surface

50202 Lid-Flush Mount

#### **STEEL VAULT BOX**

- Twelve gauge steel with fold and weld construction
- Flanged edges and flared sides for secure installation
- Finished with durable white powder coat
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

500 💮

#### **UNIVERSAL VAULT BOX LID**

- Compatible with all Gill vault boxes
- Constructed of 11 gauge hot rolled steel
- Features anti-slip designed surface
- Finished with durable white powder coat

503

50401

112



- Box: Stainless steel alloy fold and weld construction for corrosion resistance
- Lid: 12 gauge 304 stainless steel plate with 2 angled vertical supports to prevent sag
- Lid: Recessed design to accomodate  $\frac{1}{2}$ " (12mm) track surface
- Lid intended for use with stainless steel vault box

#### Meets NFHS and NCAA specifications

50401 Vault Box Lid

#### **CAST ALUMINUM VAULT BOX**

505

- $\bullet$  100% cast aluminum construction with a wall thickness of  $3\!\!/\!\!_8''$
- Standard durable white powder coat finish
- Inside corners rounded for unhindered pole rotation
- Guaranteed against cracking or warping
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified

505 White 😢



## VERSACOM BOXES **CONNECTING IT ALL TOGETHER**

Carlo Carlo I Martin

The VersaCom Box provides a junction for electricity and cable hookups. This box can be put in virtually any location around performance areas of varying surfaces. The open bottom of the VersaCom Box provides adequate drainage and conduit entry, while the hand holes in the cover allow easy access.

- Divider plates in full size version, provided to help keep electrical equipment segregated
- Main box structure is made of  $1/2^{\prime\prime\prime}$  thick folded aluminum
- $\bullet$  Lid is constructed of  ${}^1\!\!{\mathcal V}_{\!_4}{}''$  aluminum plates for maximum support and durability

The VersaCom Box - Synthetic Version allows material to be bonded or poured onto the top of the lid to match the surrounding surface.

The VersaCom Box - Turf Version features a supplied aluminum top to allow artificial turf to be glued on the jobsite, and is tethered to the box. This top is reinforced with multiple aluminum plates for maximum strength and durability. Factory installed turf infill retainment brushes keep infill out of the box.



| VERSACOM BOXES        |           | FULL SIZE<br>30" L x 18" W x 14" D | HALF SIZE<br>15" L x 18" W x 14" D |
|-----------------------|-----------|------------------------------------|------------------------------------|
| SYNTHETIC<br>VERSIONS | Synthetic | F910                               | F930                               |
| TURF<br>VERSION       | Turf      | F960                               | F970                               |

#### SOLD SEPARATELY

#### **VERSACOM RISER**

The VersaCom Riser has the same dimensions as a full-size VersaCom Box. The riser attaches to the bottom creating a box that is twice as deep.

F90010

Versacom Riser

OFFICIAI PARTNEF



## SAND PIT FORMS & COVERS

Sand pit forms hold more than just sand, they hold value.

With four different options of Sand Catcher locations and two practical Sand Catcher Cover options, you can design the horizontal jump facility that will perfectly meet your needs.

No matter which combination you choose; with the Gill Functional-Form, you can rest assured it's the finest product (with the easiest installation) available. Choose from one of two Sand Catcher Cover systems: traditional grate and mat or Gill (exclusive) Recessed Lid. When you consider the main function of a Sand Catcher system is not to catch sand but to store it, the Recessed Lid system is rapidly becoming the choice of facilities worldwide, as it is designed to receive track surfacing to match your track facility. When coupled with the 730148 Aluminum Sand Pit Cover, a complete logical design emerges for your world class jumps facility.

**Choose from one of four sand catcher locations:** no sides, two sides, two sides and back, or all four sides. Choosing Sand Catchers on the sides will cut unnecessary costs and eliminate potential trip hazards, providing more than ample storage space for overflow sand.

#### FORM WITH RECESSED CATCHERS



| 10             | 25' L | F46225 |
|----------------|-------|--------|
| 4 SIDES        | 28' L | F46228 |
|                | 31'L  | F46231 |
| 10             | 24' L | F46124 |
| <b>3 SIDES</b> | 27' L | F46127 |
|                | 30' L | F46130 |
|                | 23' L | F46023 |
| 2 SIDES        | 26' L | F46026 |
|                | 29' L | F46029 |

| 10      | 25' L | F44225 |
|---------|-------|--------|
| 4 SIDES | 28' L | F44228 |
|         | 31′L  | F44231 |
| 10      | 24′L  | F44124 |
| 3 SIDES | 27' L | F44127 |
|         | 30' L | F44130 |
| 10      | 23' L | F44023 |
| 2 SIDES | 26' L | F44026 |
|         | 29' L | F44029 |

#### FORM WITH GRATE & MAT CATCHERS

### FORM WITH NO CATCHERS



730 Perimeter Padding sold separately

|       | 23' L | F42023 |  |
|-------|-------|--------|--|
| LEDGE | 26' L | F42026 |  |
|       | 29' L | F42029 |  |

| ALL FORMS ARE 9' 8" WIDE |
|--------------------------|
| FAST INSTALLATION        |

\*\*Track surface not included

#### PERIMETER PADDING SYSTEM

- Greatly reduce possibility of injury caused by impact with sand pit edging
- Modular pads install on any sand pit quickly and conveniently
- Critical location of pads is along sides of sand pit
- Each pad is 36" long

730










#### **RECESSED SAND CATCHER COVER PANELS**

- Designed for ½" (12mm) track surface
- Constructed of 1/8" aluminum sheet metal
- Standard unit measures 18" x 36" and requires a ledge around perimeter to rest on
- Special lengths available between 18" and 35" long



#### LJ/TJ ALUMINUM SAND PIT COVER

- Each panel made from 9.5" x 1.75" x .125" aluminum planking framed with 2 3/8" x 1 1/2" x 3/16" aluminum angle
- Panels have four flush mount handles
- Recessed design for ½" (12mm) track surface

730148

#### **READY-FIT ALUMINUM SAND PIT COVERS**

| F44023C | 23' Cover |
|---------|-----------|
| F44124C | 24' Cover |
| F44225C | 25' Cover |
| F44026C | 26' Cover |
| F44127C | 27' Cover |
| F44228C | 28' Cover |
| F44029C | 29' Cover |
| F44130C | 30' Cover |
| F44231C | 31' Cover |



#### **BALLASTED LJ/TJ SAND PIT COVERS**

- Exclusive Vipol Matrix mesh material or solid vinyl polyester
- Anchoring system: Vinyl wrapped galvanized steel chain perimeter
- Ballasted pit covers are custom sized and sold by the square foot (no returns)
- Optional 5' x 5' multi-color graphic available
- Dimension certification form must be submitted with order

| 493680 | Mesh Vinyl     |
|--------|----------------|
| 493682 | Solid Vinyl    |
| 4936   | Graphic Option |

#### COLORS





#### LJ/TJ SAND PIT COVERS

- Keep your sand pit clean and dry with solid vinyl sand pit covers or choose mesh if rain is not an issue
- Constructed of vinyl coated woven polyester
- Anchoring system: Bags filled with sand placed in pouches to weigh cover down
- Optional 5' x 5' multi-color graphic available
- Graphic worksheet and vector artwork must be provided
- Additional colors available for additional charge

| 730147   | Gray Mesh 11' 9" x 25' 6"  |       |
|----------|----------------------------|-------|
| 730147L  | Gray Mesh 11' 9" x 31' 6"  |       |
| 730147V  | Gray Vinyl 11' 9" x 25' 6" |       |
| 730147VL | Gray Vinyl 11' 9" x 31' 6" |       |
| 9453     | Graphic Option             | \$795 |



## STEEPLECHASE



#### SAVE MONEY WITH VALUEPACKS!

#### **VALUEPACK - SURFACE MOUNT**

Package includes:

- F600 Steeplechase Water Jump Form
- 740144 Steeplechase Water Jump Barrier-surface mount version

**VPF600** 

#### WATER JUMP COVERS

- Each panel made from 9.5" x 1.75" x .125" aluminum planking framed with heavy duty aluminum angle
- Panels have four flush mount handles
- Recessed design for <sup>1</sup>/<sub>2</sub>" (12mm) track surface
- Understructure supported with 4" x 2" aluminum beams

#### 730146



#### FUNCTIONAL-FORM STEEPLECHASE WATER JUMP SYSTEMS

Gill Athletics has greatly simplified the installation of steeplechase water jump reservoirs with these Functional-Form systems. With the Functional-Form, installation precision is ensured to meet NFHS, NCAA and World Athletics specifications. Structure is fabricated of specially folded 1/8" aluminum to maximize strength and includes designed inner wall supports that allow the concrete to flow through and set evenly.

- F600: Compatible with 740144 water jump barrier
- F610: Compatible with 740134 water jump barrier
- Both models compatible with 730146 aluminum water jump cover
- Both models come standard with valve option: installed front wall valve to be connected with an outgoing pipe to the drain source

#### Meets NFHS, NCAA and World Athletics specifications

| F600 | Surface Mount Form |  |
|------|--------------------|--|
| F610 | Ground Sleeve Form |  |

#### **VALUEPACK - GROUND SLEEVE**

#### Package includes:

- F610 Steeplechase Water Jump Form with integrated ground sleeves
- 740134 Steeplechase Water Jump Barrier-ground sleeve version

#### **VPF610**

#### **STEEPLECHASE WATER JUMP BARRIERS**

- Barrier beam is 4" x 4" square steel tubing with synthetic track material
- Pull pin design makes barrier height change a snap
- Welded gusset adds needed strength support to the beam
- Adjustable to three heights: 30", 33", 36"
- Aluminum water jump barrier seal available
- Meets NFHS, NCAA and World Athletics specifications
- Surface mount barrier is World Athletics certified
- 5 Year Limited Warranty

COLORS

| 740134      | Water Jump Barrier with Ground Sleeves                                |
|-------------|---|
| 740144      | Water Jump Barrier with Surface Mount 💿                               |
|             |   |
|             |   |
| 730150CXX   | Aluminum Barrier Seal   |
| 730150CXXSP | Aluminum Barrier Seal w/ Graphics                                     |
|             |   |
|             | 01 02 03 04 05 06 07 08   |
|             | LIGHT ROYAL RED WHITE ORANGE YELLOW SILVER OLD<br>BLUE BLUE GOLD GOLD |

10 11 12 13 14

MAROON PURPLE BLACK



#### **MESH WATER JUMP BARRIER SEALS**

- Add design to your steeplechase water jump
- Lightweight design will ease water barrier height change

740145204SP White Mesh with Graphics









- Wheels easily set and retract with foot engaged levers
- Pin pull design allows for simple barrier height adjustment
- Welded gusset adds needed strength support to the beam
- Adjustable to three heights: 30", 33", 36"
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified
- 5 Year Limited Warranty

BEST SELLER!

| 740150    | 1 x 5m Barriers, 3 x 4m (4) | ٢ |
|-----------|-----------------------------|---|
| 740150131 | 4m Barrier; 13' Width       | ٢ |
| 740150161 | 5m Barrier; 16′ 5″ Width    | • |



#### **STEEPLECHASE BARRIER**

- 5" x 5" Barrier beam is constructed with aluminum extrusion and synthetic track material
- Pin pull design allows for simple barrier height adjustment
- Welded gusset adds needed strength support to the beam
- Adjustable to three heights: 30", 33", 36"
- Optional wheel kit for manual addition of wheels for transportation
- Meets NFHS, NCAA and World Athletics specifications, World Athletics certified
- 5 Year Limited Warranty

| 740140    | 1 x 5m Barriers, 3 x 4m (4) | ۲          |
|-----------|-----------------------------|------------|
| 740140131 | 4m Barrier; 13' Width       | <b>(2)</b> |
| 740140161 | 5m Barrier; 16' 5" Width    | ٢          |
| 74014050  | Wheels (4)                  |            |

#### **6' TRAINING BARRIER**

| 740140061 | 6' Training Steeplechase Barrier |
|-----------|----------------------------------|
|-----------|----------------------------------|

740150061 6' Training Barrier with Drop Down Wheels





In the past, these types of runway systems have been priced upwards to \$75k! You can now have this product at a fraction of that price. The Gill Raised Runway allows for the flexibility to design runways that will accommodate the pole vault, long jump and triple jump for all levels of competition and practice.

The basic unit is an 8' x 4' general runway section. Specialized sections incorporate a vault box or take-off board trays and blanking lids. The construction of each section is welded aluminum, with ½" plywood decking. Track surfacing is not included, so you can have your preference on surfacing.


Adjunct products for the Raised Runway include the Soft Shell Sand Pit Form for the long and triple jump (sand not included), and a pole vault pit elevating system. POLE VAULT

#### SAND PITS

#### **CALL TODAY!**

LET US HELP YOU PIECE TOGETHER THE **RAISED RUNWAY** SYSTEM THAT BEST FITS YOUR NEEDS.





#### CUSTOMIZABLE RUNWAY

#### Powder Coat

SIL









#### **10' - 40' TALL BALLSTOP SYSTEMS**

- 10' use 2" Sch 40 2-3/8" aluminum tube-36# Netting
- 12', 15' and 20' use 4" diameter,  $1/_8$ " wall aluminum tube #36 Netting
- 25' and 30' use 6" Sch 40 aluminum tube #36 Netting
- 35' and 40' use 6" Sch 40 steel tube #36 Netting
- All Poles 10'-40' have a vertical support cable for additional net support
- Ground sleeves included
- All poles are powder coated in architectural black
- 5 Year Warranty

#### HERE FOR YOU!

CALL TODAY AND WE'LL HELP GET THE **BALLSTOP** SYSTEM THAT BEST FITS YOUR FACILITY.



On all Gill Ballstops Call for Details.



#### **BALLSTOP NET RELEASE CLIPS**

Designed to drop the protective netting in high winds before any pole or hardware failure occurs.

- Marine Grade HDPE material
- Designed to break and drop nets in high winds, 20' and shorter or 25' and taller
- Sold in pack of 10 clips


739000 20' Ballstops and shorter

739001 25' Ballstops and taller

#### **PORTABLE BALLSTOP SYSTEM**

The Ballstop Systems were designed to be set up and removed as needed.

- 10' use 2" Sch 40 2-3/8" aluminum tube-36# Netting
- Poles have a vertical support cable for additional net support
- The portable system uses a platform base with wheels that is weighted down by four 5 gallon jugs (included)
- All poles are now powder coated in architectural black.
- 5 Year Warranty





#### *SINCE 1918*



In 1921 hall of fame athlete-turnedcoach Harry L. Gill helped organize the first NCAA Track & Field Championship event. His team entered and won that inaugural national title. We are proud to honor Harry Gill's legacy and vision for the sport through Gill Athletics' role as the official equipment supplier of the NCAA Track & Field Championships.









**CK & FIELD CHAMPIONSHIPS** 



120

TRACK & FIELD CHAMPIONSHIPS

獲



# IT'S BACK

The legendary OTE javelin recaptured with it's legendary look.

## WORLD RECORD JAVELIN

98.48m









601 Mercury Drive Champaign, IL 61822 USA



OFFICIAL TRACK & FIELD





# FREEDOM TO FOCUS ON YOUR ATHLETES



2024 TRACK+FIELD CATALOG

**GILLATHLETICS.COM** 601 MERCURY DRIVE | CHAMPAIGN, IL 61822 800.637.3090 sales@gillathletics.com