

VOLLEYBALL NET HEIGHTS						
SCHOLASTIC LEVELS	GIRLS / WOMEN			BOYS / MEN		
	A	B	C	A	B	C
AGES 12 YEARS AND UNDER	7'-0"	7'-0 ³ / ₄ "	7'-1 ¹ / ₈ "	7'-0"	7'-0 ³ / ₄ "	7'-1 ¹ / ₈ "
GRADES 7 THRU 9 (MIDDLE SCHOOL)	7'-4 ¹ / ₈ "	7'-4 ⁷ / ₈ "	7'-5 ¹ / ₄ "	7'-4 ¹ / ₈ "	7'-4 ⁷ / ₈ "	7'-5 ¹ / ₄ "
GRADES 7 THRU 9 (Jr. HIGH SCHOOL)	7'-4 ¹ / ₈ "	7'-4 ⁷ / ₈ "	7'-5 ¹ / ₄ "	7'-11 ⁵ / ₈ "	8'-0 ³ / ₈ "	8'-0 ³ / ₄ "
GRADES 9 THRU COLLEGIATE	7'-4 ¹ / ₈ "	7'-4 ⁷ / ₈ "	7'-5 ¹ / ₄ "	7'-11 ⁵ / ₈ "	8'-0 ³ / ₈ "	8'-0 ³ / ₄ "

IMPORTANT NOTE - Check net height settings at both court lines to ensure that net is level before applying net height labels on inside upright assembly.

CAUTION - Net height dimensions given allow for maximum allowable net sag. Overtightening of the net could cause possible equipment damage or failure, and void all warranties.



www.porterathletic.com.com
800-637-3090

No. 1791 POWR-STEEL VOLLEYBALL END STANDARDS ASSEMBLY and INSTALLATION INSTRUCTIONS

SAFETY INSTRUCTIONS

- Read all instructions before use to avoid injury.
- Improper use of product can result in serious injury.
- Read all product safety labels.
- Keep this instruction manual for future reference.



WARNING

- Serious injuries, including permanent paralysis, can occur in volleyball. Such can be caused by falls on the head, neck and other parts of the body, or by running into unpadded volleyball standards. Approved upright padding is mandatory.
- While it cannot be eliminated, the risk of injuries can be greatly reduced by following proper safety guidelines and providing proper maintenance and safety inspections.



CAUTION

- Never attempt to remove the height adjuster pin if the net is under tension.
- Securely hold the inner upright when adjusting the pole height. Do not let it drop.
- Cable tension must be released before adjusting net height. Failure to do so may cause damage to the equipment, or cause personal injury.
- Under no circumstances should volleyball standards be stored leaning against a wall or other rigid objects.
- Lay volleyball standards down unless they can be securely fastened to a stable object or properly positioned in a storage rack specifically designed for volleyball standards.
- Never attempt to lift or install uprights without assistance.

NOTICE

- Inspect this equipment for wear, loose fittings, damage and proper stability before each use. Replace defective or worn parts immediately. If in doubt, do not use this equipment until repaired.
- Do not over tighten the volleyball net, as damage to uprights may result and void all written or implied warranties.



WARNING: Cancer and Reproductive Harm –
For more information go to www.p65warnings.ca.gov


F





www.porterathletic.com.com
800-637-3090

No. 1791 POWR-STEEL VOLLEYBALL END STANDARDS ASSEMBLY and INSTALLATION INSTRUCTIONS

1. Unpack all parts and check against parts list to ensure that all have been included. Uprights will come pre-assembled.
2. Place assembled standards in floor sleeves. If floor sleeves are 3.5" OD please contact Porter for sleeve adaptors. With the standards in place, rotate upright so the winch faces the outside of the court. See Page 1.
3. Remove the pull pin from each upright and set them to the correct height. If ground sleeves were installed too deep, adjustable foot can be unscrewed to achieve the correct net height.
4. Attach the net using instructions provided in the net box.



5. Attach and tighten net straps to complete installation.
 6. The winch will come pre-assembled, attached and tightened on one of your standards.
- Before play, confirm the winch is fully secured and tightened down.






www.porterathletic.com.com
800-637-3090

No. 1792 POWR-STEEL VOLLEYBALL CENTER STANDARDS ASSEMBLY and INSTALLATION INSTRUCTIONS


CENTER STANDARD LAYOUT








www.porterathletic.com.com
800-637-3090


No. 1791 POWR-STEEL VOLLEYBALL END STANDARDS REPLACEMENT PARTS


PART NUMBER	DESCRIPTION
UPRT1791	POWR-STEEL POLE; TIE OFF UPRIGHT ASSEMBLY
	

PART NUMBER	DESCRIPTION
UPRT1791W	POWR-STEEL POLE; WINCH UPRIGHT ASSEMBLY
	

PART NUMBER	DESCRIPTION
REPL00026	REPLACEMENT PULL PIN
	

PART NUMBER	DESCRIPTION
REPL00027	REPLACEMENT ADJUSTABLE RUBBER FOOT
	

PART NUMBER	DESCRIPTION
REPL00021	REPLACEMENT PULLEY KIT W/ HDWE
	

PART NUMBER	DESCRIPTION
WINH00113	POWR-SELECT WINCH W/ CRANK
	

PART NUMBER	DESCRIPTION
WINH00114	WINCH CRANK HANDLE
